



SALW Guide

Global distribution and visual identification



Morocco

Country report

https://salw-guide.bicc.de

Weapons Distribution

The following list shows the weapons which can be found in *Morocco* and whether there is data on who holds these weapons:

AK-47 / AKM	G
AK-74	U
AR 15 (M16/M4)	U
Beretta AR70/90	G
Browning M 2	G
FN FAL	G
FN Herstal FN MAG	G
FN MINIMI	G
HK 21	G
HK G3	G
HK MP5	G
IGLA (SA-16 / SA-18)	G
M1919 Browning	G
M203 grenade launcher	G

M60	G
MAS 49	U
MAS 49/56	U
MAT 49	G
MBDA MILAN	G
RPD	G
RPG 2	U
RPG 7	G
RPK	G
Sterling L2A3	G
Steyr AUG	G
Strela (SA-7 / SA-14)	G
Tokarev TT-30/TT-33	U

Explanation of symbols

!

Country of origin

==

Licensed production

峀

Production without a licence

- G
- Government: Sources indicate that this type of weapon is held by Governmental agencies.
- Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.
- Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model



8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine















Kalashnikov & variants 001/md-01-300w.png marking details (RUS)


Kalashnikov & variants 001/md-02-300w.png marking details (RUS)

Kalashnikov & variants 001/md-03-300w.jpg marking details (EGY)

Kalashnikov & variants 001/md-04-300w.jpg

001/md-01-b-300w.png


marking details (CHN)



Type: CHN Model 56 (AK47) 001/ws-02-300w.png weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)
001/ws-03-300w.png
weapon specifics











The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some



early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine











Kalashnikov & variants 026/md-01-300w.png marking details (DEU)

Kalashnikov & variants 026/md-02-300w.png marking details



The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases,



through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine












right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. – Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.







The following ammunition can be used by the AR 15 (M16/M4):

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Beretta AR70/90

The Beretta 70/90 system was developed for the Italian army. The assault rifle AR70/90 was designed for the Italian army infantry and entered into service in 1990. The AR70/90 is also designed to be fitted with a rifle grenade. It is known for its reliability, which earned it the nickname "Excalibur" by the Alpini mountain troops. It remains the standard rifle of the Italian infantry, though it is currently being phased out in favour of the newer Beretta ARX 160 assault rifle.



Category	Assault Rifles
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	998 mm
Feeding	detachable, box magazine









Beretta AR70/90 096/md-01-300w.jpg marking details

Beretta AR70/90 096/ws-01-300w.jpg weapon specifics

Beretta AR70/90 096/ws-02-300w.jpg

weapon specifics

Beretta AR70/90 096/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **Beretta AR70/90**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	Heavy Machine Guns	
Operating system	Fires from a short bolt, operated on the short recoil principle	
Cartridge	12.7 x 99 mm NATO (.50BMG)	
Length	1650 mm	
Feeding	Belt	







The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm

NO IMAGE

FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the



militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is

no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.

Category	Assault Rifles	
Operating system	ng system Gas operated, tilting breechblock, select-fire or semi-automatic only	
Cartridge	7.62 x 51mm / .308 Winchester	
Length	Length 1100 mm	
Feeding	Box magazine	





















The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the



UK. It can be carried by infantry and is usually fired while mounted on a tripod.

Category	Heavy Machine Guns
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	Light Machine Guns	
Operating system	gas, automatic only	

Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester	
Length	1040 mm	
Feeding	disintegrating metal link belt or box magazine (M16 type)	











FN Minimi
116/md-01-300w.jpg
marking details

FN Minimi 116/ws-01-300w.jpg weapon specifics FN Minimi 116/ws-02-300w.jpg weapon specifics

FN Minimi 116/ws-03-300w.jpg weapon specifics

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm



Overall length	69.85 mm
----------------	----------

HK 21

The basic action of the machine gun, which received the company designation HK 21, was similar to that of the G3 rifle. The HK 21 fired from a closed bolt (not that big issue since its heavy barrel was really quick-detachable) and,



unlike most machine guns, its belt feeding module was located below the receiver. Variants: HK11E automatic rifle (magazine fed, 7.62 mm) HK13E automatic rifle (magazine fed, 5.56 mm) HK21E general purpose machine gun (belt feed, 7.62 mm) HK23E light machine gun (belt-fed, 5.56 mm). The "E" stands for "Export" model.

Category	Light Machine Guns
Operating system	Selective fire roller-back blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1140 mm
Feeding	Box magazine













HK 21E 028/md-01-300w.jpg marking details HK 21E 028/md-02-300w.jpg marking details

HK 21E 028/md-03-300w.jpg marking details HK 21E 028/ws-01-300w.jpg weapon specifics

The following ammunition can be used by the **HK 21**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer



fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

Category	Assault Rifles
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine

























The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,



whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.

Category	Submachine Guns

Operating system	delayed-blowback; selective-fire	
Cartridge	9mm Parabellum (9 x 19mm)	
Length	680 mm	
Feeding	detachable box magazine	

















HK MP5 094/md-01-300w.jpg marking details $$HK\ MP\ 5$$ 094/md-02-300w.jpg marking details: HK MP 5 Kal. 9 mm x 19 80244

HK MP 5 094/md-03-300w.jpg marking details: HK MP 5 HK MP 5 094/ws-01-300w.jpg weapon specifics

HK MP 5 094/ws-02-300w.jpg weapon specifics HK MP 5 094/ws-03-300w.jpg weapon specifics

HK MP 5 094/ws-04-300w.jpg weapon specifics

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethali



against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.


Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		
Feeding	front-loaded	




















The following ammunition can be used by the IGLA (SA-16 / SA-18):

M1919 Browning

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry. The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the



original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.

Category	Light Machine Guns
Operating system	short recoil, automatic

Cartridge	.30-06 M1 7.62 x 25mm Tokarev
Length	1044 mm
Feeding	250-round belt











M1919 Browning 119/md-01-300w.jpg marking details

M1919 Browning 119/md-02-300w.jpg marking details M1919 Browning 119/ws-01-300w.jpg weapon specifics

The following ammunition can be used by the **M1919 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGE

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).

Category	Hand-held under-barrel and Mounted Grenade Launchers
Operating system	Single shot, under-barrel, pump-action
Cartridge	40 x 46 mm grenade
Length	380 mm
Feeding	breech-loaded







The following ammunition can be used by the M203 grenade launcher:

40 x 46 mm grenade

Bullet diameter	_
Case length	-
Overall length	_

NO IMAGE

M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the



period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.

Category	Light Machine Guns
Operating system	Gas operated, belt fed
Cartridge	7.62 x 51mm / .308 Winchester
Length	1105 mm
Feeding	Belt







The following ammunition can be used by the **M60**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



MAS 49

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on



top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.

Category	Rifles & Carbines
Operating system	Gas operated, tilting bolt
Cartridge	7.5 x 54mm
Length	1100 mm
Feeding	Box magazine





The following ammunition can be used by the MAS 49:

7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm



MAS 49/56

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported



underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.

Category	Rifles & Carbines
Operating system	Gas operated, tilting bolt
Cartridge	7.5 x 54mm
Length	1020 mm
Feeding	Box magazine













The following ammunition can be used by the MAS 49/56:

7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm

Overall length	78 mm
----------------	-------




MAT 49


For some 30 years, the MAT 49 was widely used by French military and police forces; it was used throughout the Indochinese and Algerian campaigns. The weapon can still be encountered in former French colonies in Africa and Indochina. It should be noted that North Vietnam once produced a local copy of the MAT 49, chambered for 7.62mm TT rounds. MAT 49s



manufactured for police forces, had two triggers, allowing use of full-auto fire or single shots, but most were manufactured as full-auto only.

Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	7.62 x 25mm Tokarev 9mm Parabellum (9 x 19mm)
Length	404 mm
Feeding	Box magazine













The following ammunition can be used by the **MAT 49**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.

Category	Portable Launcher of Anti-tank Missile and Rocket Systems	
Operating system	portable anti-tank weapon system	
Cartridge		

The following ammunition can be used by the **MBDA MILAN**:

RPD


The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.



The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Light Machine Guns
Operating system	Gas operated, full auto only
Cartridge	7.62 x 39mm
Length	1037 mm

Feeding Boxed belt









The following ammunition can be used by the **RPD**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	Portable Anti-tank Guns
Operating system	Recoilless launch / non rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded





The following ammunition can be used by the RPG 2:

RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many



conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Portable Anti-tank Guns
Operating system	Recoilless launch + rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded, manual reload





















Type: RPG-7D anti-tank grenade launcher



Version for airborne troops, disassembled for transportation / airdrop



marking details



The following ammunition can be used by the **RPG 7**:

RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	Light Machine Guns
Operating system	Gas operated, magazine fed, air cooled, selective fire
Cartridge	7.62 x 39mm
Length	1040 mm
Feeding	Box magazine















The following ammunition can be used by the **RPK**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Sterling L2A3

Sterling submachine guns , were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in



Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.

Category	Submachine Guns
Operating system	Blowback-operated, select-fire, fires from open bolt

Cartridge	9mm Parabellum (9 x 19mm)	
Length	481 mm	
Feeding	Box magazine	





















The following ammunition can be used by the **Sterling L2A3**:

9mm Parabellum (9 x 19mm)

Bullet diameter 9 mm	
----------------------	--

Case length	19.15 mm
Overall length	29.69 mm



Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is



usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
Length	790 mm
Feeding	Box magazine






















The following ammunition can be used by the **Steyr AUG**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be



reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.

Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		
Feeding	front-loaded	



































The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in



service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Self-Loading Pistols & Revolvers
Operating system	Short recoil operated, closed breech, single action, semi-automatic
Cartridge	7.62 x 25mm Tokarev
Length	194 mm
Feeding	Box magazine























The following ammunition can be used by the **Tokarev TT-30/TT-33**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm	
Case length	25 mm	
Overall length	34 mm	



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources as usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

- **A. Written** the source is based on written words.
- **B. Oral** the source is based on spoken words.
- **C. Visual** the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

Primary	Secondary
---------	-----------

Written	 Fact books Weapons Transfer authorizations End-user certificates Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia Newspaper articles Written correspondence (e.g. letters, emails, text messages, etc.) Blogs Peer-reviewed journal articles Treaties, constitution, laws Records of organizations (e.g. annual reports) Surveys, questionnaires Etc	 Wikipedia Literature reviews Training or safety manuals on gun control, ammunition, physical stockpile security management) Minutes of meetings, conferences, symposia Indexes (e.g. Global Militarization Index) Newspaper articles Etc.
Oral	 Interviews with experts, including radio or telephone Legal proceedings Speeches or interventions by experts or national representatives in government or international meetings Etc 	Speeches, panel presentations, etc. on data provided by experts Etc
Visual	 Artifacts (e.g. the weapons themselves, ammunition) Photographs of weapons, ammunition, etc. Videos (e.g. YouTube, those recorded by mobile phone) Television documentaries, news reports Etc	PowerPoint presentations on results found by experts Etc

About the Guide SALW Guide

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office*, *Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha Project Coordinator Pfarrer-Byns-Str. 1 53121 Bonn Germany E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center (BwVC)

Global Arms- and Proliferation Control Division Major Laurentius Wedeniwski Selfkant-Kaserne Rue de Quimperle 100 52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha Project Coordinator Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth