



SALW Guide

Global distribution and visual identification



Estonia

Country report

https://salw-guide.bicc.de

Weapons Distribution

The following list shows the weapons which can be found in *Estonia* and whether there is data on who holds these weapons:

AK-47 / AKM	G
Browning M 2	G
Carl Gustav recoilless rifle	G
FN Herstal FN MAG	G
FN High Power	U
HK G3	G
HK G36	G
HK MP5	G
IWI NEGEV	G

MBDA MILAN	G
MG 3 / MG 42	U
Makarov PM	U
Mosin-Nagant Rifle Mod. 1891	U
PK	G
SA vz 24 / 26	U
Saab AT4	G
UZI	G

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model



8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine

The following ammunition can be used by the AK-47 / AKM:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	Heavy Machine Guns
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm



Carl Gustav recoilless rifle

The Carl Gustav can be fired from the standing, kneeling, sitting or prone positions. A bipod may be attached in front of the shoulder piece. An operating handle called a "Venturi lock" is used to move the hinged breech to one side for reloading. The weapon is normally operated by a two-man crew, one carrying and firing the weapon, the other carrying ammunition and reloading.



Category	Recoilless Guns/Rifles
Operating system	Recoilless launch
Cartridge	
Length	1130 mm
Feeding	hinged breech

The following ammunition can be used by the Carl Gustav recoilless rifle:

FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the



UK. It can be carried by infantry and is usually fired while mounted on a tripod.

Category	Heavy Machine Guns
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The



trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.

Category	Self-Loading Pistols & Revolvers
----------	----------------------------------

Operating system	Short recoil operated, locked breech, single action
Cartridge	.40 S&W 9mm Parabellum (9 x 19mm)
Length	200 mm
Feeding	Box magazine

The following ammunition can be used by the **FN High Power**:

.40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer



fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

Category	Assault Rifles
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester

Length	1023 mm
Feeding	Box magazine

The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



Category	Assault Rifles
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	1002 mm
Feeding	detachable, polymer box magazine

The following ammunition can be used by the **HK G36**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,



whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.

Category	Submachine Guns
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



IWI NFGFV

The Israeli light machine gun NEGEV entered into production in 1995 and was inspired by the Belgian FN MINIMI. In 1997 it was adopted by the Israel Defense Forces (IDF), followed by several other South American and Asian countries. It can be fired from the hip, from bipods, tripods, or ground vehicle and helicopter mounts with either single-shot or automatic fire. The NEGEV is designed to be fed from standard belts, drums or magazines. It is still produced today and available for export sales.



Category	Light Machine Guns
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
Length	1020 mm
Feeding	35 or 30 rd box magazine; 150 or 200 rd belts in assault pouches

The following ammunition can be used by the IWI NEGEV:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.

Category	Portable Launcher of Anti-tank Missile and Rocket Systems
Operating system	portable anti-tank weapon system

Cartridge

The following ammunition can be used by the **MBDA MILAN**:

MG 3 / MG 42

The MG is a short-recoil operated, air cooled, belt fed weapon which fires from an open bolt. The barrel is quick-removable, and can be replaced in less than six seconds by a properly trained crew. The action of the weapon is



operated by the recoil of the locked barrel, assisted by a muzzle booster which uses pressure from the muzzle blast to increase the recoil impulse. This is a simple and solid system. Variants: MG 1: Rheinmetall variant of the MG 42, most notably rechambered to fire 7.62×51mm NATO. MG 1A1 (MG 42/58): As MG 1, but with sights properly calibrated for the new round. Sights refitted to existing MG 1s. MG 1A2 (MG 42/59): MG 1A1 variant; product improved with longer ejection port, heavy bolt and friction ring buffer. MG 1A3: MG 1A2 variant; product improvement of all major components. MG 1A4: MG 1 variant; for fixed mount armor use. MG 1A5: MG 1A3 variant; MG1A3s converted to MG1A4 standard. MG 2: Designation for all wartime MG 42s rechambered to 7.62×51mm NATO. MG 3: MG 1A3 variant; product improved with AA rear sight. MG 3E: MG 3 variant; reduced weight model (roughly 1.3 kg lighter), entered into late 1970s NATO small arms trials. MG 3A1: MG 3 variant; for fixed mount armor use.

Category	Light Machine Guns
Operating system	recoil-operated, roller locked
Cartridge	
Feeding	belt fed

The following ammunition can be used by the MG 3 / MG 42:

Makarov PM

The PM has a free-floating firing pin, with no firing pin spring or firing pin block. This allows for the possibility of accidentally firing if the pistol is dropped on its muzzle. It is a simple and sound design, which is considered to be one of the best compact self-defense pistols of its time. While not extremely accurate and lethal at ranges beyond



15-20 meters, it is still a formidable and reliable self-defense weapon. In the former Yugoslavia, the Makarov was produced under license as a commercial export-only version also in caliber 9x17mm (.380 ACP) and 7.65x17mm.

Category	Self-Loading Pistols & Revolvers
Operating system	Blowback operated, double action
Cartridge	9mm Makarov (9.2 x 18mm)
Length	161 mm
Feeding	Box magazine

The following ammunition can be used by the **Makarov PM**:

9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



Mosin-Nagant Rifle Mod. 1891

This Russian "3-line" caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both



attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Rifles & Carbines
Operating system	Manually operated, rotating bolt
Cartridge	7.62 x 54mm R
Length	1306 mm
Feeding	Internal magazine

The following ammunition can be used by the Mosin-Nagant Rifle Mod. 1891:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with



several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Light Machine Guns
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt

The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



SA vz 24 / 26

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear



in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as "Rhogun".

Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	7.62 x 25mm Tokarev
Length	445 mm
Feeding	Box magazine

The following ammunition can be used by the SA vz 24 / 26:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



Saab AT4

The Saab Bofors Dynamics AT4 entered into production in Sweden in the early 1980s and is still being produced today. It is a single-shot recoilless weapon and one of the most common light anti-tank weapons in the world. It is preloaded and after firing, the AT4 cannot be reloaded. The AT4's main disadvantage is that it creates a considerable back blast.



Category	Portable Launcher of Anti-tank Missile and Rocket Systems	
----------	---	--

Operating system	recoilless, one-man-portable
Cartridge	

The following ammunition can be used by the **Saab AT4**:

UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better- balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Miniand Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.

Category	Submachine Guns	
Operating system	Blowback-operated, fired from open bolt	
Cartridge	9mm Parabellum (9 x 19mm)	
Length	470 mm	
Feeding	Box magazine	

The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm	
Case length	19.15 mm	
Overall length	29.69 mm	



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources as usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

- **A. Written** the source is based on written words.
- **B. Oral** the source is based on spoken words.
- **C. Visual** the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

Primary	Secondary
---------	-----------

Written	 Fact books Weapons Transfer authorizations End-user certificates Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia Newspaper articles Written correspondence (e.g. letters, emails, text messages, etc.) Blogs Peer-reviewed journal articles Treaties, constitution, laws Records of organizations (e.g. annual reports) Surveys, questionnaires 	 Wikipedia Literature reviews Training or safety manuals on gun control, ammunition, physical stockpile security management) Minutes of meetings, conferences, symposia Indexes (e.g. Global Militarization Index) Newspaper articles Etc.
Oral	 Interviews with experts, including radio or telephone Legal proceedings Speeches or interventions by experts or national representatives in government or international meetings Etc 	Speeches, panel presentations, etc. on data provided by experts Etc
Visual	 Artifacts (e.g. the weapons themselves, ammunition) Photographs of weapons, ammunition, etc. Videos (e.g. YouTube, those recorded by mobile phone) Television documentaries, news reports Etc	PowerPoint presentations on results found by experts Etc

SALW Guide About the Guide

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office*, *Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha Project Coordinator Pfarrer-Byns-Str. 1 53121 Bonn Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center (BwVC)

Global Arms- and Proliferation Control Division Major Laurentius Wedeniwski Selfkant-Kaserne Rue de Quimperle 100 52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha Project Coordinator Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth