



SALW Guide

Global distribution and visual identification



Iraq

Country report

https://salw-guide.bicc.de

Weapons Distribution

The following list shows the weapons which can be found in *Iraq* and whether there is data on who holds these weapons:

AGS-17		G
AK-47 / AKM	ь	G
AK-74	.	U
AR 15 (M16/M4)		GN
CZ 75		G
DShk		G N
Daewoo K1 / K2		G
Dragunov SVD		U
FIM-92 Stinger		G
FN Herstal FN MAG		G
FN High Power		U
FN MINIMI		G
GDATP MK 19		G
Glock 17		N
HK G3		G
HK G36		G
HK MP5		G
IGLA (SA-16 / SA-18)		GN
Lee-Enfield SMLE		U
M203 grenade launcher		G
M79		GN

Makarov PM Mauser K98 Mosin-Nagant Rifle Mod. 1891 Mossberg 500 PK Panzerfaust 3 (PzF 3)	G N U U U U U U U U U U U U U U U U U U
Mauser K98 Mosin-Nagant Rifle Mod. 1891 Mossberg 500 PK Panzerfaust 3 (PzF 3)	U U G
Mosin-Nagant Rifle Mod. 1891 Mossberg 500 PK Panzerfaust 3 (PzF 3)	U G
1891 Mossberg 500 PK Panzerfaust 3 (PzF 3)	G G
PK Panzerfaust 3 (PzF 3)	G
Panzerfaust 3 (PzF 3)	
	G
DDD	<u> </u>
KFD	G
RPG 2	U
RPG 7	G
RPK	G
Remington 870P	G
Saab AT4	G
Simonov SKS	G
Sten gun	U
Sterling L2A3	G
Strela (SA-7 / SA-14)	N
Tokarev TT-30/TT-33	U
UZI	G
Webley Mk. IV	U

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AGS-17

The AGS-17 grenade launcher was first developed in the 1930s, but due to the Second World War, a first prototype was only completed in 1969. The production of the AGS-17 started in 1971 and ceased in 1989, but numerous units and variants are still in use today. The weapon gained prominence when it was widely operated by Soviet troops in the war in Afghanistan in the 1980s. The AGS-17 and its successor, the AGS-30, may be used by infantry, though they are



successor, the AGS-30, may be used by infantry, though they are often mounted on helicopters and other vehicles.

Category	Hand-held under-barrel and Mounted Grenade Launchers
Operating system	blow-back, selective-fire
Cartridge	30x29 mm
Length	840 mm
Feeding	metal link belt with 29 rds

The following ammunition can be used by the AGS-17:

30x29 mm

Bullet diameter	30 mm
Case length	29 mm
Overall length	_

NO IMAGE	

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model



8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with

numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine















Kalashnikov & variants 001/md-01-300w.png marking details (RUS)

Kalashnikov & variants 001/md-02-300w.png

marking details (RUS)

Kalashnikov & variants 001/md-03-300w.jpg marking details (EGY)

Kalashnikov & variants 001/md-04-300w.jpg marking details (CHN)

001/md-01-b-300w.png


Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47) 001/ws-02-300w.png weapon specifics Type: Former Yugoslavia Zastava M 70
(AKM)
001/ws-03-300w.png
weapon specifics











The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some



early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine











Kalashnikov & variants 026/md-01-300w.png marking details (DEU)

Kalashnikov & variants 026/md-02-300w.png marking details



The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases,



through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine











right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. – Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.







The following ammunition can be used by the AR 15 (M16/M4):

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



CZ 75

The Czech Model 75 pistol was named after its year of introduction and remains in service and in production in various countries today. A number of model variations and copies (e.g. by Norinco NZ 75) have been developed over the years. A special characteristic of the CZ 75 is its large double-column magazine, which holds 16 rounds of 9-mm-cartridges as opposed to the 10 or 11 rounds normally held by other pistols.



Category	Self-Loading Pistols & Revolvers
----------	----------------------------------

Operating system	short-recoil, selective-fire	
Cartridge	9mm Parabellum (9 x 19mm)	
Length	206 mm	
Feeding	detachable box magazine	









CZ 75 091/md-01-300w.jpeg marking details CZ 75 091/md-02-300w.jpeg marking details

CZ 75 091/md-03-300w.jpeg marking details CZ 75 091/md-04-300w.jpeg marking details

CZ 75 091/ws-01-300w.jpeg weapon specifics CZ 75 091/ws-02-300w.jpeg weapon specifics

The following ammunition can be used by the **CZ 75**:


9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm




DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	Heavy Machine Guns	
Operating system	Gas operated, belt fed, air cooled, selective fire	
Cartridge	12.7 x 108 mm	
Length	1625 mm	
Feeding	Belt	







The following ammunition can be used by the ${\bf DShk}:$

12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm

NO IMAGE

Daewoo K1 / K2

The South Korean Daewoo K1A was developed as a short-barrelled version of the K2 assault rifle explaining their technical and physical resemblance. The K1A is the enhanced version of the previous mass produced K1 rifle. Furthermore, the rifles combine technical elements of the operating systems from the AR15/M16-rifles and the AK-series. Both the K1 and K2 are still in production and in



service within the South Korean Armed Forces. *length depends on the model: - Daewoo K1A:* 838 mm stock extended - Daewoo K2: 980 mm butt extended

Category	Assault Rifles
Operating system	gas piston, selective fire with 3rd burst
Cartridge	5.56 x 45mm / .223 Remington
Length	838 mm
Feeding	detachable, box magazine

The following ammunition can be used by the **Daewoo K1 / K2**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




Dragunov SVD

The Dragunov SVD uses a short-stroke gas piston and the gas chamber has a two-position manual gas regulator. Barrels locked by rotating bolt with three lugs. The safety is



somewhat reminiscent in its appearance to that of Kalashnikov AK-Assault rifles, although the internal design of the trigger unit is different, and there is no provisions for full automatic fire. The trigger unit is assembled on a separate removable base that also incorporates a trigger guard. It is used by all former Warsaw Pact countries, and it is in service with numerous armed forces, both regular and irregular. The Yugoslavian model "Zastava Model 76" has a solid, non-skeletonized stock, and is chambered in 7.92x57mm.

Category	Rifles & Carbines	
Operating system	Gas operated, short stroke, rotating bolt, semi-automatic	
Cartridge	7.62 x 54mm R	
Length	1225 mm	
Feeding	Box magazine	



















The following ammunition can be used by the **Dragunov SVD**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



FIM-92 Stinger

Its combat debut occurred during the Falklands War. The Stinger was also used by the Afghan Mujahedeen, the Hamas and the UNITA. The Central Intelligence Agency supplied nearly 500 Stingers (some sources claim 1,500–2,000) to the Mujahedeen in Afghanistan. After the 1989 Soviet withdrawal from Afghanistan, the United States attempted to buy back the Stinger missiles, with a



55 million dollar program to buy back around 300 missiles. The U.S. government collected most of the Stingers it had delivered, but some of them found their way into Iran, Qatar and North Korea.

Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		











The following ammunition can be used by the **FIM-92 Stinger**:

FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the



UK. It can be carried by infantry and is usually fired while mounted on a tripod.

Category	Heavy Machine Guns	
Operating system	gas, automatic	
Cartridge	7.62 x 51mm / .308 Winchester	

Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The



trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.

Category	Self-Loading Pistols & Revolvers
Operating system	Short recoil operated, locked breech, single action
Cartridge	.40 S&W 9mm Parabellum (9 x 19mm)
Length	200 mm
Feeding	Box magazine











The following ammunition can be used by the **FN High Power**:

.40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	Light Machine Guns	
Operating system	gas, automatic only	
Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester	
Length	1040 mm	
Feeding	disintegrating metal link belt or box magazine (M16 type)	











FN Minimi 116/md-01-300w.jpg marking details

FN Minimi 116/ws-01-300w.jpg weapon specifics

FN Minimi 116/ws-02-300w.jpg weapon specifics

FN Minimi 116/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



GDATP MK 19

The MK 19 or Mark 19 grenade machine gun was designed in the 1960s for the US Navy in the Vietnam War. In the following decades, the MK 19 was further improved, sold to and adopted by at least 28 other nations including Australia, Chile and South Korea. It was originally designed to be mounted on (naval) vehicles, but current systems can also be ground- or turretmounted. The MK 19 can be fired manually or even remotely. Original manufacturer General Dynamics Armament and Technical Products (GDATP).



Category Hand-held under-barrel and Mounted Grenade Launchers

Operating system	blowback, open-bolt (advanced primer ignition in mods 1 and 2)	
Cartridge	ge 40x53 mm	
Length	1095 mm	
Feeding	linked belt with 32 or 48 rds	

The following ammunition can be used by the **GDATP MK 19**:

40x53 mm

Bullet diameter	40 mm
Case length	53 mm
Overall length	-



Glock 17

Several modified versions of the Glock 17 have also been introduced. The Glock 17C incorporated slots cut in the barrel and slide to compensate for muzzle rise and recoil. The Glock 17L incorporates a longer slide and extended barrel. Initially, the Glock 17L had three holes in the top of the barrel and a corresponding slot in the slide; however, later production pistols lack the holes in the barrel. The Glock 17MB is a version with



ambidextrous magazine catch. Glock pistols are designed with three independent safety mechanisms to prevent accidental discharge. The system, designated "Safe Action" by Glock, consists of an external integrated trigger safety and two automatic internal safeties: a firing pin safety and a drop safety. The external safety is a small inner lever contained in the trigger.

Category	Self-Loading Pistols & Revolvers
Operating system	short recoil-operated, locked breech
Cartridge	9mm Parabellum (9 x 19mm)
Length	186 mm
Feeding	Box magazine



Generation 2 Glock 17, this model added finger stepping and cuts to the backstrap of the frame to make it easier to hold than the Generation 1 model.




















The following ammunition can be used by the **Glock 17**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger machanism with a 2 position fire sale.



fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

Category	Assault Rifles
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester

Length	1023 mm
Feeding	Box magazine

























The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



Category	Assault Rifles
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	1002 mm
Feeding	detachable, polymer box magazine

The following ammunition can be used by the **HK G36**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,



whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.

Category	Submachine Guns
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

















HK MP5 094/md-01-300w.jpg marking details $\it HK~MP~5$ $\it 094/md-02-300w.jpg$ marking details: HK MP 5 Kal. 9 mm x 19 80244

HK MP 5 094/md-03-300w.jpg marking details: HK MP 5 HK MP 5 094/ws-01-300w.jpg weapon specifics

HK MP 5 094/ws-02-300w.jpg weapon specifics HK MP 5 094/ws-03-300w.jpg weapon specifics

HK MP 5 094/ws-04-300w.jpg weapon specifics

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethali



against fast and maneuverable targets, an improve lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.

Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		
Feeding	front-loaded	




















The following ammunition can be used by the **IGLA (SA-16 / SA-18)**:

Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve



forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).

Category	Rifles & Carbines
----------	-------------------

Operating system	Manually operated, rotating bolt
Cartridge	7.7 x 56mm R / .303 British
Length	1130 mm
Feeding	Box magazine













The following ammunition can be used by the **Lee-Enfield SMLE**:

7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).

Category	Hand-held under-barrel and Mounted Grenade Launchers	
Operating system	Single shot, under-barrel, pump-action	
Cartridge	40 x 46 mm grenade	
Length	380 mm	
Feeding	breech-loaded	







The following ammunition can be used by the **M203 grenade launcher**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-

NO IMAGE

M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowed Control.



Category	Hand-held under-barrel and Mounted Grenade Launchers	
Operating system	Break-action	
Cartridge	40 x 46 mm grenade	
Length	731 mm	
Feeding	breech-loaded	





The following ammunition can be used by the M79:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-

NO IMAGE

MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.

Category	Portable Launcher of Anti-tank Missile and Rocket Systems	
Operating system	portable anti-tank weapon system	
Cartridge		

The following ammunition can be used by the MBDA MILAN:

Makarov PM

The PM has a free-floating firing pin, with no firing pin spring or firing pin block. This allows for the possibility of accidentally firing if the pistol is dropped on its muzzle. It is a simple and sound design, which is considered to be one of the best compact self-defense pistols of its time. While not extremely accurate and lethal at ranges beyond 15-20 meters, it is still a formidable and reliable self-defense weapon. In the former Yugoslavia, the Makarov was produced under license as a commercial export-only version also in caliber 9x17mm (.380 ACP) and 7.65x17mm.

Category	Self-Loading Pistols & Revolvers	
Operating system	Blowback operated, double action	
Cartridge	9mm Makarov (9.2 x 18mm)	
Length	161 mm	
Feeding	Box magazine	











The following ammunition can be used by the **Makarov PM**:

9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



Mauser K98

of the Yugoslav wars.

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm

Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles

Category	Rifles & Carbines	
Operating system	Manually operated, rotating bolt	
Cartridge	7.92x57 mm (8x57 IS)	
Length	1110 mm	
Feeding	Internal magazine	

were used alongside modern automatic and semi-automatic rifles by all the warring factions













The following ammunition can be used by the Mauser K98:

7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



Mosin-Nagant Rifle Mod. 1891

This Russian "3-line" caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers.

Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Rifles & Carbines
Operating system	Manually operated, rotating bolt
Cartridge	7.62 x 54mm R
Length	1306 mm

Feeding

Internal magazine











The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



Mossberg 500

The Mossberg 500 is a series of pump-action shotguns manufactured by the American company O.F. Mossberg & Sons. These shotguns have been produced since 1960 and



with a series of different models including the numbers 505, 510, 535, and 590. The Mossberg 500 shotgun series is designed to be used under harsh field conditions, as it is easy to clean and to maintain.

Category	Rifles & Carbines
Operating system	manual, slide-action
Cartridge	12-gauge
Length	1022 mm
Feeding	underbarrel tubular magazine

The following ammunition can be used by the **Mossberg 500**:

12-gauge

Bullet diameter	18.53 mm
Case length	-
Overall length	-

NO IMAGE

PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with



several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Light Machine Guns
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt











The following ammunition can be used by the $\mbox{\bf PK}\!:$

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



Panzerfaust 3 (PzF 3)

The Panzerfaust 3 (Tank fist 3 or "The German RPG") entered into production in 1987 and is still in service with the German Bundeswehr and several other countries, such as Japan and the Netherlands. This light anti-tank weapons (LAW) system is man-portable, shoulder-fired and unguided, and is known for its high kill probability, firing from enclosed spaces (due to the recoilless countermass principle) and low costs. More than 250,000 units of the PzF 3 have been produced since the early 1990s.



Category	Portable Launcher of Anti-tank Missile and Rocket Systems	
Operating system	light anti-tank weapon	
Cartridge		







Panzerfaust 3 (PzF 3)
121/ws-01-300w.jpg
weapon specifics

Panzerfaust 3 (PzF 3) 121/ws-02-300w.jpg

weapon specifics

The following ammunition can be used by the **Panzerfaust 3 (PzF 3)**:


RPD

The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.




The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Light Machine Guns
Operating system	Gas operated, full auto only
Cartridge	7.62 x 39mm
Length	1037 mm
Feeding	Boxed belt









The following ammunition can be used by the **RPD**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	Portable Anti-tank Guns

Operating system	Recoilless launch / non rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded





The following ammunition can be used by the **RPG 2**:

RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many



conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Portable Anti-tank Guns
Operating system	Recoilless launch + rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded, manual reload




























The following ammunition can be used by the **RPG 7**:

RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	Light Machine Guns
Operating system	Gas operated, magazine fed, air cooled, selective fire
Cartridge	7.62 x 39mm
Length	1040 mm
Feeding	Box magazine















The following ammunition can be used by the **RPK**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Remington 870P

The Remington Model 870 pump-action shotgun is available in 11 versions with various barrel lengths, furniture alternatives and magazine capacities. The first model entered into production in 1951. Current



models are still being produced today, adding to the more than 10,000,000 estimated units already produced. The Model 870P is the police model with its receiver made of steel. This model can also carry four extra rounds of ammunition. The Remington 870 series is in service with numerous military and police forces worldwide.

Category	Rifles & Carbines
Operating system	manual, slide-action

Cartridge	12-gauge
Length	971 mm
Feeding	underbarrel tubular magazine

The following ammunition can be used by the **Remington 870P**:

12-gauge

Bullet diameter	18.53 mm
Case length	-
Overall length	-



Saab AT4

The Saab Bofors Dynamics AT4 entered into production in Sweden in the early 1980s and is still being produced today. It is a single-shot recoilless weapon and one of the most common light anti-tank weapons in the world. It is preloaded and after firing, the AT4 cannot be reloaded. The AT4's main disadvantage is that it creates a considerable back blast.



Category	Portable Launcher of Anti-tank Missile and Rocket Systems
Operating system	recoilless, one-man-portable
Cartridge	

The following ammunition can be used by the **Saab AT4**:

Simonov SKS

SKS is a self-loading Carabine. It utilizes a shortstroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located inside the trigger guard. The early model 50



weapons are shorter and are usually found without the bayonet. The SKS was an extremely

reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.

Category	Rifles & Carbines
Operating system	Gas operated, tilting bolt
Cartridge	7.62 x 39mm
Length	1020 mm
Feeding	Box magazine



















The following ammunition can be used by the **Simonov SKS**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Sten gun

Prior to 1941 UK was keen to produce a own submachine gun as an alternative Rate of fire 550 450 550 600 rounds per minute to the US-Thompson submachine gun. Royal Small Arms Factory, Enfield designed the STEN gun. In the beginning, unreliable but extremely cheap and



easy to produce. After further development, the guns of 1942 and beyond were, in general, highly effective weapons. In Germany, the STEN models "Potsdam" and "Neumünster" were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.


Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	895 mm
Feeding	Box magazine






























The following ammunition can be used by the **Sten gun**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Sterling L2A3

Sterling submachine guns , were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in



Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.

Category	Submachine Guns
Operating system	Blowback-operated, select-fire, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	481 mm
Feeding	Box magazine





















The following ammunition can be used by the **Sterling L2A3**:

9mm Parabellum (9 x 19mm)

Bullet diameter 9 mm	
----------------------	--

Case length	19.15 mm
Overall length	29.69 mm



Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be



reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.

Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		
Feeding	front-loaded	

































The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in



service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Self-Loading Pistols & Revolvers	
Operating system	Short recoil operated, closed breech, single action, semi-automatic	
Cartridge	7.62 x 25mm Tokarev	
Length	194 mm	
Feeding	Box magazine	























The following ammunition can be used by the **Tokarev TT-30/TT-33**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm	
Case length	25 mm	
Overall length	34 mm	



UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better- balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Miniand Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.

Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine



















The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm	
Case length	19.15 mm	
Overall length	29.69 mm	



Webley Mk. IV


The Webley Mk. IV was a standard issue service pistol for the armed forces of the United Kingdom and British Empire and Commonwealth for over 70 Years. All Webley top-beak revolvers featured two piece frame, which hinges ("breaks") down at the forward low end for ejection and loading. The ejector is actuated automatically when the frame is broken open, simultaneously removing all six cases from the cylinder.



The cartridges then can be inserted by hand. In the case of revolver being rechambered for .45ACP round, half- moon clips are used to load the gun (two clips, each for 3 rounds).

Category	Self-Loading Pistols & Revolvers	
Operating system	Double action revolver	
Cartridge	.455 British Service	
Length	286 mm	

Feeding Cylinder











The following ammunition can be used by the **Webley Mk. IV**:

.455 British Service

Bullet diameter	11.5 mm	
Case length	19.6 mm	
Overall length	31.2 mm	



SALW markings SALW Guide

SALW markings

The following is a non-comprehensive overview of national weapon markings.



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources as usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

- A. Written the source is based on written words.
- **B. Oral** the source is based on spoken words.
- **C. Visual** the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

SALW Guide SALW markings

Table: Examples of sources on SALW distribution

	Primary	Secondary
Written	 Fact books Weapons Transfer authorizations End-user certificates Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia Newspaper articles Written correspondence (e.g. letters, emails, text messages, etc.) Blogs Peer-reviewed journal articles Treaties, constitution, laws Records of organizations (e.g. annual reports) Surveys, questionnaires Etc	 Wikipedia Literature reviews Training or safety manuals on gun control, ammunition, physical stockpile security management) Minutes of meetings, conferences, symposia Indexes (e.g. Global Militarization Index) Newspaper articles Etc.
Oral	 Interviews with experts, including radio or telephone Legal proceedings Speeches or interventions by experts or national representatives in government or international meetings Etc 	Speeches, panel presentations, etc. on data provided by experts Etc

About the Guide SALW Guide

Visual	 Artifacts (e.g. the weapons themselves, ammunition) Photographs of weapons, ammunition, etc. Videos (e.g. YouTube, those recorded by mobile phone) Television documentaries, news reports 	PowerPoint presentations on results found by experts Etc
	Etc	

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

SALW Guide Contact

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha Project Coordinator Pfarrer-Byns-Str. 1 53121 Bonn Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center (BwVC)

Global Arms- and Proliferation Control Division Major Laurentius Wedeniwski Selfkant-Kaserne Rue de Quimperle 100 52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha Project Coordinator Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth