

# SALW Guide

Global distribution and visual  
identification































## Cambodia

### Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Cambodia* and whether there is data on who holds these weapons:

AK-47 / AKM		Norinco Type 63	
AK-74		Norinco Type 95/ 97	
AR 15 (M16/M4)		PK	
DShk		Pindad SS	
Daewoo K1 / K2		RPD	
FN FAL		RPG 2	
FN High Power		RPG 7	
M1918 Browning		RPK	
M60		SA vz 23 / 25	
M79		SA vz 24 / 26	
MAS 49		Simonov SKS	
MAS 49/56		Strela (SA-7 / SA-14)	
Makarov PM		Tokarev TT-30/TT-33	
Mosin-Nagant Rifle Mod. 1891		UZI	

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



**Government:** Sources indicate that this type of weapon is held by Governmental agencies.



**Non-Government:** Sources indicate that this type of weapon is held by non-Governmental armed groups.



**Unspecified:** Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	870 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **AK-47 / AKM**:

### 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to



5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	5.45 x 39mm
<b>Length</b>	943 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **AK-74**:

## 5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



## AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan.



The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/Terab has been observed in South Sudan used by some rebel groups in 2013.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	986 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **AR 15 (M16/M4)**:


## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed, air cooled, selective fire
<b>Cartridge</b>	12.7 x 108 mm
<b>Length</b>	1625 mm
<b>Feeding</b>	Belt

The following ammunition can be used by the **DShk**:

## 12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm

NO IMAGE

## Daewoo K1 / K2

The South Korean Daewoo K1A was developed as a short-barrelled version of the K2 assault rifle explaining their technical and physical resemblance. The K1A is the enhanced version of the previous mass produced K1 rifle. Furthermore, the rifles combine technical elements of the operating systems from the AR15/M16-rifles and the AK-series. Both the K1 and K2 are still in production and in service within the South Korean Armed Forces. *length depends on the model: - Daewoo K1A: 838 mm stock extended - Daewoo K2: 980 mm butt extended*



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas piston, selective fire with 3rd burst
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	838 mm
<b>Feeding</b>	detachable, box magazine

The following ammunition can be used by the **Daewoo K1 / K2**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **FN FAL**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.





<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **FN High Power**:

## .40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas operated, rising bolt lock

<b>Cartridge</b>	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
<b>Length</b>	1200 mm
<b>Feeding</b>	20-round detachable box magazine

The following ammunition can be used by the **M1918 Browning**:

### .30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGE

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



### 7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



### 7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



## M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1105 mm
<b>Feeding</b>	Belt

The following ammunition can be used by the **M60**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowed Control.



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	Break-action
<b>Cartridge</b>	40 x 46 mm grenade

<b>Length</b>	731 mm
<b>Feeding</b>	breech-loaded

The following ammunition can be used by the **M79**:

## 40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-

NO IMAGE

## MAS 49

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.5 x 54mm
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **MAS 49**:

## 7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm

Overall length	78 mm
----------------	-------



## MAS 49/56

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.5 x 54mm
<b>Length</b>	1020 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **MAS 49/56**:

### 7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm



## Makarov PM

The PM has a free-floating firing pin, with no firing pin spring or firing pin block. This allows for the possibility of accidentally firing if the pistol is dropped on its muzzle. It is a simple and sound design, which is considered to be one of the best compact self-defense pistols of its time. While not extremely accurate and lethal at ranges beyond 15-20 meters, it is still a formidable and reliable self-defense weapon. In the former Yugoslavia, the Makarov was produced under license as a commercial export-only version also in caliber 9x17mm (.380 ACP) and 7.65x17mm.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Blowback operated, double action
<b>Cartridge</b>	9mm Makarov (9.2 x 18mm)
<b>Length</b>	161 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Makarov PM**:

### 9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



## Mosin-Nagant Rifle Mod. 1891

This Russian "3-line" caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1306 mm
<b>Feeding</b>	Internal magazine

The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891**:

## 7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



## Norinco Type 63

The China North Industries Corporation, officially abbreviated as Norinco, developed Norinco Type 63, sometimes erroneously referred to as the Type 68. It entered into production in 1969, but production ceased in 1978 with approximately six millions items manufactured. The rifle suffers from reliability problems and is almost uncontrollable when fired in the automatic mode. Optically, the Type 63 resembles the Simonov SKS, though it features a longer barrel and an operating mechanism based on the AK-47. The rifle has been widely exported in the past, so residual numbers may remain in use.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1029 mm
<b>Feeding</b>	detachable, box magazine or charger-loading facility

The following ammunition can be used by the **Norinco Type 63**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
-----------------	---------

Case length	38.7 mm
Overall length	56 mm



## Norinco Type 95/ 97

The Type 95 QBZ (Qing Buqiang Zu, English: light rifle family) entered into production in 1995. The Type 97 rifle is the export version of the Type 95. The Type 95 fires the Chinese 5.8 x 42 mm cartridge, whereas the Type 97 is designed for 5.56 x 45 mm NATO-caliber. Both feature a bullpup operation system. The Type 95 is currently in service with the Chinese People's Liberation Army and other Chinese law enforcement agencies. Length depends on model: Type 95 - 743 mm Type 97 - 760 mm



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 5.8x42mm
<b>Length</b>	743 mm
<b>Feeding</b>	detachable box magazine

The following ammunition can be used by the **Norinco Type 95/ 97**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### 5.8x42mm



Bullet diameter	6 mm
Case length	42.2 mm
Overall length	58 mm

NO IMAGE

## PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1173 mm
<b>Feeding</b>	(Boxed) belt

The following ammunition can be used by the **PK**:

### 7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



## Pindad SS

The Indonesian Pindad SS (Senapan Serbu) assault rifle series are licensed copies of the Belgian FN FNC. The original SS1 adopted by the Indonesian army is being phased out in favor of its redesigned successor model SS2. The SS-series has been developed into a family with numerous variants.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	997 mm
<b>Feeding</b>	detachable, box magazine

The following ammunition can be used by the **Pindad SS**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## RPD

The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.

The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, full auto only
<b>Cartridge</b>	7.62 x 39mm

<b>Length</b>	1037 mm
<b>Feeding</b>	Boxed belt

The following ammunition can be used by the **RPD**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch / non rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded

The following ammunition can be used by the **RPG 2**:

## RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many

conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch + rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded, manual reload

The following ammunition can be used by the **RPG 7**:

## RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, magazine fed, air cooled, selective fire
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1040 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **RPK**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## SA vz 23 / 25

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as “Rhogun”.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	445 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **SA vz 23 / 25**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## SA vz 24 / 26

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear in a continuous motion will fire fully automatically, until the trigger is released or the



magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as “Rhogun”.

<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	7.62 x 25mm Tokarev
<b>Length</b>	445 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **SA vz 24 / 26**:

## 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located inside the trigger guard. The early model 50



weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.

<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1020 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Simonov SKS**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.




<b>Category</b>	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
<b>Operating system</b>	MANPAD
<b>Cartridge</b>	
<b>Feeding</b>	front-loaded

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

## Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, closed breech, single action, semi-automatic
<b>Cartridge</b>	7.62 x 25mm Tokarev
<b>Length</b>	194 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Tokarev TT-30/TT-33**:

### 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.





<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **UZI**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
Project Coordinator  
Pfarrer-Byns-Str. 1  
53121 Bonn  
Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth