

SALW Guide

Global distribution and visual
identification










































Australia

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Australia* and whether there is data on who holds these weapons:

AR 15 (M16/M4)			
Browning M 2			
Carl Gustav recoilless rifle			
FN FAL			
FN Herstal FN MAG			
FN High Power			
FN MINIMI			
GDATP MK 19			
Glock 17			
HK G36			
HK MP5			
HK USP			
Lee-Enfield SMLE			
M1918 Browning			
M1919 Browning			
M203 grenade launcher			
M60			
M79			
MBDA MILAN			
MG 3 / MG 42			
Mauser K98			
PK			
Remington 870P			
Ruger Mini-14			
Simonov SKS			
Sten gun			
Sterling L2A3			
Steyr AUG			
Thompson M1928			
UZI			
Webley Mk. IV			

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.

-
- N** *Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.
-
- U** *Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

The following ammunition can be used by the **AR 15 (M16/M4)**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	<i>Heavy Machine Guns</i>
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm



Carl Gustav recoilless rifle

The Carl Gustav can be fired from the standing, kneeling, sitting or prone positions. A bipod may be attached in front of the shoulder piece. An operating handle called a "Venturi lock" is used to move the hinged breech to one side for reloading. The weapon is normally operated by a two-man crew, one carrying and firing the weapon, the other carrying ammunition and reloading.



Category	<i>Recoilless Guns/Rifles</i>
Operating system	Recoilless launch
Cartridge	
Length	1130 mm
Feeding	hinged breech

The following ammunition can be used by the **Carl Gustav recoilless rifle**:

FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, tilting breechblock, select-fire or semi-automatic only
Cartridge	7.62 x 51mm / .308 Winchester
Length	1100 mm
Feeding	Box magazine

The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90



countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.

Category	<i>Heavy Machine Guns</i>
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Short recoil operated, locked breech, single action
Cartridge	.40 S&W 9mm Parabellum (9 x 19mm)
Length	200 mm
Feeding	Box magazine

The following ammunition can be used by the **FN High Power**:

.40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	<i>Light Machine Guns</i>
Operating system	gas, automatic only
Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
Length	1040 mm
Feeding	disintegrating metal link belt or box magazine (M16 type)

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



GDATP MK 19

The MK 19 or Mark 19 grenade machine gun was designed in the 1960s for the US Navy in the Vietnam War. In the following decades, the MK 19 was further improved, sold to and adopted by at least 28 other nations including Australia, Chile and South Korea. It was originally designed to be mounted on (naval) vehicles, but current systems can also be ground- or turret-mounted. The MK 19 can be fired manually or even remotely. Original manufacturer General Dynamics Armament and Technical Products (GDATP).



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	blowback, open-bolt (advanced primer ignition in mods 1 and 2)
Cartridge	40x53 mm
Length	1095 mm
Feeding	linked belt with 32 or 48 rds

The following ammunition can be used by the **GDATP MK 19**:

40x53 mm

Bullet diameter	40 mm
Case length	53 mm
Overall length	-



Glock 17

Several modified versions of the Glock 17 have also been introduced. The Glock 17C incorporated slots cut in the barrel and slide to compensate for muzzle rise and recoil. The Glock 17L incorporates a longer slide and extended barrel. Initially, the Glock 17L had three holes in the top of the barrel and a corresponding slot in the slide; however, later production pistols lack the holes in the barrel. The Glock 17MB is a version with ambidextrous magazine catch. Glock pistols are designed with three independent safety mechanisms to prevent accidental discharge. The system, designated "Safe Action" by Glock, consists of an external integrated trigger safety and two automatic internal safeties: a firing pin safety and a drop safety. The external safety is a small inner lever contained in the trigger.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	short recoil-operated, locked breech
Cartridge	9mm Parabellum (9 x 19mm)
Length	186 mm
Feeding	Box magazine

The following ammunition can be used by the **Glock 17**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	1002 mm
Feeding	detachable, polymer box magazine

The following ammunition can be used by the **HK G36**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants.

The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



Category	<i>Submachine Guns</i>
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK USP

The Heckler & Koch Universal Self-loading Pistol (USP) entered into production in 1993. It had a high sales success rate which contributed to its ongoing production and the development of several variants. It is in service within several law enforcement agencies and armed forces, e.g. in Germany, Greece, Spain and the US. Variants of the HK USP 9 mm model: - the USP Compact which is shorter (173 mm length) - the HK USP Tactical variant which is longer (218 mm length) and uses .45 ACP.




Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	short recoil, self-loading
Cartridge	.45 ACP 9mm Parabellum (9 x 19mm)
Length	194 mm
Feeding	detachable, double-column box magazine

The following ammunition can be used by the **HK USP**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.7 x 56mm R / .303 British
Length	1130 mm
Feeding	Box magazine

The following ammunition can be used by the **Lee-Enfield SMLE**:

7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.



Category	<i>Light Machine Guns</i>
Operating system	gas operated, rising bolt lock
Cartridge	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
Length	1200 mm
Feeding	20-round detachable box magazine

The following ammunition can be used by the **M1918 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
-----------------	--------

Case length	56.4 mm
Overall length	78.1 mm



7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



M1919 Browning

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry. The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.



Category	<i>Light Machine Guns</i>
Operating system	short recoil, automatic
Cartridge	.30-06 M1 7.62 x 25mm Tokarev
Length	1044 mm
Feeding	250-round belt

The following ammunition can be used by the **M1919 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm

Overall length	85 mm
----------------	-------

NO IMAGE

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Single shot, under-barrel, pump-action
Cartridge	40 x 46 mm grenade
Length	380 mm
Feeding	breech-loaded

The following ammunition can be used by the **M203 grenade launcher**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-

NO IMAGE

Overall length	-
----------------	---

M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, belt fed
Cartridge	7.62 x 51mm / .308 Winchester
Length	1105 mm
Feeding	Belt

The following ammunition can be used by the **M60**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowed Control.



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Break-action
Cartridge	40 x 46 mm grenade
Length	731 mm
Feeding	breech-loaded

The following ammunition can be used by the **M79**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



Category	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
Operating system	portable anti-tank weapon system
Cartridge	

The following ammunition can be used by the **MBDA MILAN**:

MG 3 / MG 42

The MG is a short-recoil operated, air cooled, belt fed weapon which fires from an open bolt. The barrel is quick-removable, and can be replaced in less than six seconds by a properly



trained crew. The action of the weapon is operated by the recoil of the locked barrel, assisted by a muzzle booster which uses pressure from the muzzle blast to increase the recoil impulse. This is a simple and solid system. Variants: MG 1: Rheinmetall variant of the MG 42, most notably rechambered to fire 7.62×51mm NATO. MG 1A1 (MG 42/58): As MG 1, but with sights properly calibrated for the new round. Sights refitted to existing MG 1s. MG 1A2 (MG 42/59): MG 1A1 variant; product improved with longer ejection port, heavy bolt and friction ring buffer. MG 1A3: MG 1A2 variant; product improvement of all major components. MG 1A4: MG 1 variant; for fixed mount armor use. MG 1A5: MG 1A3 variant; MG1A3s converted to MG1A4 standard. MG 2: Designation for all wartime MG 42s rechambered to 7.62×51mm NATO. MG 3: MG 1A3 variant; product improved with AA rear sight. MG 3E: MG 3 variant; reduced weight model (roughly 1.3 kg lighter), entered into late 1970s NATO small arms trials. MG 3A1: MG 3 variant; for fixed mount armor use.

Category	<i>Light Machine Guns</i>
Operating system	recoil-operated, roller locked
Cartridge	
Feeding	belt fed

The following ammunition can be used by the **MG 3 / MG 42**:

Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.92x57 mm (8x57 IS)
Length	1110 mm

Feeding	Internal magazine
----------------	-------------------

The following ammunition can be used by the **Mauser K98**:

7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt

The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



Remington 870P

The Remington Model 870 pump-action shotgun is available in 11 versions with various barrel lengths, furniture alternatives and magazine capacities. The first model entered into production in 1951. Current

models are still being produced today, adding to the more than 10,000,000 estimated units already produced. The Model 870P is the police model with its receiver made of steel. This model can also carry four extra rounds of ammunition. The Remington 870 series is in service with numerous military and police forces worldwide.



Category	<i>Rifles & Carbines</i>
Operating system	manual, slide-action
Cartridge	12-gauge
Length	971 mm
Feeding	underbarrel tubular magazine

The following ammunition can be used by the **Remington 870P**:

12-gauge

Bullet diameter	18.53 mm
Case length	-
Overall length	-



Ruger Mini-14

The Mini-14 is a lightweight, semi-automatic rifle manufactured by Sturm, Ruger & Co in the US. It entered into production in 1973, though the original model is no longer in production as it has been replaced by the Ruger Mini-14 Tactical Rifle series.



Category	<i>Rifles & Carbines</i>
Operating system	gas, self-loading
Cartridge	5.56 x 45mm / .223 Remington
Length	946 mm

Feeding	detachable box magazine
----------------	-------------------------

The following ammunition can be used by the **Ruger Mini-14**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located inside the trigger guard. The early model 50 weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.62 x 39mm
Length	1020 mm
Feeding	Box magazine

The following ammunition can be used by the **Simonov SKS**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



Sten gun

Prior to 1941 UK was keen to produce a own submachine gun as an alternative Rate of fire 550 450 550 600 rounds per minute to the US-Thompson submachine gun. Royal Small Arms Factory, Enfield designed the STEN gun. In the beginning, unreliable but extremely cheap and easy to produce. After further development, the guns of 1942 and beyond were, in general, highly effective weapons. In Germany, the STEN models “Potsdam” and “Neumünster” were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	895 mm
Feeding	Box magazine

The following ammunition can be used by the **Sten gun**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Sterling L2A3

Sterling submachine guns , were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, select-fire, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	481 mm
Feeding	Box magazine

The following ammunition can be used by the **Sterling L2A3**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.



Category	<i>Assault Rifles</i>
-----------------	-----------------------

Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
Length	790 mm
Feeding	Box magazine

The following ammunition can be used by the **Steyr AUG**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the “Tommy Gun”, was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.




Category	<i>Submachine Guns</i>
Operating system	blowback operated, automatic
Cartridge	.45 ACP
Length	857 mm
Feeding	drum magazine or box magazine

The following ammunition can be used by the **Thompson M1928**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better- balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Webley Mk. IV

The Webley Mk. IV was a standard issue service pistol for the armed forces of the United Kingdom and British Empire and Commonwealth for over 70 Years. All Webley top-beak revolvers featured two piece frame, which hinges ("breaks") down at the forward low end for ejection and loading. The ejector is actuated automatically when the frame is broken open, simultaneously removing all six cases from the cylinder.

The cartridges then can be inserted by hand. In the case of revolver being rechambered for .45ACP round, half- moon clips are used to load the gun (two clips, each for 3 rounds).



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Double action revolver
Cartridge	.455 British Service
Length	286 mm
Feeding	Cylinder

The following ammunition can be used by the **Webley Mk. IV**:

.455 British Service

Bullet diameter	11.5 mm
Case length	19.6 mm
Overall length	31.2 mm



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary

<p>Written</p>	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
<p>Oral</p>	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>
<p>Visual</p>	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha
Project Coordinator
Pfarrer-Byns-Str. 1
53121 Bonn
Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth