

SALW Guide

Global distribution and visual
identification


















Niger

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Niger* and whether there is data on who holds these weapons:

AK-47 / AKM		MAS 49	
AK-74		MAS 49/56	
Browning M 2		MAT 49	
Dragunov SVD		Norinco Type 81	
HK 21		PK	
HK 23		Strela (SA-7 / SA-14)	
HK G3		UZI	
HK MP5			

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine





Kalashnikov & variants
001/md-01-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-02-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-03-300w.jpg
marking details (EGY)

Kalashnikov & variants
001/md-04-300w.jpg
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)
001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine



Type: AKS 74



left view

Type: AK 74U



left view

Type: Vektor R4 (South Africa)



left view, the version is very similar to the Galil and the Valmet assault rifles

Kalashnikov & variants

026/md-01-300w.png

marking details (DEU)

Kalashnikov & variants

026/md-02-300w.png

marking details

Kalashnikov & variants



marking details (GDR rifle)

The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	<i>Heavy Machine Guns</i>
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

Type: *Browning M2HB-QCB*



left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: *Browning M2HB*



right view, Browning M2HB air-cooled machine gun on M3 tripod

Type: Browning M2E2



weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm

NO IMAGE

Dragunov SVD

The Dragunov SVD uses a short-stroke gas piston and the gas chamber has a two-position manual gas regulator. Barrels locked by rotating bolt with three lugs. The safety is

somewhat reminiscent in its appearance to that of Kalashnikov AK-Assault rifles, although the internal design of the trigger unit is different, and there is no provisions for full automatic fire. The trigger unit is assembled on a separate removable base that also incorporates a trigger guard. It is used by all former Warsaw Pact countries, and it is in service with numerous armed forces, both regular and irregular. The Yugoslavian model "Zastava Model 76" has a solid, non-skeletonized stock, and is chambered in 7.92x57mm.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, short stroke, rotating bolt, semi-automatic
Cartridge	7.62 x 54mm R
Length	1225 mm
Feeding	Box magazine

original SVD rifle with wooden furniture



left view

Dragunov SVD



right view

Type: SVD-S rifle



right view, with folding butt and polymer furniture

Al Kadesih rifle (Iraq)



four long slots instead of six short slots

Dragunov SVD



right view

Type: FPK rifle (ROU)



The FPK is a modified Kalashnikov AK rifle restyled to look like a SVD and is chambered for 7.62x54R.

Dragunov SVD



marking details

Dragunov SVD



marking details



The following ammunition can be used by the **Dragunov SVD**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



HK 21

The basic action of the machine gun, which received the company designation HK 21, was similar to that of the G3 rifle. The HK 21 fired from a closed bolt (not that big issue since its heavy barrel was really quick-detachable) and, unlike most machine guns, its belt feeding module was located below the receiver. Variants: HK11E automatic rifle (magazine fed, 7.62 mm) HK13E automatic rifle (magazine fed, 5.56 mm) HK21E general purpose machine gun (belt feed, 7.62 mm) HK23E light machine gun (belt-fed, 5.56 mm). The "E" stands for "Export" model.



Category	<i>Light Machine Guns</i>
Operating system	Selective fire roller-back blowback
Cartridge	7.62 x 51mm / .308 Winchester

Length	1140 mm
Feeding	Box magazine

HK 21E



left view

HK 21E



right view

HK 21E



right view

HK 21E



right view

HK 21E

top view

HK 21E

bottom view

HK 21E

028/md-01-300w.jpg

marking details

HK 21E

028/md-02-300w.jpg

marking details

HK 21E

028/md-03-300w.jpg

marking details

HK 21E

028/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **HK 21**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK 23

The HK (Heckler & Koch) 23 emerged in 1972 from the original HK 21, which explains the optical and technical resemblance between them and their variants. Usually it is fired from a bipod, but it can also be tripod mounted. While the production of the original HK 21 and 23 have officially ceased, there are still models in production. Residual numbers may remain in service. An “E” added to the weapon’s name identifies models for export.



Category	<i>Light Machine Guns</i>
Operating system	Selective fire roller-back blowback
Cartridge	5.56 x 45mm / .223 Remington
Length	1030 mm
Feeding	Box magazine



The following ammunition can be used by the **HK 23**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.



Category	<i>Assault Rifles</i>
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine

Type: G3 A1



left view

Type: G3 A3



left view

Type: G3 A3ZF



left view

Type: G3 A4



left view

Type: G3 A3



right view

Type: South African G3



The butt is very similar to the FN FAL

Type: CETEME rifles (Spain)



right view, CETEME model B, the "father of the G3 rifle

Type: CETEME rifles (Spain)



right view

HK G3



right view

HK G3



marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



Category	<i>Submachine Guns</i>
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

HK MP 5



left view

HK MP 5



left view, stock extended

HK MP 5



left view

HK MP 5



right view

HK MP 5



right view

HK MP 5



right view

HK MP 5

right view

HK MP 5

top view

HK MP5

094/md-01-300w.jpg

marking details

HK MP 5

094/md-02-300w.jpg

marking details: HK MP 5 Kal. 9 mm x 19 80244

HK MP 5

094/md-03-300w.jpg

marking details: HK MP 5

HK MP 5

094/ws-01-300w.jpg

weapon specifics

HK MP 5

094/ws-02-300w.jpg

weapon specifics

HK MP 5

094/ws-03-300w.jpg

weapon specifics

HK MP 5

094/ws-04-300w.jpg

weapon specifics

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



MAS 49

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.




Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.5 x 54mm
Length	1100 mm
Feeding	Box magazine



The following ammunition can be used by the **MAS 49**:

7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm





MAS 49/56

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.5 x 54mm
Length	1020 mm
Feeding	Box magazine





The following ammunition can be used by the **MAS 49/56**:

7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm





MAT 49

For some 30 years, the MAT 49 was widely used by French military and police forces; it was used throughout the Indochinese and Algerian campaigns. The weapon can still be encountered in former French colonies in Africa and Indochina. It should be noted that North Vietnam once produced a local copy of the MAT 49, chambered for 7.62mm TT rounds. MAT 49s manufactured for police forces, had two triggers, allowing use of full-auto fire or single shots, but most were manufactured as full-auto only.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt

Cartridge	7.62 x 25mm Tokarev 9mm Parabellum (9 x 19mm)
Length	404 mm
Feeding	Box magazine



The following ammunition can be used by the **MAT 49**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Norinco Type 81

The Norinco Type 81 assault rifle entered into production and service in the early 1980s and is still being produced and offered for export sale. Its design and operating system incorporates elements of the Dragunov SVD, Simonov SKS, and AK-47 series rifles.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	7.62 x 39mm
Length	955 mm
Feeding	detachable box or drum magazine

The following ammunition can be used by the **Norinco Type 81**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm

Overall length	56 mm
----------------	-------




PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt





The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm





Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD
Cartridge	
Feeding	front-loaded



Type: SA-7b



AKA: Strela-2M, RIIN 9K32M, USD SA-7b, NATOD SA-7 "Grail" Mod 1, HN-5 Hong Nu-5, Anza MKI

Type: SA-7a (U)



Type: SA-7b (U)



Strela



9M36-1 ОФК	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
ОК. ЧАР.	Fuzed
04-80-2	
2ШТ БРУТТО 63КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and, "Gremlin"

Strela



9M32M OФK	Nomenclature
09-75-2	Lot and date of manufacture
09329 09330	Serial numbers
OK. CHAP.	Fuzed
09-75-2	
2 ШТ БРУТТО 58 КГ	2 pieces Gross 58 kg


marking details

Strela



marking details

Strela



marking details

Strela




marking details

Type: SA-14 (U)

SA-14 (U)



Strela



marking details

Strela



marking details

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI



right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view

MP UZI



marking details

MP UZI



marking details

MP UZI



marking details

The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
--	---------	-----------

Written	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
Oral	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>
Visual	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha
 Project Coordinator
 Pfarrer-Byns-Str. 1
 53121 Bonn
 Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth