

# SALW Guide

Global distribution and visual  
identification



## Paraguay

### Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Paraguay* and whether there is data on who holds these weapons:

Beretta AR70/90		G	IWI NEGEV		G
Browning M 2		G	M79		G
CZ Scorpion		G	Mauser K98		U
FN FAL		G	SIG SG540		G
FN High Power		U	UZI		G
HK G3		G			

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## Beretta AR70/90

The Beretta 70/90 system was developed for the Italian army. The assault rifle AR70/90 was designed for the Italian army infantry and entered into service in 1990. The AR70/90 is also designed to be fitted with a rifle grenade. It is known for its reliability, which earned it the nickname “Excalibur” by the Alpini mountain troops. It remains the standard rifle of the Italian infantry, though it is currently being phased out in favour of the newer Beretta ARX 160 assault rifle.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	998 mm
<b>Feeding</b>	detachable, box magazine

*Beretta AR70/90*



left view

*Beretta AR70/90*



right view

*Beretta AR70/90*

top view

*Beretta AR70/90*

bottom view

*Beretta AR70/90*  
096/md-01-300w.jpg

marking details

*Beretta AR70/90*  
096/ws-01-300w.jpg

weapon specifics

*Beretta AR70/90*  
096/ws-02-300w.jpg

weapon specifics

*Beretta AR70/90*  
096/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **Beretta AR70/90**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Fires from a short bolt, operated on the short recoil principle
<b>Cartridge</b>	12.7 x 99 mm NATO (.50BMG)
<b>Length</b>	1650 mm
<b>Feeding</b>	Belt

Type: *Browning M2HB-QCB*



left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: *Browning M2HB*



right view, Browning M2HB air-cooled machine gun on M3 tripod

Type: *Browning M2E2*



weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

**12.7 x 99 mm NATO (.50BMG)**

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm



## CZ Scorpion

The latest CZ Scorpion (also written Skorpion) EVO 3 sub-machine gun entered into production in 2009 and obtained its name from the original CZ Skorpion 1961 model. Despite its name, the EVO 3 is mechanically unrelated to the Skorpion Vz. 61. Originally, it was marketed as a Personal Defence Weapon (PDW), such as the FN P90, but its calibre and overall size classifies the EVO 3 as a sub-machine gun. Several models, changes and improvements have been introduced into the broader CZ Scorpion-family. Many machine gun models of the CZ Scorpion, which are designed to be fired by a single hand, provide single shots or automatic fire and can be fitted with a suppressor. Different CZ Scorpion variants are still produced and available for export sale.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	blow-back, selective-fire
<b>Cartridge</b>	7.65 x 17 mm SR (.32 ACP) 9mm Makarov (9.2 x 18mm) 9mm Parabellum (9 x 19mm) 9x17 mm (.380 ACP)
<b>Length</b>	517 mm
<b>Feeding</b>	detachable, double-column box magazine

*CZ Scorpion*



left view, stock retracted

*CZ Scorpion*



left view, stock extended

*CZ Scorpion*



right view

*CZ Scorpion*



top view

*CZ Scorpion*

092/md-01-300w.jpg

marking details

*CZ Scorpion*

092/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **CZ Scorpion**:

### 7.65 x 17 mm SR (.32 ACP)

Bullet diameter	7.94 mm
Case length	17.3 mm
Overall length	25 mm

NO IMAGE

## 9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## 9x17 mm (.380 ACP)

Bullet diameter	9 mm
Case length	17.3 mm
Overall length	25 mm



## FN FAL




The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.




<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only



<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **FN FAL**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm





## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action

<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine



*FN High Power*

weapon specifics

The following ammunition can be used by the **FN High Power**:

**.40 S&W**

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm

**9mm Parabellum (9 x 19mm)**

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm


**HK G3**

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or



black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Roller-delayed blowback
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1023 mm
<b>Feeding</b>	Box magazine



Type: CETEME rifles (Spain)



right view, CETEME model B, the "father of the G3 rifle

Type: CETEME rifles (Spain)



right view

HK G3



right view

HK G3



marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## IWI NEGEV

The Israeli light machine gun NEGEV entered into production in 1995 and was inspired by the Belgian FN MINIMI. In 1997 it was adopted by the Israel Defense Forces (IDF), followed by several other South American and Asian countries. It can be fired from the hip, from bipods, tripods, or ground vehicle and helicopter mounts with either single-shot or automatic fire. The NEGEV is designed to be fed from standard belts, drums or magazines. It is still produced today and available for export sales.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
<b>Length</b>	1020 mm
<b>Feeding</b>	35 or 30 rd box magazine; 150 or 200 rd belts in assault pouches

The following ammunition can be used by the **IWI NEGEV**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowed Control.



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	Break-action
<b>Cartridge</b>	40 x 46 mm grenade
<b>Length</b>	731 mm
<b>Feeding</b>	breech-loaded



The following ammunition can be used by the **M79**:

### 40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-





## Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92x57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.92x57 mm (8x57 IS)
<b>Length</b>	1110 mm
<b>Feeding</b>	Internal magazine





The following ammunition can be used by the **Mauser K98**:

### 7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



## SIG SG540

The Swiss SIG SG540 was designed as a potential replacement for the SG510. It was produced between 1977 and 2002 in Switzerland and remains in production in Chile only. While the SG540 and the SG 543 models are chambered for the 6.56 x 45 mm caliber, the SG542 uses 7.62 x 51 mm NATO cartridges.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	950 mm
<b>Feeding</b>	detachable box magazine

*SIG SG540*



left view

*SIG SG540*



left view

*SIG SG540*



right view

*SIG SG540*



top view

*SIG SG540*



top view

*SIG SG540*



bottom view

*SIG SG540*  
107/md-01-300w.jpg  
marking details

*SIG SG540*  
107/ws-01-300w.jpg  
weapon specifics

*SIG SG540*  
107/ws-02-300w.jpg  
weapon specifics

The following ammunition can be used by the **SIG SG540**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better- balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI



right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view



The following ammunition can be used by the **UZI**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>



**Table: Example tags**

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
 Project Coordinator  
 Pfarrer-Byns-Str. 1  
 53121 Bonn  
 Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth