

SALW Guide

Global distribution and visual
identification

























Somalia

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Somalia* and whether there is data on who holds these weapons:

AK-47 / AKM	 	PK	
AK-74		RPD	
AR 15 (M16/M4)		RPG 2	 
Beretta M 12		RPG 7	 
Browning M 2		RPK	
DShk	 	SA vz 23 / 25	
HK G3	 	SA vz 24 / 26	
IGLA (SA-16 / SA-18)		Simonov SKS	
Lee-Enfield SMLE		Sterling L2A3	
M79		Strela (SA-7 / SA-14)	
MBDA MILAN		Tokarev TT-30/TT-33	
MG 3 / MG 42		UZI	
Makarov PM	 		

Explanation of symbols



Country of origin



Licensed production



Production without a licence



G *Government:* Sources indicate that this type of weapon is held by Governmental agencies.



N *Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



U *Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine

AK 47



left view

AKM



left view

AK 47



right view

AK 47



right view



Kalashnikov & variants
001/md-01-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-02-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-03-300w.jpg
marking details (EGY)

Kalashnikov & variants
001/md-04-300w.jpg
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)
001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm





AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine





The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

Type: M 4



left view

AR 15 (M16/M4)



right view

Type: M 16A2



right view

Type: M 4 A1



right view

Type: NORINCO CQ (CHN)



right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.

AR 15 (M16/M4)



marking details

AR 15 (M16/M4)



marking details

M 16A1, M 16A2, M 4, M 16A4 (from top to bottom)



comparison between different models

The following ammunition can be used by the **AR 15 (M16/M4)**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm





Beretta M 12

The weapon has three safeties: a manual safety which blocks the trigger; an automatic safety on the rear grip which immobilizes the trigger and blocks the bolt in a closed position; and a safety on the cocking handle locking the bolt in case it does not retract sufficiently. The short length of the Beretta is achieved by use of a barrel recessed into the bolt head, known as a telescoping bolt. This reduces length without reducing barrel length or bolt weight.



Category	<i>Submachine Guns</i>
Operating system	Blowback operated, selectively-fired, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	418 mm
Feeding	Box magazine



The following ammunition can be used by the **Beretta M 12**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	<i>Heavy Machine Guns</i>
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

Type: Browning M2HB-QCB




left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: Browning M2HB



right view, Browning M2HB air-cooled machine gun on M3 tripod



The following ammunition can be used by the **Browning M 2:**


12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm




DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Heavy Machine Guns</i>
Operating system	Gas operated, belt fed, air cooled, selective fire
Cartridge	12.7 x 108 mm
Length	1625 mm
Feeding	Belt



The following ammunition can be used by the **DShk**:

12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm




HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especial (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.



Category	<i>Assault Rifles</i>
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine



Type: CETEME rifles (Spain)



right view, CETEME model B, the "father of the G3 rifle

Type: CETEME rifles (Spain)



right view

HK G3



right view

HK G3



marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional “Identification Friend or Foe”-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD
Cartridge	
Feeding	front-loaded




Igla



marking details

Igla



marking details

Igla



9M39 OΦ	Nomenclature
03-83-2	Lot and date of mfg.
03273	Serial number
03274	Serial number
OK. CHAP.	Fuzed
2шт. БРУТТО 68КГ	2 pieces Gross 68 Kg

marking details

Type: SA-18




weapon specifics

Igla



marking details

SA-18 (Igla)



weapon specifics, missile, launch tube and grip stick

Type: SA-16 (IGLA-1)



missile and launch tube

The following ammunition can be used by the **IGLA (SA-16 / SA-18)**:

Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.7 x 56mm R / .303 British
Length	1130 mm
Feeding	Box magazine





The following ammunition can be used by the **Lee-Enfield SMLE**:

7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowded Control.



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Break-action
Cartridge	40 x 46 mm grenade
Length	731 mm
Feeding	breech-loaded



The following ammunition can be used by the **M79**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



Category	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
Operating system	portable anti-tank weapon system
Cartridge	

The following ammunition can be used by the **MBDA MILAN**:




MG 3 / MG 42

The MG is a short-recoil operated, air cooled, belt fed weapon which fires from an open bolt. The barrel is quick-removable, and can be replaced in less than six seconds by a properly trained crew. The action of the weapon is operated by the recoil of the locked barrel, assisted by a muzzle booster which uses pressure from the muzzle blast to increase the recoil impulse. This is a simple and solid system. Variants: MG 1: Rheinmetall variant of the MG 42, most notably rechambered to fire 7.62×51mm NATO. MG 1A1 (MG 42/58): As MG 1, but with sights properly calibrated for the new round. Sights refitted to existing MG 1s. MG 1A2 (MG 42/59): MG 1A1 variant; product improved with longer ejection port, heavy bolt and friction ring buffer. MG 1A3: MG 1A2 variant; product improvement of all major components. MG 1A4: MG 1 variant; for fixed mount armor use. MG 1A5: MG 1A3 variant; MG1A3s converted to MG1A4 standard. MG 2: Designation for all wartime MG 42s rechambered to 7.62×51mm NATO. MG 3: MG 1A3 variant; product improved with AA rear sight. MG 3E: MG 3 variant; reduced weight model (roughly 1.3 kg lighter), entered into late 1970s NATO small arms trials. MG 3A1: MG 3 variant; for fixed mount armor use.



Category	<i>Light Machine Guns</i>
Operating system	recoil-operated, roller locked

Cartridge	
Feeding	belt fed



The following ammunition can be used by the **MG 3 / MG 42**:

Makarov PM

The PM has a free-floating firing pin, with no firing pin spring or firing pin block. This allows for the possibility of accidentally firing if the pistol is dropped on its muzzle. It is a simple and sound design, which is considered to be one of the best compact self-defense pistols of its time. While not extremely accurate and lethal at ranges beyond 15-20 meters, it is still a formidable and reliable self-defense weapon. In the former Yugoslavia, the Makarov was produced under license as a commercial export-only version also in caliber 9x17mm (.380 ACP) and 7.65x17mm.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Blowback operated, double action
Cartridge	9mm Makarov (9.2 x 18mm)
Length	161 mm
Feeding	Box magazine

Type: BUL



left view

Type:Former GDR



left view

Type: RUS



left view

Makarov PM



marking details



The following ammunition can be used by the **Makarov PM**:

9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm




PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt



The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm





RPD



The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.

The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, full auto only
Cartridge	7.62 x 39mm
Length	1037 mm
Feeding	Boxed belt





The following ammunition can be used by the **RPD**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Portable Anti-tank Guns</i>
-----------------	--------------------------------

Operating system	Recoilless launch / non rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded



The following ammunition can be used by the **RPG 2**:

RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Portable Anti-tank Guns</i>
Operating system	Recoilless launch + rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded, manual reload



Type: RPG-7D anti-tank grenade launcher

Version for airborne troops, disassembled for transportation / airdrop

RPG 7

marking details

RPG 7

marking details


The following ammunition can be used by the **RPG 7**:

RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, magazine fed, air cooled, selective fire
Cartridge	7.62 x 39mm
Length	1040 mm
Feeding	Box magazine





The following ammunition can be used by the **RPK**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




SA vz 23 / 25

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as "Rhogun".



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	445 mm
Feeding	Box magazine



The following ammunition can be used by the **SA vz 23 / 25**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



SA vz 24 / 26

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear



in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as “Rhogun”.

Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	7.62 x 25mm Tokarev
Length	445 mm
Feeding	Box magazine



The following ammunition can be used by the **SA vz 24 / 26**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located



inside the trigger guard. The early model 50 weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.

Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.62 x 39mm
Length	1020 mm
Feeding	Box magazine



Simonov SKS

right view, SKS with a scope

CHN SKS (Type 56)

right view, with typical spike-shaped bayonet

Simonov SKS

marking details

Simonov SKS

marking details

Simonov SKS

marking details

The following ammunition can be used by the **Simonov SKS**:

7.62 x 39mm

Bullet diameter	7.92 mm
-----------------	---------

Case length	38.7 mm
Overall length	56 mm




Sterling L2A3

Sterling submachine guns, were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, select-fire, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	481 mm
Feeding	Box magazine



Suppressed version L34A1



left view

Sterling MP L2A3



right view

Type: FAMAE PAF 9 mm



right view, Chilean copy of the Sterling submachine gun with external differences such as retractable wire stock and missing barrel shroud

Suppressed version L34A1



right view

Sterling MP L2A3



marking details

Sterling MP L2A3



marking details

Sterling MP L2A3



marking details

Sterling MP L2A3
 019/dv-01-300w.png
 weapon specifics

The following ammunition can be used by the **Sterling L2A3**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Strela (SA-7 / SA-14)


The missile launcher system consists of the green missile launch tube silhouette containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.

Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
-----------------	---

Operating system	MANPAD
Cartridge	
Feeding	front-loaded



Type: Strela grenade
 045/02-300w.png
 left view




Type: ANZA MK-II
 045/04-300w.png
 right view



Type: SA-7b (U)



Strela



9M36-1 OФK	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
OK. CHAP.	Fuzed
04-80-2	
2ШТ БРУТТО 63 КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and "Gremlin"

Strela



9M32M OФK	Nomenclature
09-75-2	Lot and date of manufacture
09329 09330	Serial numbers
OK. CHAP.	Fuzed
09-75-2	
2 ШТ БРУТТО 58 КГ	2 pieces Gross 58 kg


marking details

Strela



marking details

Strela



marking details

Strela



marking details

Type: SA-14 (U)

SA-14 (U)





The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Short recoil operated, closed breech, single action, semi-automatic
Cartridge	7.62 x 25mm Tokarev

Length	194 mm
Feeding	Box magazine

TT-30



left view

Type: ROU



left view


Type : Norinco Type 54, Model 213 (CHN)



weapon specifics : 9 x 19 mm

Type: Tokagyp 58

weapon specifics : made in HUN for EGY,
chambered in 9 x 19 mm





The following ammunition can be used by the **Tokarev TT-30/TT-33**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI




right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view



The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
--	---------	-----------

Written	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
Oral	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>
Visual	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha
 Project Coordinator
 Pfarrer-Byns-Str. 1
 53121 Bonn
 Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth