

# SALW Guide

Global distribution and visual  
identification














## Suriname

### Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Suriname* and whether there is data on who holds these weapons:

AK-47 / AKM		FN High Power	
AK-74		FN MINIMI	
AR 15 (M16/M4)		FN P90	
Colt M1911		RPG 7	
FN FAL		UZI	
FN Herstal FN MAG			

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	870 mm
<b>Feeding</b>	Box magazine





*Kalashnikov & variants*  
001/md-01-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-02-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-03-300w.jpg  
marking details (EGY)

*Kalashnikov & variants*  
001/md-04-300w.jpg  
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)  
001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70  
(AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70  
(AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70  
(AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

**7.62 x 39mm**

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm





## AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	5.45 x 39mm
<b>Length</b>	943 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **AK-74**:

5.45 x 39mm



Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



## AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	986 mm
<b>Feeding</b>	Box magazine

*Type: M 4*

left view

*AR 15 (M16/M4)*

right view

*Type: M 16A2*

right view

*Type: M 4 A1*

right view

*Type: NORINCO CQ (CHN)*

right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.

*AR 15 (M16/M4)*

marking details

AR 15 (M16/M4)



marking details

M 16A1, M 16A2, M 4, M 16A4 (from top to bottom)



comparison between different models

The following ammunition can be used by the **AR 15 (M16/M4)**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## Colt M1911

Technically, the M1911, also known as Colt Government, is a recoil operated, locked breech semi-auto pistol. It has single action trigger with frame mounted safety that locks the hammer and the slide. Hammer could be locked either in cocked or in lowered position, allowing the gun to be carried in "cocked and locked" state, with safety on, hammer cocked and round chambered. Additional automated safety incorporated into rear of the grip and locks the action when gun not held in the hand properly. The M 1911 was manufactured by many companies in many countries, partly in the original form,



partly modified, partly under license and partly without a license. It was exported to many countries after WW II, and it was in service with the US armed forces for more than 70 years.

<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, closed breech, single action, semi-automatic
<b>Cartridge</b>	.45 ACP
<b>Length</b>	219 mm
<b>Feeding</b>	Box magazine

Colt M1911




left view

Colt M1911



right view

Colt M1911



marking details

Colt M1911



marking details

*Colt M1911*



marking details

*Colt M1911*



marking details

*Colt M1911*




marking details

The following ammunition can be used by the **Colt M1911**:

**.45 ACP**

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



## FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine

Type: ISR FAL "Romat"



left view

FN FAL



left view

FN FAL



right view

FN FAL




right view

FN FAL



right view



The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	gas, automatic
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1260 mm
<b>Feeding</b>	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm






## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **FN High Power**:

### .40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
-----------------	------

Case length	19.15 mm
Overall length	29.69 mm



## FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas, automatic only
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
<b>Length</b>	1040 mm
<b>Feeding</b>	disintegrating metal link belt or box magazine (M16 type)



*FN Minimi*



left view

*FN Minimi*



right view

*FN Minimi*



top view

*FN Minimi*

116/md-01-300w.jpg

marking details

*FN Minimi*

116/ws-01-300w.jpg

weapon specifics

*FN Minimi*

116/ws-02-300w.jpg

weapon specifics

*FN Minimi*

116/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm






## FN P90

A personal defense weapon (often abbreviated PDW) is a compact semi-automatic or fully-automatic firearm similar in most respects to a submachine gun, but firing an (often proprietary) armor-piercing round, giving a PDW better range, accuracy and armor-penetrating capability than submachine guns, which fire pistol-caliber cartridges. The P90 was designed to have a length no greater than a man's shoulder width, in order to be easily carried and maneuvered in tight spaces, such as the inside of an armored vehicle. To achieve this, the weapon's design utilizes the unconventional bullpup configuration, in which the action and magazine are located behind the trigger and alongside the shooter's face, so that there is no wasted space in the stock. The P90's dimensions are also minimized by its unique horizontally mounted feeding system, wherein the box magazine sits parallel to the barrel on top of the weapon's frame. Overall, the weapon has an extremely compact profile.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Straight blowback, closed bolt
<b>Cartridge</b>	FN 5.7 x 28mm
<b>Length</b>	500 mm
<b>Feeding</b>	n/a



The following ammunition can be used by the **FN P90**:

## FN 5.7 x 28mm

Bullet diameter	5.7 mm
Case length	28.83 mm
Overall length	40.5 mm



The FN 5.7×28mm is a small-caliber, high-velocity cartridge designed and manufactured by FN Herstal in Belgium. It is a bottlenecked centerfire cartridge that is somewhat similar to the .22 Hornet or .22 K-Hornet. The 5.7×28mm was developed in conjunction with the FN P90 personal defense weapon (PDW) and FN Five-seven pistol, in response to NATO requests for a replacement for the 9×19mm Parabellum cartridge. By 2006, FN's 5.7×28mm firearms—the P90 personal defense weapon and Five-seven pistol—were in service with military and police forces in over 40 nations throughout the world. In the United States, 5.7×28mm firearms are currently used by numerous law enforcement agencies, including the U.S. Secret Service.

## RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over



the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch + rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded, manual reload



Type: OG-7V fragmentation antipersonell  
grenade (1999)



left view



Type: RPG-7D anti-tank grenade launcher




Version for airborne troops, disassembled for  
transportation / airdrop

RPG 7



marking details





The following ammunition can be used by the **RPG 7**:

## UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI




right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view



The following ammunition can be used by the **UZI**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary

<p><b>Written</b></p>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<p><b>Oral</b></p>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<p><b>Visual</b></p>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

<b>Source (sample)</b>	<b>Type of source</b>	<b>Medium of delivery</b>
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
Project Coordinator  
Pfarrer-Byns-Str. 1  
53121 Bonn  
Germany

E-Mail: joseph.farha@bicc.de  
Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division  
Major Laurentius Wedeniwski  
Selfkant-Kaserne  
Rue de Quimperle 100  
52511 Geilenkirchen  
E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha  
Project Coordinator  
Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.  
Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.  
Technical management: Joseph Farha  
Programming: Rolf Alberth