



SALW Guide

Global distribution and visual identification



Turkey

Country report

https://salw-guide.bicc.de

Weapons Distribution

The following list shows the weapons which can be found in *Turkey* and whether there is data on who holds these weapons:

AK-47 / AKM		G
AK-74		U
AR 15 (M16/M4)		G
Beretta 92/ 92 FS	==	U
Browning M 2		G
CZ 75		U
CZ Scorpion		G
Colt M1911		U
Dragunov SVD		U
FIM-92 Stinger	=	GN
FN FAL		G
FN Herstal FN MAG		G
FN MINIMI		G
FN P90		G
GDATP MK 19		G
HK 21		U
HK 23		G
HK G3		G
HK MP5	Ь	G
HK33	ь	G
IGLA (SA-16 / SA-18)		G

IWI Tavor TAR-21	G
Lee-Enfield SMLE	G
M1918 Browning	G
M203 grenade launcher	G
M60	G
M79	G
MBDA MILAN	G
MG 3 / MG 42	U
Mauser K98	U
Milkor MRGL	G
Mosin-Nagant Rifle Mod. 1891	U
PK	G
RPG 7	G
SIG SG540	G
SIG SG550	G
Sten gun	G
Steyr AUG	G
Strela (SA-7 / SA-14)	N
Thompson M1928	G
UZI	G

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model



8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine

The following ammunition can be used by the AK-47 / AKM:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some



early models are reported to have been converted AKMs, with the barrel re-sleeved to

5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine

The following ammunition can be used by the AK-74:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases,



through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan.

The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

The following ammunition can be used by the **AR 15 (M16/M4)**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Beretta 92/92 FS

In 1976, the Beretta 92 entered into production. Since then, a large number of model variations and variants with different calibres have been produced. The Beretta 92 was adopted by several armed forces and law-enforcement agencies, such as those in Chile and Egypt. In 1985, the Beretta Model 92SB-F (also known as the US M9) was selected as the primary US military side-arm.



Category	Self-Loading Pistols & Revolvers
Operating system	short-recoil, single or double action
Cartridge	9mm Parabellum (9 x 19mm)
Length	217 mm
Feeding	detachable, double-column box magazine

The following ammunition can be used by the **Beretta 92/92 FS**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	Heavy Machine Guns
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm



CZ 75

The Czech Model 75 pistol was named after its year of introduction and remains in service and in production in various countries today. A number of model variations and copies (e.g. by



Norinco NZ 75) have been developed over the years. A special characteristic of the CZ 75 is its large double-column magazine, which holds 16 rounds of 9-mm-cartridges as opposed to the 10 or 11 rounds normally held by other pistols.

Category	Self-Loading Pistols & Revolvers	
Operating system	short-recoil, selective-fire	
Cartridge	9mm Parabellum (9 x 19mm)	
Length	206 mm	
Feeding	detachable box magazine	

The following ammunition can be used by the **CZ 75**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



CZ Scorpion

The latest CZ Scorpion (also written Skorpion) EVO 3 submachine gun entered into production in 2009 and obtained its name from the original CZ Skorpion 1961 model. Despite its name, the EVO 3 is mechanically unrelated to the Skorpion Vz. 61. Originally, it was marketed as a Personal Defence Weapon (PDW), such as the FN P90, but its calibre and overall size classifies the EVO 3 as a sub-machine gun. Several models,



changes and improvements have been introduced into the broader CZ Scorpion-family. Many machine gun models of the CZ Scorpion, which are designed to be fired by a single hand, provide single shots or automatic fire and can be fitted with a suppressor. Different CZ Scorpion variants are still produced and available for export sale.

Category	Submachine Guns
Operating system	blow-back, selective-fire
Cartridge	7.65 x 17 mm SR (.32 ACP) 9mm Makarov (9.2 x 18mm) 9mm Parabellum (9 x 19mm) 9x17 mm (.380 ACP)

Length	517 mm
Feeding	detachable, double-column box magazine

The following ammunition can be used by the **CZ Scorpion**:

7.65 x 17 mm SR (.32 ACP)

Bullet diameter	7.94 mm
Case length	17.3 mm
Overall length	25 mm

NO IMAGE

9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



9x17 mm (.380 ACP)

Bullet diameter	9 mm
Case length	17.3 mm
Overall length	25 mm

NO IMAGE

Colt M1911

Technically, the M1911, also known as Colt Government, is a recoil operated, locked breech semi-auto pistol. It has single action trigger with frame mounted safety that locks the hammer and the slide. Hammer could be locked either in cocked or in lowered position, allowing the gun to be carried in "cocked and locked" state, with safety on, hammer cocked and round chambered. Additional automated safety incorporated



into rear of the grip and locks the action when gun not held in the hand properly. The M 1911 was manufactured by many companies in many countries, partly in the original form, partly modified, partly under license and partly without a license. It was exported to many countries after WW II, and it was in service with the US armed forces for more then 70 years.

Category	Self-Loading Pistols & Revolvers	
Operating system	Short recoil operated, closed breech, single action, semi-automatic	
Cartridge	.45 ACP	
Length	219 mm	
Feeding	Box magazine	

The following ammunition can be used by the **Colt M1911**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



Dragunov SVD

The Dragunov SVD uses a short-stroke gas piston and the gas chamber has a two-position manual gas regulator. Barrels locked by rotating bolt with three lugs. The safety is



somewhat reminiscent in its appearance to that of Kalashnikov AK-Assault rifles, although the internal design of the trigger unit is different, and there is no provisions for full automatic fire. The trigger unit is assembled on a separate removable base that also incorporates a trigger guard. It is used by all former Warsaw Pact countries, and it is in service with numerous armed forces, both regular and irregular. The Yugoslavian model "Zastava Model 76" has a solid, non-skeletonized stock, and is chambered in 7.92x57mm.

Category	Rifles & Carbines
Operating system	Gas operated, short stroke, rotating bolt, semi-automatic
Cartridge	7.62 x 54mm R
Length	1225 mm
Feeding	Box magazine

The following ammunition can be used by the **Dragunov SVD**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



FIM-92 Stinger

Its combat debut occurred during the Falklands War. The Stinger was also used by the Afghan Mujahedeen, the Hamas and the UNITA. The Central Intelligence Agency supplied nearly 500 Stingers (some sources claim 1,500–2,000) to the Mujahedeen in Afghanistan. After the 1989 Soviet withdrawal from Afghanistan, the United States attempted to buy back the Stinger missiles, with a



55 million dollar program to buy back around 300 missiles. The U.S. government collected most of the Stingers it had delivered, but some of them found their way into Iran, Qatar and North Korea.

Category	Portable Launcher of Anti-aircraft Missile Systems	
Operating system	MANPAD	
Cartridge		

The following ammunition can be used by the **FIM-92 Stinger**:

FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the



militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.

Category	Assault Rifles	
Operating system	Gas operated, tilting breechblock, select-fire or semi-automatic only	
Cartridge	7.62 x 51mm / .308 Winchester	
Length	1100 mm	
Feeding	Box magazine	

The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the



UK. It can be carried by infantry and is usually fired while mounted on a tripod.

Category	Heavy Machine Guns
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	Light Machine Guns
Operating system	gas, automatic only
Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
Length	1040 mm
Feeding	disintegrating metal link belt or box magazine (M16 type)

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm	
-----------------	--------	--

Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN P90

A personal defense weapon (often abbreviated PDW) is a compact semi-automatic or fully-automatic firearm similar in most respects to a submachine gun, but firing an (often proprietary) armor-piercing round, giving a PDW better range, accuracy and armor-penetrating capability than submachine guns, which fire pistol-caliber cartridges. The P90 was designed to have a length no greater than a man's



shoulder width, in order to be easily carried and maneuvered in tight spaces, such as the inside of an armored vehicle. To achieve this, the weapon's design utilizes the unconventional bullpup configuration, in which the action and magazine are located behind the trigger and alongside the shooter's face, so that there is no wasted space in the stock. The P90's dimensions are also minimized by its unique horizontally mounted feeding system, wherein the box magazine sits parallel to the barrel on top of the weapon's frame. Overall, the weapon has an extremely compact profile.

Category	Submachine Guns
Operating system	Straight blowback, closed bolt
Cartridge	FN 5.7 x 28mm
Length	500 mm
Feeding	n/a

The following ammunition can be used by the **FN P90**:

FN 5.7 x 28mm

Bullet diameter	5.7 mm
Case length	28.83 mm
Overall length	40.5 mm



The FN 5.7×28mm is a small-caliber, high-velocity cartridge designed and manufactured by FN Herstal in Belgium. It is a bottlenecked centerfire cartridge that is somewhat similar to the .22 Hornet or .22 K-Hornet. The 5.7×28mm was developed in conjunction with the FN P90 personal defense weapon (PDW) and FN Five-seven pistol, in response to NATO requests for a replacement for the 9×19mm Parabellum cartridge. By 2006, FN's 5.7×28mm firearms—the P90 personal defense weapon and Five-seven pistol—were in service with military and police forces in over 40 nations throughout the world. In the United States, 5.7×28mm firearms are currently used by numerous law enforcement agencies, including the U.S. Secret Service.

GDATP MK 19

The MK 19 or Mark 19 grenade machine gun was designed in the 1960s for the US Navy in the Vietnam War. In the following decades, the MK 19 was further improved, sold to and adopted by at least 28 other nations including Australia, Chile and South Korea. It was originally designed to be mounted on (naval) vehicles, but current systems can also be ground- or turretmounted. The MK 19 can be fired manually or even remotely. Original manufacturer General Dynamics Armament and Technical Products (GDATP).



Category	Hand-held under-barrel and Mounted Grenade Launchers	
Operating system	blowback, open-bolt (advanced primer ignition in mods 1 and 2)	
Cartridge	40x53 mm	
Length	1095 mm	
Feeding	linked belt with 32 or 48 rds	

The following ammunition can be used by the **GDATP MK 19**:

40x53 mm

Bullet diameter	40 mm
Case length	53 mm

Overall length	-	NO IMAGE
		NO IMAGE

HK 21

The basic action of the machine gun, which received the company designation HK 21, was similar to that of the G3 rifle. The HK 21 fired from a closed bolt (not that big issue since its heavy barrel was really quick-detachable) and,



unlike most machine guns, its belt feeding module was located below the receiver. Variants: HK11E automatic rifle (magazine fed, 7.62 mm) HK13E automatic rifle (magazine fed, 5.56 mm) HK21E general purpose machine gun (belt feed, 7.62 mm) HK23E light machine gun (belt-fed, 5.56 mm). The "E" stands for "Export" model.

Category	Light Machine Guns
Operating system	Selective fire roller-back blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1140 mm
Feeding	Box magazine

The following ammunition can be used by the **HK 21**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK 23

The HK (Heckler & Koch) 23 emerged in 1972 from the original HK 21, which explains the optical and technical resemblance between them and their variants. Usually it is fired from a bipod, but it can also be tripod mounted. While the production of the original HK 21 and 23 have officially ceased, there are still models in production. Residual numbers may remain in service. An "E" added to the weapon's name identifies models for export.



Category	Light Machine Guns
Operating system	Selective fire roller-back blowback
Cartridge	5.56 x 45mm / .223 Remington
Length	1030 mm
Feeding	Box magazine

The following ammunition can be used by the **HK 23**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiale (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selection.



fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

Category Assault Rifles	
-------------------------	--

Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine

The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,



whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.

Category	Submachine Guns
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK33

The Heckler & Koch HK33 entered into production in 1963. The HK33 is produced in five variants: 1) with a fixed butt; 2) with a retractable butt; 3) fitted with a bipod; 4) as a sniper rifle with telescopic sight; and 5) as the HK22K carbine version. An "E" added to the weapon's name identifies models for export, while a "K" added to the end of the weapon's name refers to shortened models.



Category	Assault Rifles
Operating system	delayed-blowback, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	920 mm
Feeding	detachable box magazine

The following ammunition can be used by the **HK33**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance



against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.

Category	Portable Launcher of Anti-aircraft Missile Systems
Operating system	MANPAD
Cartridge	
Feeding	front-loaded

The following ammunition can be used by the IGLA (SA-16 / SA-18):

IWI Tayor TAR-21

The IWI Tavor-21 assault rifle was designed to replace the different M16 variants within the Israel Defense Forces (IDF). In 2009, it was selected as the new standard issue weapon of the Israeli infantry. It is also in service in several other countries, such as India, Thailand and Turkey. Different models have been developed for



Special Forces or sporting. Nevertheless, the TAR-21 has not caught up to the M16's success due to its higher price. The bullpup rifle can be either fired in semi-automatic or full automatic fire mode.

Category	Assault Rifles
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	725 mm
Feeding	box magazine

The following ammunition can be used by the IWI Tavor TAR-21:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve



forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).

Category	Rifles & Carbines
Operating system	Manually operated, rotating bolt
Cartridge	7.7 x 56mm R / .303 British
Length	1130 mm
Feeding	Box magazine

The following ammunition can be used by the **Lee-Enfield SMLE**:

7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use



by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.

Category	Light Machine Guns
Operating system	gas operated, rising bolt lock
Cartridge	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
Length	1200 mm
Feeding	20-round detachable box magazine

The following ammunition can be used by the **M1918 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGI	≣

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
-----------------	--------

Case length	56.4 mm
Overall length	78.1 mm



7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).

Category	Hand-held under-barrel and Mounted Grenade Launchers	
Operating system	Single shot, under-barrel, pump-action	
Cartridge	40 x 46 mm grenade	
Length	380 mm	
Feeding	breech-loaded	

The following ammunition can be used by the **M203 grenade launcher**:

40 x 46 mm grenade

Bullet diameter	_
Case length	-

Overall length	-	NO IMAGE
		NO MAGE

M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the



period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.

Category	Light Machine Guns
Operating system	Gas operated, belt fed
Cartridge	7.62 x 51mm / .308 Winchester
Length	1105 mm
Feeding	Belt

The following ammunition can be used by the M60:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowed Control.



Category	Hand-held under-barrel and Mounted Grenade Launchers
Operating system	Break-action
Cartridge	40 x 46 mm grenade
Length	731 mm
Feeding	breech-loaded

The following ammunition can be used by the M79:

40 x 46 mm grenade

Bullet diameter	_
Case length	-
Overall length	-

NO IMAGE

MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.

Category	Portable Launcher of Anti-tank Missile and Rocket Systems	
Operating system	portable anti-tank weapon system	
Cartridge		

The following ammunition can be used by the **MBDA MILAN**:

MG 3 / MG 42

The MG is a short-recoil operated, air cooled, belt fed weapon which fires from an open bolt. The barrel is quick-removable, and can be replaced in less than six seconds by a properly trained crew. The action of the weapon is



operated by the recoil of the locked barrel, assisted by a muzzle booster which uses pressure from the muzzle blast to increase the recoil impulse. This is a simple and solid system. Variants: MG 1: Rheinmetall variant of the MG 42, most notably rechambered to fire 7.62×51mm NATO. MG 1A1 (MG 42/58): As MG 1, but with sights properly calibrated for the new round. Sights refitted to existing MG 1s. MG 1A2 (MG 42/59): MG 1A1 variant; product improved with longer ejection port, heavy bolt and friction ring buffer. MG 1A3: MG 1A2 variant; product improvement of all major components. MG 1A4: MG 1 variant; for fixed mount armor use. MG 1A5: MG 1A3 variant; MG1A3s converted to MG1A4 standard. MG 2: Designation for all wartime MG 42s rechambered to 7.62×51mm NATO. MG 3: MG 1A3 variant; product improved with AA rear sight. MG 3E: MG 3 variant; reduced weight model (roughly 1.3 kg lighter), entered into late 1970s NATO small arms trials. MG 3A1: MG 3 variant; for fixed mount armor use.

Category	Light Machine Guns
Operating system	recoil-operated, roller locked
Cartridge	
Feeding	belt fed

The following ammunition can be used by the MG 3 / MG 42:

Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during



times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During

the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.

Category	Rifles & Carbines
Operating system	Manually operated, rotating bolt
Cartridge	7.92x57 mm (8x57 IS)
Length	1110 mm
Feeding	Internal magazine

The following ammunition can be used by the **Mauser K98**:

7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



Milkor MRGL

The Milkor (Milière Korporasie) MRGL (Multi-Range Grenade Launcher) is the fourth generation of six-shot launchers that was first introduced in the 1980s by the South African company and developed into a family with several variants. The MRGL fires with an effective range of 375 m to 800 m, depending on the ammunition used. The launcher is lightweight, semi-automatic, and shoulder-fired and can deliver its six rounds in less than three seconds.



Category	Hand-held under-barrel and Mounted Grenade Launchers	
Operating system	semi-automatic	
Cartridge	40 x 46 mm grenade	
Length	761 mm	
Feeding	6-chamber revolving cylinder	

The following ammunition can be used by the **Milkor MRGL**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	_



Mosin-Nagant Rifle Mod. 1891

This Russian "3-line" caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers.

Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with



several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Light Machine Guns
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt

The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many



conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

Category	Portable Anti-tank Guns	
Operating system	Recoilless launch + rocket booster	
Cartridge		
Length	650 mm	

Feeding	front-loaded, manual reload
---------	-----------------------------

The following ammunition can be used by the **RPG 7**:

SIG SG540

The Swiss SIG SG540 was designed as a potential replacement for the SG510. It was produced between 1977 and 2002 in Switzerland and remains in production in Chile only. While the SG540 and the SG 543 models are chambered for the 6.56×45 mm caliber, the SG542 uses 7.62×51 mm NATO cartridges.



Category	Assault Rifles	
Operating system	gas, selective-fire	
Cartridge	5.56 x 45mm / .223 Remington	
Length	950 mm	
Feeding	detachable box magazine	

The following ammunition can be used by the **SIG SG540**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



SIG SG550

The Swiss SIG SG550 assault rifle is based on the SG540. It entered into production in 1981 and is also known as the Fass 90 (Fusil d'assaut 90/Fucile d'assalto 90) in French/ Italian or Stgw 90 in German (Sturmgewehr



90). As special attention was paid to making it lighter, the butt, handguard and magazine are largely made of plastic.

Category	Assault Rifles
----------	----------------

Operating system	gas, selective-fire	
Cartridge	5.56 x 45mm / .223 Remington	
Length	998 mm	
Feeding	detachable, polymer box magazine	

The following ammunition can be used by the **SIG SG550**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Sten gun

Prior to 1941 UK was keen to produce a own submachine gun as an alternative Rate of fire 550 450 550 600 rounds per minute to the US-Thompson submachine gun. Royal Small Arms Factory, Enfield designed the STEN gun. In the beginning, unreliable but extremely cheap and



easy to produce. After further development, the guns of 1942 and beyond were, in general, highly effective weapons. In Germany, the STEN models "Potsdam" and "Neumünster" were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.

Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	895 mm
Feeding	Box magazine

The following ammunition can be used by the **Sten gun**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is



usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.

Category	Assault Rifles
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
Length	790 mm
Feeding	Box magazine

The following ammunition can be used by the **Steyr AUG**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be



reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.

Category	Portable Launcher of Anti-aircraft Missile Systems
Operating system	MANPAD
Cartridge	
Feeding	front-loaded

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the "Tommy Gun", was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.



Category	Submachine Guns
Operating system	blowback operated, automatic
Cartridge	.45 ACP
Length	857 mm
Feeding	drum magazine or box magazine

The following ammunition can be used by the **Thompson M1928**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better- balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Miniand Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.

Category	Submachine Guns
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Ammunition head stamps

The following is a non-comprehensive overview of ammunitions head stamps used within this country for ammunition marking.





No data.



Factory of Chemical Industry.

Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources as usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

- A. Written the source is based on written words.
- **B. Oral** the source is based on spoken words.
- **C. Visual** the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
Written	 Fact books Weapons Transfer authorizations End-user certificates Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia Newspaper articles Written correspondence (e.g. letters, emails, text messages, etc.) Blogs Peer-reviewed journal articles Treaties, constitution, laws Records of organizations (e.g. annual reports) Surveys, questionnaires Etc	 Wikipedia Literature reviews Training or safety manuals on gun control, ammunition, physical stockpile security management) Minutes of meetings, conferences, symposia Indexes (e.g. Global Militarization Index) Newspaper articles Etc.
Oral	 Interviews with experts, including radio or telephone Legal proceedings Speeches or interventions by experts or national representatives in government or international meetings Etc 	Speeches, panel presentations, etc. on data provided by experts Etc

SALW Guide About the Guide

Visual	 Artifacts (e.g. the weapons themselves, ammunition) Photographs of weapons, ammunition, etc. Videos (e.g. YouTube, those recorded by mobile phone) Television documentaries, news reports 	PowerPoint presentations on results found by experts Etc
	Etc	

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

Contact SALW Guide

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha Project Coordinator Pfarrer-Byns-Str. 1 53121 Bonn Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center (BwVC)

Global Arms- and Proliferation Control Division Major Laurentius Wedeniwski Selfkant-Kaserne Rue de Quimperle 100 52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha
Project Coordinator
Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth