

# SALW Guide

Global distribution and visual  
identification



## Tanzania

Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Tanzania* and whether there is data on who holds these weapons:

AK-47 / AKM	 	RPG 2	
AK-74		RPG 7	
DShk		RPK	
FN FAL		SA vz 23 / 25	
FN Herstal FN MAG		SA vz 24 / 26	
FN High Power		Simonov SKS	
HK G3		Sten gun	
Lee-Enfield SMLE		Sterling L2A3	
Mosin-Nagant Rifle Mod. 1891		Strela (SA-7 / SA-14)	
Norinco Type 81		Webley Mk. IV	
RPD			

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	870 mm
<b>Feeding</b>	Box magazine

AK 47



left view

AKM



left view

AK 47



right view

AK 47



right view



*Kalashnikov & variants*  
001/md-01-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-02-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-03-300w.jpg  
marking details (EGY)

*Kalashnikov & variants*  
001/md-04-300w.jpg  
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)  
001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70  
(AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70  
(AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

### 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	5.45 x 39mm
<b>Length</b>	943 mm
<b>Feeding</b>	Box magazine





Kalashnikov & variants  
026/md-01-300w.png  
marking details (DEU)

Kalashnikov & variants  
026/md-02-300w.png  
marking details



The following ammunition can be used by the **AK-74**:


5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm




## DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed, air cooled, selective fire
<b>Cartridge</b>	12.7 x 108 mm
<b>Length</b>	1625 mm
<b>Feeding</b>	Belt





The following ammunition can be used by the **DShk**:

### 12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm



## FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester

<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **FN FAL**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	gas, automatic
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1260 mm

<b>Feeding</b>	disintegrating metal link belt
----------------	--------------------------------

The following ammunition can be used by the **FN Herstal FN MAG**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm





## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **FN High Power**:

## .40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especiales (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Roller-delayed blowback
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1023 mm
<b>Feeding</b>	Box magazine

Type: G3 A1



left view

Type: G3 A3



left view

Type: G3 A3ZF



left view

Type: G3 A4



left view

Type: G3 A3



right view

Type: South African G3



The butt is very similar to the FN FAL

Type: CETEME rifles (Spain)



right view, CETEME model B, the "father of the G3 rifle"

Type: CETEME rifles (Spain)



right view

HK G3



right view

HK G3



marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.7 x 56mm R / .303 British
<b>Length</b>	1130 mm
<b>Feeding</b>	Box magazine



Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

The following ammunition can be used by the **Lee-Enfield SMLE**:

### 7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



## Mosin-Nagant Rifle Mod. 1891

This Russian “3-line” caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1306 mm
<b>Feeding</b>	Internal magazine



*Mosin-Nagant Rifle*

marking details

*Mosin-Nagant Rifle*

marking details

The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891**:

**7.62 x 54mm R**

Bullet diameter	7.92 mm
-----------------	---------

Case length	53.72 mm
Overall length	77.16 mm



## Norinco Type 81

The Norinco Type 81 assault rifle entered into production and service in the early 1980s and is still being produced and offered for export sale. Its design and operating system incorporates elements of the Dragunov SVD, Simonov SKS, and AK-47 series rifles.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	955 mm
<b>Feeding</b>	detachable box or drum magazine

The following ammunition can be used by the **Norinco Type 81**:

### 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm







## RPD

The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate



cartridge 7.62x39mm. During its service life, the weapon was modernized several times. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.

<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, full auto only
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1037 mm
<b>Feeding</b>	Boxed belt



The following ammunition can be used by the **RPD**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




## RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch / non rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded



The following ammunition can be used by the **RPG 2**:

## RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch + rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded, manual reload



Type: PG-7VR tandem (dual warhead) HEAT grenade



left view

Type: TBG-7V thermobaric (FAE) grenade



left view

Type: OG-7V fragmentation antipersonell grenade (1999)



left view



Type: RPG-7D anti-tank grenade launcher




Version for airborne troops, disassembled for transportation / airdrop

RPG 7



marking details



The following ammunition can be used by the **RPG 7**:

## RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, magazine fed, air cooled, selective fire
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1040 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **RPK**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




## SA vz 23 / 25

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as "Rhogun".



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	445 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **SA vz 23 / 25**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



### SA vz 24 / 26

The CZ Model 25 (properly, Sa 25 or Sa vz. 48b/ Samopal vz. 48b) utilize a Rate of fire 650 rounds per minute straightforward blowback action, with no locked breech, and fire from the open bolt position. They also use a progressive trigger for selecting between semi-automatic fire and fully automatic fire. Lightly pulling on the trigger will fire a single shot. Pulling the trigger farther to the rear



in a continuous motion will fire fully automatically, until the trigger is released or the magazine is empty. After the Sa 25 was declared obsolete in 1968, many of the 9 mm weapons were sold around the world. The surplus weapons were exported to other communist countries including North Vietnam. A somewhat-modified copy of the 9x19 mm model was produced in Rhodesia in the early 1970s and known as “Rhogun”.

<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	7.62 x 25mm Tokarev
<b>Length</b>	445 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **SA vz 24 / 26**:

## 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located



inside the trigger guard. The early model 50 weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.

<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1020 mm
<b>Feeding</b>	Box magazine



*Simonov SKS*

right view, SKS with a scope

*CHN SKS (Type 56)*

right view, with typical spike-shaped bayonet

*Simonov SKS*

marking details

*Simonov SKS*

marking details

*Simonov SKS*

marking details

The following ammunition can be used by the **Simonov SKS**:

**7.62 x 39mm**

Bullet diameter	7.92 mm
-----------------	---------

Case length	38.7 mm
Overall length	56 mm





## Sten gun

Prior to 1941 UK was keen to produce a own submachine gun as an alternative Rate of fire 550 450 550 600 rounds per minute to the US-Thompson submachine gun. Royal Small Arms Factory, Enfield designed the STEN gun. In the beginning, unreliable but extremely cheap and easy to produce. After further development, the guns of 1942 and beyond were, in general, highly effective weapons. In Germany, the STEN models “Potsdam” and “Neumünster” were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	895 mm
<b>Feeding</b>	Box magazine



*Sten MP*  
018/rv-02-300w.png  
right view

*Sten MP*  
018/rv-03-300w.png  
right view

*Type: Mk. 4*  
018/rv-04-300w.png  
right view



*Sten MP*  
018/md-01-300w.png  
marking details

*Sten MP*  
018/md-02-300w.png  
marking details

*Sten MP*



marking details

*Type: Mk. 2*




weapon specifics



The following ammunition can be used by the **Sten gun**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Sterling L2A3

Sterling submachine guns , were purchased in more than 70 countries. silhouette  
 However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured

by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.

<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, select-fire, fires from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	481 mm
<b>Feeding</b>	Box magazine

*Sterling MP L2A3*  
019/lv-01-300w.png  
left view

*Type: CETME C2*



left view, ESP, submachine gun, 9 x 23 mm  
Largo

*Suppressed version L34A1*  
019/lv-03-300w.png  
left view

*Sterling MP L2A3*  
019/rv-01-300w.png  
right view

*Type: FAMAE PAF 9 mm*



right view, Chilean copy of the Sterling  
submachine gun with external differences such  
as retractable wire stock and missing barrel  
shroud

*Suppressed version L34A1*



right view

*Sterling MP L2A3*  
019/md-01-300w.png  
marking details



The following ammunition can be used by the **Sterling L2A3**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
-----------------	------

Case length	19.15 mm
Overall length	29.69 mm



## Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



<b>Category</b>	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
<b>Operating system</b>	MANPAD
<b>Cartridge</b>	
<b>Feeding</b>	front-loaded



Type: SA-7b



AKA: Strela-2M, RIIN 9K32M, USD SA-7b, NATOD SA-7 "Grail" Mod 1, HN-5 Hong Nu-5, Anza MKI

Type: SA-7a (U)



Type: SA-7b (U)



Strela



9M36-1 ОФК	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
ОК. ЧАР.	Fuzed
04-80-2	
2ШТ БРУТТО 63КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and, "Gremlin"

Strela



9M32M OФK  
09-75-2  
09329 09330  
OK. CHAP.  
09-75-2  
2 ШТ БРУТТО 58 КГ

Nomenclature  
Lot and date of manufacture  
Serial numbers  
Fuzed

2 pieces Gross 58 kg


marking details

Strela



marking details

Strela



marking details

Strela




marking details

Type: SA-14 (U)

### SA-14 (U)



Strela



marking details

Strela



marking details

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:



## Webley Mk. IV

The Webley Mk. IV was a standard issue service pistol for the armed forces of the United Kingdom and British Empire and Commonwealth for over 70 Years. All Webley top-beak revolvers featured two piece frame, which hinges ("breaks") down at the forward low end for ejection and loading. The ejector is actuated automatically when the frame is broken open, simultaneously removing all six cases from the cylinder.

The cartridges then can be inserted by hand. In the case of revolver being rechambered for .45ACP round, half- moon clips are used to load the gun (two clips, each for 3 rounds).



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Double action revolver
<b>Cartridge</b>	.455 British Service
<b>Length</b>	286 mm
<b>Feeding</b>	Cylinder





The following ammunition can be used by the **Webley Mk. IV**:

### .455 British Service

Bullet diameter	11.5 mm
Case length	19.6 mm
Overall length	31.2 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary

<p><b>Written</b></p>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<p><b>Oral</b></p>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<p><b>Visual</b></p>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

<b>Source (sample)</b>	<b>Type of source</b>	<b>Medium of delivery</b>
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
Project Coordinator  
Pfarrer-Byns-Str. 1  
53121 Bonn  
Germany

E-Mail: joseph.farha@bicc.de  
Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division  
Major Laurentius Wedeniwski  
Selfkant-Kaserne  
Rue de Quimperle 100  
52511 Geilenkirchen  
E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha  
Project Coordinator  
Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.  
Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.  
Technical management: Joseph Farha  
Programming: Rolf Alberth