

# SALW Guide

Global distribution and visual  
identification




















## Ukraine






















Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Ukraine* and whether there is data on who holds these weapons:

AGS-17		
AK-47 / AKM		
AK-74		
DShk		
Dragunov SVD		
FN P90		
Glock 17		
HK MP5		
IGLA (SA-16 / SA-18)		
IWI NEGEV		
IWI Tavor TAR-21		
KBP GP-25/ 30		
Makarov PM		
Mauser K98		

Mosin-Nagant Rifle Mod. 1891		
PK		
PPSH 41		
RPD		
RPG 2		
RPG 7		
RPG-22		
RPK		
SIG SG510-4		
Simonov SKS		
Steyr AUG		
Strela (SA-7 / SA-14)		 
Thompson M1928		
Tokarev TT-30/TT-33		

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



**G** *Government*: Sources indicate that this type of weapon is held by Governmental agencies.



**N** *Non-Government*: Sources indicate that this type of weapon is held by non-Governmental armed groups.

- U** *Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AGS-17

The AGS-17 grenade launcher was first developed in the 1930s, but due to the Second World War, a first prototype was only completed in 1969. The production of the AGS-17 started in 1971 and ceased in 1989, but numerous units and variants are still in use today. The weapon gained prominence when it was widely operated by Soviet troops in the war in Afghanistan in the 1980s. The AGS-17 and its successor, the AGS-30, may be used by infantry, though they are often mounted on helicopters and other vehicles.



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	blow-back, selective-fire
<b>Cartridge</b>	30x29 mm
<b>Length</b>	840 mm
<b>Feeding</b>	metal link belt with 29 rds

The following ammunition can be used by the **AGS-17**:

### 30x29 mm

Bullet diameter	30 mm
Case length	29 mm
Overall length	-



## AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with



numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	870 mm
<b>Feeding</b>	Box magazine



AKM



right view

*Kalashnikov & variants*  
001/md-01-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-02-300w.png  
marking details (RUS)

*Kalashnikov & variants*  
001/md-03-300w.jpg  
marking details (EGY)

*Kalashnikov & variants*  
001/md-04-300w.jpg  
marking details (CHN)

001/md-01-b-300w.png

*Type: CHN Model 56 (AK47)*



weapon specifics

*Type: CHN Model 56 (AK47)*  
001/ws-02-300w.png  
weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: AMD 65 (HUN)



weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt with 2 lugs
<b>Cartridge</b>	5.45 x 39mm
<b>Length</b>	943 mm
<b>Feeding</b>	Box magazine







Kalashnikov & variants  
026/md-01-300w.png  
marking details (DEU)

Kalashnikov & variants  
026/md-02-300w.png  
marking details



The following ammunition can be used by the **AK-74**:


5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm




## DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed, air cooled, selective fire
<b>Cartridge</b>	12.7 x 108 mm
<b>Length</b>	1625 mm
<b>Feeding</b>	Belt





The following ammunition can be used by the **DShk**:

### 12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm



## Dragunov SVD

The Dragunov SVD uses a short-stroke gas piston and the gas chamber has a two-position manual gas regulator. Barrels locked by rotating bolt with three lugs. The safety is



somewhat reminiscent in its appearance to that of Kalashnikov AK-Assault rifles, although the internal design of the trigger unit is different, and there is no provisions for full automatic fire. The trigger unit is assembled on a separate removable base that also incorporates a trigger guard. It is used by all former Warsaw Pact countries, and it is in service with numerous armed forces, both regular and irregular. The Yugoslavian model “Zastava Model 76” has a solid, non-skeletonized stock, and is chambered in 7.92x57mm.

<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, short stroke, rotating bolt, semi-automatic
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1225 mm

**Feeding**

Box magazine

*original SVD rifle with wooden furniture*



left view

*Dragunov SVD*



right view

*Type: SVD-S rifle*



right view, with folding butt and polymer furniture

*Al Kadesih rifle (Iraq)*



four long slots instead of six short slots

*Dragunov SVD*



right view

*Type: FPK rifle (ROU)*



The FPK is a modified Kalashnikov AK rifle restyled to look like a SVD and is chambered for 7.62x54R.

*Dragunov SVD*



marking details

*Dragunov SVD*



marking details



The following ammunition can be used by the **Dragunov SVD**:

### 7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm






## FN P90

A personal defense weapon (often abbreviated PDW) is a compact semi-automatic or fully-automatic firearm similar in most respects to a submachine gun, but firing an (often proprietary) armor-piercing round, giving a PDW better range, accuracy and armor-penetrating capability than submachine guns, which fire pistol-caliber cartridges. The P90 was designed to have a length no greater than a man's shoulder width, in order to be easily carried and maneuvered in tight spaces, such as the inside of an armored vehicle. To achieve this, the weapon's design utilizes the unconventional bullpup configuration, in which the action and magazine are located behind the trigger and alongside the shooter's face, so that there is no wasted space in the stock. The P90's dimensions are also minimized by its unique horizontally mounted feeding system, wherein the box magazine sits parallel to the barrel on top of the weapon's frame. Overall, the weapon has an extremely compact profile.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Straight blowback, closed bolt
<b>Cartridge</b>	FN 5.7 x 28mm
<b>Length</b>	500 mm
<b>Feeding</b>	n/a



The following ammunition can be used by the **FN P90**:

## FN 5.7 x 28mm

Bullet diameter	5.7 mm
Case length	28.83 mm
Overall length	40.5 mm



The FN 5.7×28mm is a small-caliber, high-velocity cartridge designed and manufactured by FN Herstal in Belgium. It is a bottlenecked centerfire cartridge that is somewhat similar to the .22 Hornet or .22 K-Hornet. The 5.7×28mm was developed in conjunction with the FN P90 personal defense weapon (PDW) and FN Five-seven pistol, in response to NATO requests for a replacement for the 9×19mm Parabellum cartridge. By 2006, FN's 5.7×28mm firearms—the P90 personal defense weapon and Five-seven pistol—were in service with military and police forces in over 40 nations throughout the world. In the United States, 5.7×28mm firearms are currently used by numerous law enforcement agencies, including the U.S. Secret Service.

## Glock 17

Several modified versions of the Glock 17 have also been introduced. The Glock 17C incorporated slots cut in the barrel and slide to compensate for muzzle rise and recoil. The Glock 17L incorporates a longer slide and extended barrel. Initially, the Glock 17L had three holes in the top of the barrel and a corresponding slot in the slide; however, later production pistols lack the holes in the barrel. The Glock 17MB is a version with ambidextrous magazine catch. Glock pistols are designed with three independent safety mechanisms to prevent accidental discharge. The system, designated "Safe Action" by Glock, consists of an external integrated trigger safety and two automatic internal safeties: a firing pin safety and a drop safety. The external safety is a small inner lever contained in the trigger.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	short recoil-operated, locked breech
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	186 mm
<b>Feeding</b>	Box magazine

*Generation 2 Glock 17*



Generation 2 Glock 17, this model added finger stepping and cuts to the backstrap of the frame to make it easier to hold than the Generation 1 model.

*Generation 3 Glock 17*



Generation 3 Glock 17, with finger grooves, thumb reliefs, and accessory rail on the frame, which differentiate it from the older model.

*Glock 17C*



left view

*Glock 17*



A Generation 2 Glock 17 with Generation 3 grip

*Glock 17L*



left view

*Glock 17*



left view





The following ammunition can be used by the **Glock 17**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants.

The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	delayed-blowback; selective-fire
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	680 mm
<b>Feeding</b>	detachable box magazine

HK MP 5



left view

HK MP 5



left view, stock extended

*HK MP 5*



left view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



top view

*HK MP5*

094/md-01-300w.jpg

marking details

*HK MP 5*

094/md-02-300w.jpg

marking details: HK MP 5 Kal. 9 mm x 19 80244

*HK MP 5*

094/md-03-300w.jpg

marking details: HK MP 5

*HK MP 5*

094/ws-01-300w.jpg

weapon specifics

*HK MP 5*

094/ws-02-300w.jpg

weapon specifics

*HK MP 5*

094/ws-03-300w.jpg

weapon specifics

*HK MP 5*

094/ws-04-300w.jpg

weapon specifics

The following ammunition can be used by the **HK MP5**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm




## IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet



nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.

<b>Category</b>	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
<b>Operating system</b>	MANPAD
<b>Cartridge</b>	
<b>Feeding</b>	front-loaded



Igla



9M39 0Φ	Nomenclature
03-83-2	Lot and date of mfg.
03273	Serial number
03274	Serial number
OK. CHAP.	Fuzed
2шт. БРУТТО 68КГ	2 pieces Gross 68 Kg

marking details

Type: SA-18




weapon specifics

Igla



marking details

SA-18 (Igla)



weapon specifics, missile, launch tube and grip stick

Type: SA-16 (IGLA-1)



missile and launch tube

The following ammunition can be used by the **IGLA (SA-16 / SA-18)**:

## IWI NEGEV

The Israeli light machine gun NEGEV entered into production in 1995 and was inspired by the Belgian FN MINIMI. In 1997 it was adopted by the Israel Defense Forces (IDF), followed by several other South American and Asian countries. It can be fired from the hip, from bipods, tripods, or ground vehicle and helicopter mounts with either single-shot or automatic fire. The NEGEV is designed to be fed from standard belts, drums or magazines. It is still produced today and available for export sales.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester

<b>Length</b>	1020 mm
<b>Feeding</b>	35 or 30 rd box magazine; 150 or 200 rd belts in assault pouches

The following ammunition can be used by the **IWI NEGEV**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## IWI Tavor TAR-21

The IWI Tavor-21 assault rifle was designed to replace the different M16 variants within the Israel Defense Forces (IDF). In 2009, it was selected as the new standard issue weapon of the Israeli infantry. It is also in service in several other countries, such as India, Thailand and Turkey. Different models have been developed for Special Forces or sporting. Nevertheless, the TAR-21 has not caught up to the M16's success due to its higher price. The bullpup rifle can be either fired in semi-automatic or full automatic fire mode.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	725 mm
<b>Feeding</b>	box magazine



The following ammunition can be used by the **IWI Tavor TAR-21**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### KBP GP-25/ 30

The original version of the Russian KBP GP-25 – the BG-15 – was first systematically used in Afghanistan in 1984, mounted beneath an AK-74, similar to the American M203 under-barrel grenade launcher. The launcher can either be mounted on AKM or AK-74-rifles. Both the GP-25 and the BG-15 are no longer in production by KPБ. Its successor, the GP-30, remains in production and offered for export sales. The GP-30 is lighter than the GP-25 and the sighting system was moved to the right. The latest model is the GP-34.



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	VOG-25 LV grenades
<b>Cartridge</b>	40 x 46 mm grenade
<b>Length</b>	276 mm

The following ammunition can be used by the **KBP GP-25/ 30**:


### 40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



## Makarov PM

The PM has a free-floating firing pin, with no firing pin spring or firing pin block. This allows for the possibility of accidentally firing if the pistol is dropped on its muzzle. It is a simple and sound design, which is considered to be one of the best compact self-defense pistols of its time. While not extremely accurate and lethal at ranges beyond 15-20 meters, it is still a formidable and reliable self-defense weapon. In the former Yugoslavia, the Makarov was produced under license as a commercial export-only version also in caliber 9x17mm (.380 ACP) and 7.65x17mm.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Blowback operated, double action
<b>Cartridge</b>	9mm Makarov (9.2 x 18mm)
<b>Length</b>	161 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **Makarov PM**:

### 9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



## Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.92x57 mm (8x57 IS)
<b>Length</b>	1110 mm
<b>Feeding</b>	Internal magazine

*Mauser K98*



left view

*Type: Mauser K98k*



right view

*Mauser K98*



marking details

*Mauser K98*



marking details



The following ammunition can be used by the **Mauser K98**:

### 7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



## Mosin-Nagant Rifle Mod. 1891

This Russian “3-line” caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1306 mm

**Feeding**

**Internal magazine**



The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891:**

### 7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm




## PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1173 mm
<b>Feeding</b>	(Boxed) belt





The following ammunition can be used by the **PK**:

## 7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm







## PPSH 41

The PPSH 41 was one of major infantry weapons of the Soviet troops during the World war 2. Retired from Soviet Army service soon after the WW2, the PPSH was widely exported to some pro-Soviet countries around the world, including China, Vietnam and many African countries. It was an effective, but somewhat crude weapon, reliable in combat but not without certain flaws. It has an excessive rate of fire, and its drums were uncomfortable to carry and prone to feed problems once the spring is weakened. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. Nearly 6 million items were produced.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	7.62 x 25mm Tokarev
<b>Length</b>	843 mm
<b>Feeding</b>	Drum magazine



MP PPSH 41



marking details

The following ammunition can be used by the **PPSH 41**:

### 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm







## RPD

The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.

The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, full auto only
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1037 mm
<b>Feeding</b>	Boxed belt



The following ammunition can be used by the **RPD**:

### 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




## RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch / non rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded




The following ammunition can be used by the **RPG 2**:

## RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Portable Anti-tank Guns</i>
<b>Operating system</b>	Recoilless launch + rocket booster
<b>Cartridge</b>	
<b>Length</b>	650 mm
<b>Feeding</b>	front-loaded, manual reload





Type: RPG-7D anti-tank grenade launcher




Version for airborne troops, disassembled for transportation / airdrop

RPG 7



marking details



The following ammunition can be used by the **RPG 7**:

## RPG-22

The Russian RPG-22 ‘Netto’ is based on the RPG-18 and was introduced into service in the former Soviet Union in 1985. It fires a larger rocket of 72.5 mm caliber than the RPG-18, which fired a 64 mm caliber rocket. Before firing, the launcher needs to be extended. Its successor model is the RPG-26. The production of RPG-22 is likely to have ceased in Russia in the 1990s, though it is still being manufactured in Bulgaria.



<b>Category</b>	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
<b>Operating system</b>	light anti-tank weapon
<b>Cartridge</b>	

The following ammunition can be used by the **RPG-22**:

## RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, magazine fed, air cooled, selective fire
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1040 mm
<b>Feeding</b>	Box magazine







The following ammunition can be used by the **RPK**:

### 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



## SIG SG510-4

The Swiss SIG SG510 was produced between 1957 and 1983. It is also known as the Fass 57 (French/Italian, for Fusil d'Assault 57/Fucile d'Assalto 57) or Stgw 57 (German for Sturm Gewehr 57). The SG510-4 model, which is shorter and lighter than the original SG540, uses 7.62×51mm NATO munition and is in service by the Chilean and Bolivian armed forces.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	delayed-blowback; selective-fire
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1016 mm
<b>Feeding</b>	detachable box magazine

*SIG SG510-4*



left view

*SIG SG510-4*



left view

*SIG SG510-4*



right view

*SIG SG510-4*



right view

*SIG SG510-4*



top view

*SIG SG510-4*



bottom view

*SIG SG510-4*

106/md-01-300w.jpg

marking details

*SIG SG510-4*

106/md-02-300w.jpg

marking details

*SIG SG510-4*

106/md-03-300w.jpg

marking details

*SIG SG510-4*

106/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **SIG SG510-4**:

**7.62 x 51mm / .308 Winchester**

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located inside the trigger guard. The early model 50

weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.62 x 39mm
<b>Length</b>	1020 mm
<b>Feeding</b>	Box magazine



*Simonov SKS*



right view

*Simonov SKS*



right view

*Simonov SKS*



right view, SKS with a scope

*CHN SKS (Type 56)*



right view, with typical spike-shaped bayonet

*Simonov SKS*



marking details

*Simonov SKS*



marking details

*Simonov SKS*

marking details

The following ammunition can be used by the **Simonov SKS**:

## 7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm





## Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt

<b>Cartridge</b>	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
<b>Length</b>	790 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **Steyr AUG**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm





## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



<b>Category</b>	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
<b>Operating system</b>	MANPAD
<b>Cartridge</b>	
<b>Feeding</b>	front-loaded



Type: SA-7a



AKA: 9K32, Strela-2, and "Grail"

Type: ANZA MK-II



right view

Type: SA-7b



AKA: Strela-2M, RIIN 9K32M, USD SA-7b, NATOD SA-7 "Grail" Mod 1, HN-5 Hong Nu-5, Anza MKI

Type: SA-7a (U)

SA-7a (U)



Launch Tube



Missile



Gripstock



Thermal Battery

Type: SA-7b (U)



Strela



9M36-1 ОФК	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
ОК. ЧАП.	Fuzed
04-80-2	
2ШТ БРУТТО 63 КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and "Gremlin"

Strela



9M32M ОФК	Nomenclature
09-75-2	Lot and date of manufacture
09329 09330	Serial numbers
ОК. ЧАП.	Fuzed
09-75-2	
2 ШТ БРУТТО 58 КГ	2 pieces Gross 58 kg


marking details

Strela




marking details

Strela



marking details

Strela



marking details

Type: SA-14 (U)

**SA-14 (U)**





The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

## Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the “Tommy Gun”, was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	blowback operated, automatic
<b>Cartridge</b>	.45 ACP
<b>Length</b>	857 mm
<b>Feeding</b>	drum magazine or box magazine

*Thompson M1928*



left view

*Thompson M1928*



right view

*Thompson M1928*



top view

*Thompson M1928*

093/md-01-300w.jpg

marking details: Auto-Ordnance Corporation  
Bridgeport, Connecticut, U.S.A.

*Thompson M1928*

093/md-02-300w.jpg

marking details: Auto-Ordnance Corporation  
Bridgeport, Connecticut, U.S.A.

*Thompson M1928*

093/md-03-300w.jpg

marking details: Thompson Submachine Gun  
Caliber 45

*Thompson M1928*

093/md-05-300w.jpg

marking details: U.S. Prope

*Thompson M1928*

093/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **Thompson M1928**:


## .45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



## Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, closed breech, single action, semi-automatic
<b>Cartridge</b>	7.62 x 25mm Tokarev
<b>Length</b>	194 mm
<b>Feeding</b>	Box magazine



Type : Norinco Type 54, Model 213 (CHN)



weapon specifics : 9 x 19 mm

Type: Tokagypt 58



weapon specifics : made in HUN for EGY,  
chambered in 9 x 19 mm

Type: POL



left view

TT-33




weapon specifics: post-WWII manufacture

Tokarev



marking details





The following ammunition can be used by the **Tokarev TT-30/TT-33**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
 Project Coordinator  
 Pfarrer-Byns-Str. 1  
 53121 Bonn  
 Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth