


SALW Guide

Global distribution and visual
identification



Brazil

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Brazil* and whether there is data on who holds these weapons:

AK-74			IGLA (SA-16 / SA-18)		
AR 15 (M16/M4)			IWI Tavor TAR-21		
Beretta M 12			M1918 Browning		
Browning M 2			M1919 Browning		
CZ Scorpion			M203 grenade launcher		
Carl Gustav recoilless rifle			M79		
Colt M1911			MBDA MILAN		
FN FAL			MG 3 / MG 42		
FN Herstal FN MAG			Mauser K98		
FN MINIMI			Milkor MRGL		
FN P90			Mossberg 500		
Glock 17			SIG SG540		
HK 21			SIG SG550		
HK G3			Saab AT4		
HK G36			Steyr AUG		
HK MP5			Thompson M1928		
HK33			UZI		

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.

-
- N** *Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.
-
- U** *Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements.

These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine

AK 74



right view

Type: modern AK 74



left view

Type: AKS 74



left view

Type: AK 74U



left view

Type: Vektor R4 (South Africa)



left view, the version is very similar to the Galil and the Valmet assault rifles

Kalashnikov & variants

026/md-01-300w.png

marking details (DEU)

Kalashnikov & variants

026/md-02-300w.png

marking details

Kalashnikov & variants



marking details (GDR rifle)

The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/Terab has been observed in South Sudan used by some rebel groups in 2013.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

Type: M 4





left view

AR 15 (M16/M4)



right view



The following ammunition can be used by the **AR 15 (M16/M4)**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




Beretta M 12

The weapon has three safeties: a manual safety which blocks the trigger; an automatic safety on the rear grip which immobilizes the trigger and blocks the bolt in a closed position; and a safety on the cocking handle locking the bolt in case it does not retract sufficiently. The short length of the Beretta is achieved by use of a barrel recessed into the bolt head, known as a telescoping bolt. This reduces length without reducing barrel length or bolt weight.




Category	<i>Submachine Guns</i>
Operating system	Blowback operated, selectively-fired, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	418 mm
Feeding	Box magazine



The following ammunition can be used by the **Beretta M 12**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	<i>Heavy Machine Guns</i>
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm
Feeding	Belt

Type: *Browning M2HB-QCB*



left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: *Browning M2HB*



right view, Browning M2HB air-cooled machine gun on M3 tripod

Type: *Browning M2E2*



weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm



CZ Scorpion

The latest CZ Scorpion (also written Skorpion) EVO 3 sub-machine gun entered into production in 2009 and obtained its name from the original CZ Skorpion 1961 model. Despite its name, the EVO 3 is mechanically unrelated to the Skorpion Vz. 61. Originally, it was marketed as a Personal Defence Weapon (PDW), such as the FN P90, but its calibre and overall size classifies the EVO 3 as a sub-machine gun. Several models, changes and improvements have been introduced into the broader CZ Scorpion-family. Many machine gun models of the CZ Scorpion, which are designed to be fired by a single hand, provide single shots or automatic fire and can be fitted with a suppressor. Different CZ Scorpion variants are still produced and available for export sale.



Category	<i>Submachine Guns</i>
Operating system	blow-back, selective-fire
Cartridge	7.65 x 17 mm SR (.32 ACP) 9mm Makarov (9.2 x 18mm) 9mm Parabellum (9 x 19mm) 9x17 mm (.380 ACP)
Length	517 mm
Feeding	detachable, double-column box magazine

CZ Scorpion

left view, stock retracted

CZ Scorpion

left view, stock extended

CZ Scorpion

right view

CZ Scorpion

top view

CZ Scorpion

092/md-01-300w.jpg

marking details

CZ Scorpion

092/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **CZ Scorpion**:

7.65 x 17 mm SR (.32 ACP)

Bullet diameter	7.94 mm
Case length	17.3 mm
Overall length	25 mm

NO IMAGE

9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



9x17 mm (.380 ACP)

Bullet diameter	9 mm
Case length	17.3 mm
Overall length	25 mm




Carl Gustav recoilless rifle

The Carl Gustav can be fired from the standing, kneeling, sitting or prone positions. A bipod may be attached in front of the shoulder piece. An operating handle called a "Venturi lock" is used to move the hinged breech to one side for reloading. The weapon is normally operated by a two-man crew, one carrying and firing the weapon, the other carrying ammunition and reloading.



Category	<i>Recoilless Guns/Rifles</i>
Operating system	Recoilless launch
Cartridge	
Length	1130 mm
Feeding	hinged breech



The following ammunition can be used by the **Carl Gustav recoilless rifle**:

Colt M1911

Technically, the M1911, also known as Colt Government, is a recoil operated, locked breech semi-auto pistol. It has single action trigger with frame mounted safety that locks the hammer and the slide. Hammer could be locked either in cocked or in lowered position, allowing the gun to be carried in "cocked and locked" state, with safety on, hammer cocked and round chambered. Additional automated safety incorporated into rear of the grip and locks the action when gun not held in the hand properly. The M 1911 was manufactured by many companies in many countries, partly in the original form,




partly modified, partly under license and partly without a license. It was exported to many countries after WW II, and it was in service with the US armed forces for more than 70 years.

Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Short recoil operated, closed breech, single action, semi-automatic
Cartridge	.45 ACP
Length	219 mm
Feeding	Box magazine



Colt M1911

marking details

Colt M1911

marking details

Colt M1911

marking details

The following ammunition can be used by the **Colt M1911**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm




FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, tilting breechblock, select-fire or semi-automatic only
Cartridge	7.62 x 51mm / .308 Winchester
Length	1100 mm
Feeding	Box magazine





The following ammunition can be used by the **FN FAL**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



Category	<i>Heavy Machine Guns</i>
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	<i>Light Machine Guns</i>
Operating system	gas, automatic only
Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
Length	1040 mm
Feeding	disintegrating metal link belt or box magazine (M16 type)

FN Minimi



left view

FN Minimi



left view

FN Minimi



left view

FN Minimi



right view

FN Minimi



top view

FN Minimi

116/md-01-300w.jpg

marking details

FN Minimi

116/ws-01-300w.jpg

weapon specifics

FN Minimi

116/ws-02-300w.jpg

weapon specifics

FN Minimi

116/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm





FN P90

A personal defense weapon (often abbreviated PDW) is a compact semi-automatic or fully-automatic firearm similar in most respects to a submachine gun, but firing an (often proprietary) armor-piercing round, giving a PDW better range, accuracy and armor-penetrating capability than submachine guns, which fire pistol-caliber cartridges. The P90 was designed to have a length no greater than a man's shoulder width, in order to be easily carried and maneuvered in tight spaces, such as the inside of an armored vehicle. To achieve this, the weapon's design utilizes the unconventional bullpup configuration, in which the action and magazine are located behind the trigger and alongside the shooter's face, so that there is no wasted space in the stock. The P90's dimensions are also minimized by its unique horizontally mounted feeding system, wherein the box magazine sits parallel to the barrel on top of the weapon's frame. Overall, the weapon has an extremely compact profile.



Category	<i>Submachine Guns</i>
Operating system	Straight blowback, closed bolt
Cartridge	FN 5.7 x 28mm
Length	500 mm
Feeding	n/a



The following ammunition can be used by the **FN P90**:

FN 5.7 x 28mm

Bullet diameter	5.7 mm
Case length	28.83 mm
Overall length	40.5 mm



The FN 5.7×28mm is a small-caliber, high-velocity cartridge designed and manufactured by FN Herstal in Belgium. It is a bottlenecked centerfire cartridge that is somewhat similar to the .22 Hornet or .22 K-Hornet. The 5.7×28mm was developed in conjunction with the FN P90 personal defense weapon (PDW) and FN Five-seven pistol, in response to NATO requests for a replacement for the 9×19mm Parabellum cartridge. By 2006, FN's 5.7×28mm firearms—the P90 personal defense weapon and Five-seven pistol—were in service with military and police forces in over 40 nations throughout the world. In the United States, 5.7×28mm firearms are currently used by numerous law enforcement agencies, including the U.S. Secret Service.

Glock 17

Several modified versions of the Glock 17 have also been introduced. The Glock 17C incorporated slots cut in the barrel and slide to compensate for muzzle rise and recoil. The Glock 17L incorporates a longer slide and extended barrel. Initially, the Glock 17L had three holes in the top of the barrel and a corresponding slot in the slide; however, later production pistols lack the holes in the barrel. The Glock 17MB is a version with ambidextrous magazine catch. Glock pistols are designed with three independent safety mechanisms to prevent accidental discharge. The system, designated "Safe Action" by Glock, consists of an external integrated trigger safety and two automatic internal safeties: a firing pin safety and a drop safety. The external safety is a small inner lever contained in the trigger.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	short recoil-operated, locked breech
Cartridge	9mm Parabellum (9 x 19mm)
Length	186 mm
Feeding	Box magazine

Generation 2 Glock 17



Generation 2 Glock 17, this model added finger stepping and cuts to the backstrap of the frame to make it easier to hold than the Generation 1 model.

Generation 3 Glock 17



Generation 3 Glock 17, with finger grooves, thumb reliefs, and accessory rail on the frame, which differentiate it from the older model.

Glock 17C



left view

Glock 17



A Generation 2 Glock 17 with Generation 3 grip

Glock 17L



left view

Glock 17



left view

Generation 1 Glock 17

right view

Glock 17

marking details

Glock 17

marking details

Glock 17

marking details

The following ammunition can be used by the **Glock 17**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



HK 21

The basic action of the machine gun, which received the company designation HK 21, was similar to that of the G3 rifle. The HK 21 fired from a closed bolt (not that big issue since its heavy barrel was really quick-detachable) and, unlike most machine guns, its belt feeding module was located below the receiver. Variants: HK11E automatic rifle (magazine fed, 7.62 mm) HK13E automatic rifle (magazine fed, 5.56 mm) HK21E general purpose machine gun (belt feed, 7.62 mm) HK23E light machine gun (belt-fed, 5.56 mm). The "E" stands for "Export" model.



Category	<i>Light Machine Guns</i>
Operating system	Selective fire roller-back blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1140 mm
Feeding	Box magazine



HK 21E



right view

HK 21E



right view

HK 21E



top view

HK 21E



bottom view

HK 21E

028/md-01-300w.jpg

marking details

HK 21E

028/md-02-300w.jpg

marking details

HK 21E

028/md-03-300w.jpg

marking details

HK 21E

028/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **HK 21**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especial (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.



Category	<i>Assault Rifles</i>
Operating system	Roller-delayed blowback
Cartridge	7.62 x 51mm / .308 Winchester
Length	1023 mm
Feeding	Box magazine

Type: G3 A1



left view

Type: G3 A3



left view

Type: G3 A3ZF



left view

Type: G3 A4



left view





The following ammunition can be used by the **HK G3**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	1002 mm

Feeding	detachable, polymer box magazine
----------------	----------------------------------

The following ammunition can be used by the **HK G36**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



Category	<i>Submachine Guns</i>
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

HK MP 5



left view

HK MP 5



left view, stock extended

HK MP 5



left view

HK MP 5



right view

HK MP 5



right view

HK MP 5



right view

HK MP 5

right view

HK MP 5

top view

HK MP5

094/md-01-300w.jpg

marking details

HK MP 5

094/md-02-300w.jpg

marking details: HK MP 5 Kal. 9 mm x 19 80244

HK MP 5

094/md-03-300w.jpg

marking details: HK MP 5

HK MP 5

094/ws-01-300w.jpg

weapon specifics

HK MP 5

094/ws-02-300w.jpg

weapon specifics

HK MP 5

094/ws-03-300w.jpg

weapon specifics

HK MP 5

094/ws-04-300w.jpg

weapon specifics

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



HK33

The Heckler & Koch HK33 entered into production in 1963. The HK33 is produced in five variants: 1) with a fixed butt; 2) with a retractable butt; 3) fitted with a bipod; 4) as a sniper rifle with telescopic sight; and 5) as the HK22K carbine version. An “E” added to the weapon’s name identifies models for export, while a “K” added to the end of the weapon’s name refers to shortened models.



Category	<i>Assault Rifles</i>
Operating system	delayed-blowback, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	920 mm
Feeding	detachable box magazine



HK 33

right view

HK 33

top view

HK 33

bottom view

HK 33

127/md-01-300w.jpg

marking details

The following ammunition can be used by the **HK33**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD
Cartridge	
Feeding	front-loaded




Igla



marking details

Igla



marking details

Igla



9M39 0Φ	Nomenclature
03-83-2	Lot and date of mfg.
03273	Serial number
03274	Serial number
OK. CHAP.	Fuzed
2шт. БРУТТО 68КГ	2 pieces Gross 68 Kg

marking details

Type: SA-18



weapon specifics

Igla



marking details

SA-18 (Igla)



weapon specifics, missile, launch tube and grip stick

Type: SA-16 (IGLA-1)



missile and launch tube

The following ammunition can be used by the **IGLA (SA-16 / SA-18)**:

IWI Tavor TAR-21

The IWI Tavor-21 assault rifle was designed to replace the different M16 variants within the Israel Defense Forces (IDF). In 2009, it was selected as the new standard issue weapon of the Israeli infantry. It is also in service in several other countries, such as India, Thailand and Turkey. Different models have been developed for Special Forces or sporting. Nevertheless, the TAR-21 has not caught up to the M16's success due to its higher price. The bullpup rifle can be either fired in semi-automatic or full automatic fire mode.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	725 mm
Feeding	box magazine

The following ammunition can be used by the **IWI Tavor TAR-21**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.



Category	<i>Light Machine Guns</i>
Operating system	gas operated, rising bolt lock
Cartridge	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
Length	1200 mm
Feeding	20-round detachable box magazine

M1918 Browning



left view

M1918 Browning



left view

M1918 Browning



right view

M1918 Browning



top view

M1918 Browning

bottom view

M1918 Browning
129/md-01-300w.jpg

marking details

M1918 Browning
129/md-02-300w.jpg

marking details

M1918 Browning
129/md-03-300w.jpg

marking details

M1918 Browning
129/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **M1918 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGE

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



M1919 Browning

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry. The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.



Category	<i>Light Machine Guns</i>
Operating system	short recoil, automatic
Cartridge	.30-06 M1 7.62 x 25mm Tokarev
Length	1044 mm
Feeding	250-round belt

M1919 Browning



left view

M1919 Browning



left view

M1919 Browning



right view

M1919 Browning



top view

M1919 Browning



bottom view

M1919 Browning
119/md-01-300w.jpg
marking details

M1919 Browning
119/md-02-300w.jpg
marking details

M1919 Browning
119/ws-01-300w.jpg
weapon specifics

The following ammunition can be used by the **M1919 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm



7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Single shot, under-barrel, pump-action
Cartridge	40 x 46 mm grenade
Length	380 mm

Feeding

breech-loaded

M203

left view

M203

left view

M203

right view

The following ammunition can be used by the **M203 grenade launcher**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-

NO IMAGE

M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowd Control.



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Break-action
Cartridge	40 x 46 mm grenade
Length	731 mm
Feeding	breech-loaded



The following ammunition can be used by the **M79**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



Category	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
Operating system	portable anti-tank weapon system

Cartridge	
------------------	--

The following ammunition can be used by the **MBDA MILAN**:

MG 3 / MG 42

The MG is a short-recoil operated, air cooled, belt fed weapon which fires from an open bolt. The barrel is quick-removable, and can be replaced in less than six seconds by a properly trained crew. The action of the weapon is



operated by the recoil of the locked barrel, assisted by a muzzle booster which uses pressure from the muzzle blast to increase the recoil impulse. This is a simple and solid system. Variants: MG 1: Rheinmetall variant of the MG 42, most notably rechambered to fire 7.62×51mm NATO. MG 1A1 (MG 42/58): As MG 1, but with sights properly calibrated for the new round. Sights refitted to existing MG 1s. MG 1A2 (MG 42/59): MG 1A1 variant; product improved with longer ejection port, heavy bolt and friction ring buffer. MG 1A3: MG 1A2 variant; product improvement of all major components. MG 1A4: MG 1 variant; for fixed mount armor use. MG 1A5: MG 1A3 variant; MG1A3s converted to MG1A4 standard. MG 2: Designation for all wartime MG 42s rechambered to 7.62×51mm NATO. MG 3: MG 1A3 variant; product improved with AA rear sight. MG 3E: MG 3 variant; reduced weight model (roughly 1.3 kg lighter), entered into late 1970s NATO small arms trials. MG 3A1: MG 3 variant; for fixed mount armor use.

Category	<i>Light Machine Guns</i>
Operating system	recoil-operated, roller locked
Cartridge	
Feeding	belt fed

MG 3 / MG 42

131/lv-01-300w.jpg

left view, mounted on a bipod

MG 3 / MG 42

131/lv-02-300w.jpg

left view, mounted on a tripod

MG 3 / MG 42

131/rv-01-300w.jpg

right view

The following ammunition can be used by the **MG 3 / MG 42**:

Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92x57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.92x57 mm (8x57 IS)
Length	1110 mm
Feeding	Internal magazine



Mauser K98

marking details

Mauser K98

marking details

Mauser K98

marking details

The following ammunition can be used by the **Mauser K98**:

7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



Milkor MRGL

The Milkor (Milière Korporasie) MRGL (Multi-Range Grenade Launcher) is the fourth generation of six-shot launchers that was first introduced in the 1980s by the South African company and developed into a family with several variants. The MRGL fires with an effective range of 375 m to 800 m, depending on the ammunition used. The launcher is lightweight, semi-automatic, and shoulder-fired and can deliver its six rounds in less than three seconds.



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	semi-automatic
Cartridge	40 x 46 mm grenade
Length	761 mm
Feeding	6-chamber revolving cylinder

The following ammunition can be used by the **Milkor MRGL**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



Mossberg 500

The Mossberg 500 is a series of pump-action shotguns manufactured by the American company O.F. Mossberg & Sons. These shotguns have been produced since 1960 and



with a series of different models including the numbers 505, 510, 535, and 590. The Mossberg 500 shotgun series is designed to be used under harsh field conditions, as it is easy to clean and to maintain.

Category	<i>Rifles & Carbines</i>
Operating system	manual, slide-action
Cartridge	12-gauge

Length	1022 mm
Feeding	underbarrel tubular magazine

The following ammunition can be used by the **Mossberg 500**:

12-gauge

Bullet diameter	18.53 mm
Case length	-
Overall length	-



SIG SG540

The Swiss SIG SG540 was designed as a potential replacement for the SG510. It was produced between 1977 and 2002 in Switzerland and remains in production in Chile only. While the SG540 and the SG 543 models are chambered for the 6.56 x 45 mm caliber, the SG542 uses 7.62 x 51 mm NATO cartridges.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	950 mm
Feeding	detachable box magazine

SIG SG540



left view

SIG SG540



left view

SIG SG540



right view

SIG SG540



top view

SIG SG540



top view

SIG SG540



bottom view

SIG SG540
107/md-01-300w.jpg
marking details

SIG SG540
107/ws-01-300w.jpg
weapon specifics

SIG SG540
107/ws-02-300w.jpg
weapon specifics

The following ammunition can be used by the **SIG SG540**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



SIG SG550

The Swiss SIG SG550 assault rifle is based on the SG540. It entered into production in 1981 and is also known as the Fasil 90 (Fusil d'assaut 90/Fucile d'assalto 90) in French/Italian or Stgw 90 in German (Sturmgewehr 90). As special attention was paid to making it lighter, the butt, handguard and magazine are largely made of plastic.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	998 mm
Feeding	detachable, polymer box magazine

SIG SG550



left view



SIG SG550



right view

SIG SG550



top view

SIG SG550



bottom view

SIG SG550

128/md-01-300w.jpg

marking details

SIG SG550
128/md-02-300w.jpg
marking details

SIG SG550
128/md-03-300w.jpg
marking details

SIG SG550
128/md-04-300w.jpg
marking details

SIG SG550
128/ws-01-300w.jpg
weapon specifics

SIG SG550
128/ws-02-300w.jpg
weapon specifics

The following ammunition can be used by the **SIG SG550**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Saab AT4

The Saab Bofors Dynamics AT4 entered into production in Sweden in the early 1980s and is still being produced today. It is a single-shot recoilless weapon and one of the most common light anti-tank weapons in the world. It is preloaded and after firing, the AT4 cannot be reloaded. The AT4's main disadvantage is that it creates a considerable back blast.



Category	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
Operating system	recoilless, one-man-portable
Cartridge	

The following ammunition can be used by the **Saab AT4**:

Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
Length	790 mm
Feeding	Box magazine




Type: Steyr AUG HBAR, 5.56 x 45 mm



right view

Steyr AUG



marking details

Steyr AUG




marking details

Steyr AUG



marking details



The following ammunition can be used by the **Steyr AUG**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the “Tommy Gun”, was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.



Category	<i>Submachine Guns</i>
Operating system	blowback operated, automatic
Cartridge	.45 ACP
Length	857 mm
Feeding	drum magazine or box magazine

Thompson M1928



left view

Thompson M1928



right view

Thompson M1928



top view

Thompson M1928
093/md-01-300w.jpg

marking details: Auto-Ordnance Corporation
Bridgeport, Connecticut, U.S.A.

Thompson M1928
093/md-02-300w.jpg

marking details: Auto-Ordnance Corporation
Bridgeport, Connecticut, U.S.A.

Thompson M1928
093/md-03-300w.jpg

marking details: Thompson Submachine Gun
Caliber 45

Thompson M1928
093/md-05-300w.jpg

marking details: U.S. Prope

Thompson M1928
093/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **Thompson M1928**:

.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	470 mm
Feeding	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI



right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view

MP UZI



marking details

MP UZI



marking details

MP UZI



marking details

The following ammunition can be used by the **UZI**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
--	---------	-----------

Written	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
Oral	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>
Visual	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha
 Project Coordinator
 Pfarrer-Byns-Str. 1
 53121 Bonn
 Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth