

SALW Guide

Global distribution and visual identification



Egypt

Country report

<https://salw-guide.bicc.de>

Weapons Distribution

The following list shows the weapons which can be found in *Egypt* and whether there is data on who holds these weapons:

AK-47 / AKM		
AK-74		
AR 15 (M16/M4)		
Beretta 92/ 92 FS		
Beretta AR70/90		
Beretta M 12		
Browning M 2		
CZ 75		
CZ Scorpion		
DShk		
Dragunov SVD		
FIM-92 Stinger		
FN Herstal FN MAG		
FN MINIMI		
GDATP MK 19		
HK G36		
HK MP5		
IGLA (SA-16 / SA-18)		 
Lee-Enfield SMLE		
M1918 Browning		
M203 grenade launcher		
M60		
MBDA MILAN		
Mauser K98		
Mosin-Nagant Rifle Mod. 1891		
PK		
RPD		
RPG 2		
RPG 7		
RPK		
SIG SG540		
SIG SG550		
Simonov SKS		
Sten gun		
Sterling L2A3		
Strela (SA-7 / SA-14)		
Thompson M1928		
Tokarev TT-30/TT-33		
Webley Mk. IV		

Explanation of symbols



Country of origin



Licensed production



Production without a licence



Government: Sources indicate that this type of weapon is held by Governmental agencies.



Non-Government: Sources indicate that this type of weapon is held by non-Governmental armed groups.



Unspecified: Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

Note: This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

AK-47 / AKM

The AK 47 (Designed 1946-1948) is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	7.62 x 39mm
Length	870 mm
Feeding	Box magazine

AK 47



left view

AKM



left view

AK 47



right view

AK 47



right view



Kalashnikov & variants
001/md-01-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-02-300w.png
marking details (RUS)

Kalashnikov & variants
001/md-03-300w.jpg
marking details (EGY)

Kalashnikov & variants
001/md-04-300w.jpg
marking details (CHN)

001/md-01-b-300w.png

Type: CHN Model 56 (AK47)



weapon specifics

Type: CHN Model 56 (AK47)
001/ws-02-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)

001/ws-03-300w.png

weapon specifics

Type: Former Yugoslavia Zastava M 70
(AKM)



weapon specifics

Type: Former Yugoslavia Zastava M 70 (AKM)



weapon specifics

Type: AMD 65 (HUN)




weapon specifics

Type: PA Model 86 (ROU)



weapon specifics

AK 47



weapon specifics

The following ammunition can be used by the **AK-47 / AKM**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



AK-74

The AK 74 (Designed 1974) is an adaptation of the 7.62mm AKM assault rifle and features several important design improvements. These modifications were primarily the result of converting the rifle to the intermediate-caliber 5.45x39mm cartridge, in fact, some early models are reported to have been converted AKMs, with the barrel re-sleeved to 5.45x39mm. The result is a more accurate and reliable rifle than the AKM. The AK-74 and AKM share an approximate 50% parts commonality (interchangeable are most often pins, springs and screws). There are many variants. The weapons are used by the former Warsaw Pact countries, and they are still in service with numerous armed forces, both regular and irregular. The model and its variants remain the most popular and widely used rifles in the world because of its reliability under harsh conditions, low production costs.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt with 2 lugs
Cartridge	5.45 x 39mm
Length	943 mm
Feeding	Box magazine





Kalashnikov & variants
026/md-01-300w.png
marking details (DEU)

Kalashnikov & variants
026/md-02-300w.png
marking details



The following ammunition can be used by the **AK-74**:

5.45 x 39mm

Bullet diameter	5.6 mm
Case length	39.82 mm
Overall length	57 mm



AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.



Category	<i>Assault Rifles</i>
Operating system	Gas operated, rotating bolt
Cartridge	5.56 x 45mm / .223 Remington
Length	986 mm
Feeding	Box magazine

Type: M 4



left view

AR 15 (M16/M4)



right view

Type: M 16A2



right view

Type: M 4 A1



right view

Type: NORINCO CQ (CHN)



right view. The TERAB rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The ARMADA rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines.

AR 15 (M16/M4)



marking details

AR 15 (M16/M4)



marking details

M 16A1, M 16A2, M 4, M 16A4 (from top to bottom)



comparison between different models

The following ammunition can be used by the **AR 15 (M16/M4)**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Beretta 92/ 92 FS

In 1976, the Beretta 92 entered into production. Since then, a large number of model variations and variants with different calibres have been produced. The Beretta 92 was adopted by several armed forces and law-enforcement agencies, such as those in Chile and Egypt. In 1985, the Beretta Model 92SB-F (also known as the US M9) was selected as the primary US military side-arm.



Category

Self-Loading Pistols & Revolvers

Operating system	short-recoil, single or double action
Cartridge	9mm Parabellum (9 x 19mm)
Length	217 mm
Feeding	detachable, double-column box magazine



Beretta 92
 090/md-01-300w.jpeg
 marking details: Pietro Beretta Gardonne V.T. -
 Made in Italy. PB. C61066Z

Beretta 92
 090/md-02-300w.jpeg
 marking details: Mod. 92 F - Cal.9 Parabellum -
 Patented

Beretta 92
090/ws-01-300w.jpeg
weapon specifics

The following ammunition can be used by the **Beretta 92/ 92 FS**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Beretta AR70/90

The Beretta 70/90 system was developed for the Italian army. The assault rifle AR70/90 was designed for the Italian army infantry and entered into service in 1990. The AR70/90 is also designed to be fitted with a rifle grenade. It is known for its reliability, which earned it the nickname “Excalibur” by the Alpini mountain troops. It remains the standard rifle of the Italian infantry, though it is currently being phased out in favour of the newer Beretta ARX 160 assault rifle.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	998 mm
Feeding	detachable, box magazine

Beretta AR70/90



left view

Beretta AR70/90



right view

Beretta AR70/90



top view

Beretta AR70/90



bottom view

Beretta AR70/90
096/md-01-300w.jpg
marking details

Beretta AR70/90
096/ws-01-300w.jpg
weapon specifics

Beretta AR70/90
096/ws-02-300w.jpg
weapon specifics

Beretta AR70/90
096/ws-03-300w.jpg
weapon specifics

The following ammunition can be used by the **Beretta AR70/90**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




Beretta M 12

The weapon has three safeties: a manual safety which blocks the trigger; an automatic safety on the rear grip which immobilizes the trigger and blocks the bolt in a closed position; and a safety on the cocking handle locking the bolt in case it does not retract sufficiently. The short length of the Beretta is achieved by use of a barrel recessed into the bolt head, known as a telescoping bolt. This reduces length without reducing barrel length or bolt weight.



Category	<i>Submachine Guns</i>
Operating system	Blowback operated, selectively-fired, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	418 mm
Feeding	Box magazine





The following ammunition can be used by the **Beretta M 12**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



Category	<i>Heavy Machine Guns</i>
Operating system	Fires from a short bolt, operated on the short recoil principle
Cartridge	12.7 x 99 mm NATO (.50BMG)
Length	1650 mm

Feeding

Belt

Type: Browning M2HB-QCB

left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: Browning M2HB

right view, Browning M2HB air-cooled machine gun on M3 tripod

Type: Browning M2E2

weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm

NO IMAGE

CZ 75

The Czech Model 75 pistol was named after its year of introduction and remains in service and in production in various countries today. A number of model variations and copies (e.g. by



Norinco NZ 75) have been developed over the years. A special characteristic of the CZ 75 is its large double-column magazine, which holds 16 rounds of 9-mm-cartridges as opposed to the 10 or 11 rounds normally held by other pistols.

Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	short-recoil, selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	206 mm
Feeding	detachable box magazine



CZ 75
091/md-01-300w.jpeg
marking details

CZ 75
091/md-02-300w.jpeg
marking details

CZ 75
091/md-03-300w.jpeg
marking details

CZ 75
091/md-04-300w.jpeg
marking details

CZ 75
091/ws-01-300w.jpeg
weapon specifics

CZ 75
091/ws-02-300w.jpeg
weapon specifics

The following ammunition can be used by the **CZ 75**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



CZ Scorpion

The latest CZ Scorpion (also written Skorpion) EVO 3 sub-machine gun entered into production in 2009 and obtained its name from the original CZ Skorpion 1961 model. Despite its name, the EVO 3 is mechanically unrelated to the Skorpion Vz. 61. Originally, it was marketed as a Personal Defence Weapon (PDW), such as the FN P90, but its calibre and overall size classifies the EVO 3 as a sub-machine gun. Several models, changes and improvements have been introduced into the broader CZ Scorpion-family. Many machine gun models of the CZ Scorpion, which are designed to be fired by a single hand, provide single shots or automatic fire and can be fitted with a suppressor. Different CZ Scorpion variants are still produced and available for export sale.



Category	<i>Submachine Guns</i>
-----------------	------------------------

Operating system	blow-back, selective-fire
Cartridge	7.65 x 17 mm SR (.32 ACP) 9mm Makarov (9.2 x 18mm) 9mm Parabellum (9 x 19mm) 9x17 mm (.380 ACP)
Length	517 mm
Feeding	detachable, double-column box magazine

CZ Scorpion



left view, stock retracted

CZ Scorpion



left view, stock extended

CZ Scorpion



right view

CZ Scorpion



top view

CZ Scorpion
092/md-01-300w.jpg
marking details

CZ Scorpion
092/ws-01-300w.jpg
weapon specifics

The following ammunition can be used by the **CZ Scorpion**:

7.65 x 17 mm SR (.32 ACP)

Bullet diameter	7.94 mm
Case length	17.3 mm
Overall length	25 mm



9mm Makarov (9.2 x 18mm)

Bullet diameter	9.27 mm
Case length	18.1 mm
Overall length	25 mm



9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm




9x17 mm (.380 ACP)

Bullet diameter	9 mm
Case length	17.3 mm
Overall length	25 mm




DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Heavy Machine Guns</i>
Operating system	Gas operated, belt fed, air cooled, selective fire
Cartridge	12.7 x 108 mm
Length	1625 mm
Feeding	Belt





The following ammunition can be used by the **DShk**:

12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm



Dragunov SVD

The Dragunov SVD uses a short-stroke gas piston and the gas chamber has a two-position manual gas regulator. Barrels locked by rotating bolt with three lugs. The safety is

somewhat reminiscent in its appearance to that of Kalashnikov AK-Assault rifles, although the internal design of the trigger unit is different, and there is no provisions for full automatic fire. The trigger unit is assembled on a separate removable base that also incorporates a trigger guard. It is used by all former Warsaw Pact countries, and it is in service with numerous armed forces, both regular and irregular. The Yugoslavian model "Zastava Model 76" has a solid, non-skeletonized stock, and is chambered in 7.92x57mm.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, short stroke, rotating bolt, semi-automatic
Cartridge	7.62 x 54mm R
Length	1225 mm

Feeding

Box magazine

original SVD rifle with wooden furniture



left view

Dragunov SVD



right view

Type: SVD-S rifle



right view, with folding butt and polymer furniture

Al Kadesih rifle (Iraq)



four long slots instead of six short slots

Dragunov SVD



right view

Type: FPK rifle (ROU)



The FPK is a modified Kalashnikov AK rifle restyled to look like a SVD and is chambered for 7.62x54R.

Dragunov SVD



marking details

Dragunov SVD



marking details



The following ammunition can be used by the **Dragunov SVD**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm



FIM-92 Stinger


Its combat debut occurred during the Falklands War. The Stinger was also used by the Afghan Mujahedeen, the Hamas and the UNITA. The Central Intelligence Agency supplied nearly 500 Stingers (some sources claim 1,500-2,000) to the Mujahedeen in Afghanistan. After the 1989 Soviet withdrawal from Afghanistan, the United States attempted to buy back the Stinger missiles, with a 55 million dollar program to buy back around 300 missiles. The U.S. government collected most of the Stingers it had delivered, but some of them found their way into Iran, Qatar and North Korea.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD

Cartridge

FIM-92 Stinger



weapon specifics

FIM-92 Stinger



weapon specifics

Type: missile for the FIM-92 Stinger



FIM-92 Stinger



weapon specifics

FIM-92 Stinger



weapon specifics

The following ammunition can be used by the **FIM-92 Stinger**:

FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



Category	<i>Heavy Machine Guns</i>
Operating system	gas, automatic
Cartridge	7.62 x 51mm / .308 Winchester
Length	1260 mm
Feeding	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



Category	<i>Light Machine Guns</i>
Operating system	gas, automatic only

Cartridge	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
Length	1040 mm
Feeding	disintegrating metal link belt or box magazine (M16 type)

FN Minimi



left view

FN Minimi



left view

FN Minimi



left view

FN Minimi



right view

FN Minimi

top view

FN Minimi
116/md-01-300w.jpg
marking details

FN Minimi
116/ws-01-300w.jpg
weapon specifics

FN Minimi
116/ws-02-300w.jpg
weapon specifics

FN Minimi
116/ws-03-300w.jpg
weapon specifics

The following ammunition can be used by the **FN MINIMI**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



7.62 x 51mm / .308 Winchester


Bullet diameter	7.82 mm
Case length	51.18 mm



Overall length	69.85 mm
----------------	----------

GDATP MK 19

The MK 19 or Mark 19 grenade machine gun was designed in the 1960s for the US Navy in the Vietnam War. In the following decades, the MK 19 was further improved, sold to and adopted by at least 28 other nations including Australia, Chile and South Korea. It was originally designed to be mounted on (naval) vehicles, but current systems can also be ground- or turret-mounted. The MK 19 can be fired manually or even remotely. Original manufacturer General Dynamics Armament and Technical Products (GDATP).



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	blowback, open-bolt (advanced primer ignition in mods 1 and 2)
Cartridge	40x53 mm
Length	1095 mm
Feeding	linked belt with 32 or 48 rds

The following ammunition can be used by the **GDATP MK 19**:

40x53 mm

Bullet diameter	40 mm
Case length	53 mm
Overall length	-



HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	1002 mm
Feeding	detachable, polymer box magazine

The following ammunition can be used by the **HK G36**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire, whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



Category	<i>Submachine Guns</i>
Operating system	delayed-blowback; selective-fire
Cartridge	9mm Parabellum (9 x 19mm)
Length	680 mm
Feeding	detachable box magazine

HK MP 5



left view

HK MP 5



left view, stock extended

HK MP 5



left view

HK MP 5



right view

HK MP 5



right view

HK MP 5



right view

HK MP 5

right view

HK MP 5

top view

HK MP5

094/md-01-300w.jpg

marking details

HK MP 5

094/md-02-300w.jpg

marking details: HK MP 5 Kal. 9 mm x 19 80244

HK MP 5

094/md-03-300w.jpg

marking details: HK MP 5

HK MP 5

094/ws-01-300w.jpg

weapon specifics

HK MP 5

094/ws-02-300w.jpg

weapon specifics

HK MP 5

094/ws-03-300w.jpg

weapon specifics

HK MP 5

094/ws-04-300w.jpg

weapon specifics

The following ammunition can be used by the **HK MP5**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



IGLA (SA-16 / SA-18)

The main differences between the SA-18, the SA-16 and its predecessor Strela-3 (SA-14) included an optional "Identification Friend or Foe"-system to prevent firing on friendly aircraft, an automatic lead and super elevation to simplify shooting and reduce minimum firing range, a slightly larger rocket, reduced drag and better guidance system extend maximum range and improve performance against fast and maneuverable targets, an improved lethality on target achieved by a combination of delayed impact fusing, terminal maneuver to hit the fuselage rather than jet nozzle, an additional charge to set off the remaining rocket fuel (if any) on impact, an improved resistance to infrared countermeasure, and slightly improved seeker sensitivity. Several guerrilla and terrorist organizations are also known to have Iglas.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD
Cartridge	
Feeding	front-loaded




Igla



marking details

Igla



marking details

Igla



9M39 0Φ	Nomenclature
03-83-2	Lot and date of mfg.
03273	Serial number
03274	Serial number
OK. CHAP.	Fuzed
2шт. БРУТТО 68КГ	2 pieces Gross 68 Kg

marking details

Type: SA-18



weapon specifics

Igla



marking details

SA-18 (Igla)



weapon specifics, missile, launch tube and grip stick

Type: SA-16 (IGLA-1)



missile and launch tube

The following ammunition can be used by the **IGLA (SA-16 / SA-18)**:

Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.7 x 56mm R / .303 British
Length	1130 mm
Feeding	Box magazine



Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

The following ammunition can be used by the **Lee-Enfield SMLE**:

7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.



Category	<i>Light Machine Guns</i>
Operating system	gas operated, rising bolt lock
Cartridge	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
Length	1200 mm
Feeding	20-round detachable box magazine

M1918 Browning



left view

M1918 Browning



left view

M1918 Browning



right view

M1918 Browning



top view

M1918 Browning



bottom view

M1918 Browning
129/md-01-300w.jpg
marking details

M1918 Browning
129/md-02-300w.jpg
marking details

M1918 Browning
129/md-03-300w.jpg
marking details

M1918 Browning
129/ws-01-300w.jpg
weapon specifics

The following ammunition can be used by the **M1918 Browning**:

.30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm



7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm




M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).



Category	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
Operating system	Single shot, under-barrel, pump-action
Cartridge	40 x 46 mm grenade
Length	380 mm
Feeding	breech-loaded



The following ammunition can be used by the **M203 grenade launcher**:

40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, belt fed
Cartridge	7.62 x 51mm / .308 Winchester
Length	1105 mm
Feeding	Belt

Type: M60E3 light



left view

Type: M60E4 / Mk.43 mod.1



left view

M60



right view, on integral bipod

The following ammunition can be used by the **M60**:

7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



Category	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
Operating system	portable anti-tank weapon system
Cartridge	

The following ammunition can be used by the **MBDA MILAN**:

Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During



the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.

Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.92x57 mm (8x57 IS)
Length	1110 mm
Feeding	Internal magazine

Mauser K98

left view

Type: Mauser K98k

right view

Mauser K98

marking details

Mauser K98

marking details



The following ammunition can be used by the **Mauser K98**:

7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



Mosin-Nagant Rifle Mod. 1891


This Russian “3-line” caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Rifles & Carbines</i>
Operating system	Manually operated, rotating bolt
Cartridge	7.62 x 54mm R
Length	1306 mm

Feeding

Internal magazine



The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891:**

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm





PK

The PK was made under license by many companies in many countries. It was exported to many countries and can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, air cooled, belt fed weapon with a quick-detachable barrel
Cartridge	7.62 x 54mm R
Length	1173 mm
Feeding	(Boxed) belt





The following ammunition can be used by the **PK**:

7.62 x 54mm R

Bullet diameter	7.92 mm
Case length	53.72 mm
Overall length	77.16 mm





RPD


The RPD (Ruchnoy Pulemet Degtyarova - Degtyarov Light MG) was one of the first weapons designed to fire a new, intermediate cartridge 7.62x39mm. During its service life, the weapon was modernized several times.

The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, full auto only
Cartridge	7.62 x 39mm
Length	1037 mm
Feeding	Boxed belt





The following ammunition can be used by the **RPD**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm




RPG 2

The RPG 2 design is based on the German Panzerfaust anti-tank weapon developed during World War II. It was made under license by many companies in many countries (e.g. the B-40 in Vietnam), it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Portable Anti-tank Guns</i>
-----------------	--------------------------------

Operating system	Recoilless launch / non rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded



The following ammunition can be used by the **RPG 2**:

RPG 7

The RPG 7 was made under license by many companies in many countries, it was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Portable Anti-tank Guns</i>
Operating system	Recoilless launch + rocket booster
Cartridge	
Length	650 mm
Feeding	front-loaded, manual reload



Type: RPG-7D anti-tank grenade launcher



Version for airborne troops, disassembled for transportation / airdrop

RPG 7



marking details

RPG 7



marking details

The following ammunition can be used by the **RPG 7**:

RPK

The RPK was made under license by many companies in many countries. It was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Light Machine Guns</i>
Operating system	Gas operated, magazine fed, air cooled, selective fire
Cartridge	7.62 x 39mm
Length	1040 mm
Feeding	Box magazine





The following ammunition can be used by the **RPK**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm



SIG SG540

The Swiss SIG SG540 was designed as a potential replacement for the SG510. It was produced between 1977 and 2002 in Switzerland and remains in production in Chile only. While the SG540 and the SG 543 models are chambered for the 6.56 x 45 mm caliber, the SG542 uses 7.62 x 51 mm NATO cartridges.



Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	950 mm

Feeding

detachable box magazine

SIG SG540

left view

SIG SG540

left view

SIG SG540

right view

SIG SG540

top view

SIG SG540



top view

SIG SG540



bottom view

SIG SG540

107/md-01-300w.jpg

marking details

SIG SG540

107/ws-01-300w.jpg

weapon specifics

SIG SG540

107/ws-02-300w.jpg

weapon specifics

The following ammunition can be used by the **SIG SG540**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



SIG SG550

The Swiss SIG SG550 assault rifle is based on the SG540. It entered into production in 1981 and is also known as the Fass 90 (Fusil



d'assaut 90/Fucile d'assalto 90) in French/Italian or Stgw 90 in German (Sturmgewehr 90). As special attention was paid to making it lighter, the butt, handguard and magazine are largely made of plastic.

Category	<i>Assault Rifles</i>
Operating system	gas, selective-fire
Cartridge	5.56 x 45mm / .223 Remington
Length	998 mm
Feeding	detachable, polymer box magazine

SIG SG550

left view

*SIG SG550*

right view

SIG SG550

top view

SIG SG550



bottom view

SIG SG550
128/md-01-300w.jpg
marking details

SIG SG550
128/md-02-300w.jpg
marking details

SIG SG550
128/md-03-300w.jpg
marking details

SIG SG550
128/md-04-300w.jpg
marking details

SIG SG550
128/ws-01-300w.jpg
weapon specifics

SIG SG550
128/ws-02-300w.jpg
weapon specifics

The following ammunition can be used by the **SIG SG550**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



Simonov SKS

SKS is a self-loading Carabine. It utilizes a short-stroke gas piston with its own return spring, and a tilting bolt locking, where a bolt tips down to lock onto the floor of the receiver. Charging handle is attached to the right side of the bolt carrier and moves when gun is fired. Safety switch is located inside the trigger guard. The early model 50

weapons are shorter and are usually found without the bayonet. The SKS was an extremely reliable, simple constructed weapon with two unique distinguishing characteristics: a permanently attached folding bayonet, and a hinged non-detachable magazine. However, it was incapable of fully automatic fire and limited by its ten round magazine capacity, and was rendered obsolescent by the introduction of the AK-47 in the 1950s. The SKS was only briefly a standard infantry weapon in front-line units of the Soviet Armed Forces before being replaced by the AK-47 . The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa. The SKS remains popular on the civilian market as a hunting and marksmanship arm in many countries, including the United States and Canada.



Category	<i>Rifles & Carbines</i>
Operating system	Gas operated, tilting bolt
Cartridge	7.62 x 39mm
Length	1020 mm
Feeding	Box magazine



Simonov SKS



right view

Simonov SKS



right view

Simonov SKS



right view, SKS with a scope

CHN SKS (Type 56)



right view, with typical spike-shaped bayonet

Simonov SKS



marking details

Simonov SKS



marking details

Simonov SKS

marking details

The following ammunition can be used by the **Simonov SKS**:

7.62 x 39mm

Bullet diameter	7.92 mm
Case length	38.7 mm
Overall length	56 mm






Sten gun

Prior to 1941 UK was keen to produce a own submachine gun as an alternative Rate of fire 550 450 550 600 rounds per minute to the US-Thompson submachine gun. Royal Small Arms Factory, Enfield designed the STEN gun. In the beginning, unreliable but extremely cheap and easy to produce. After further development, the guns of 1942 and beyond were, in general, highly effective weapons. In Germany, the STEN models "Potsdam" and "Neumünster" were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, fired from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	895 mm
Feeding	Box magazine



Sten MP



marking details

Sten MP



marking details

Sten MP



marking details

Type: Mk. 2



weapon specifics

Sten MP



weapon specifics

Type: Mk. 2S



weapon specifics



The following ammunition can be used by the **Sten gun**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



Sterling L2A3

Sterling submachine guns, were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.



Category	<i>Submachine Guns</i>
Operating system	Blowback-operated, select-fire, fires from open bolt
Cartridge	9mm Parabellum (9 x 19mm)
Length	481 mm
Feeding	Box magazine



Sterling MP L2A3



marking details

Sterling MP L2A3



marking details

Sterling MP L2A3



marking details

Sterling MP L2A3



weapon specifics

The following ammunition can be used by the **Sterling L2A3**:

9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
-----------------	------

Case length	19.15 mm
Overall length	29.69 mm





Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



Category	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
Operating system	MANPAD
Cartridge	
Feeding	front-loaded



Type: SA-7b



AKA: Strela-2M, RIIN 9K32M, USD SA-7b, NATOD SA-7 "Grail" Mod 1, HN-5 Hong Nu-5, Anza MKI

Type: SA-7a (U)



Type: SA-7b (U)



Strela



9M36-1 ОФК	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
ОК. ЧАР.	Fuzed
04-80-2	
2ШТ БРУТТО 63КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and, "Gremlin"

Strela



9M32M OФK	Nomenclature
09-75-2	Lot and date of manufacture
09329 09330	Serial numbers
OK. CHAP.	Fuzed
09-75-2	
2 ШТ БРУТТО 58 КГ	2 pieces Gross 58 kg


marking details

Strela



marking details

Strela



marking details

Strela




marking details

Type: SA-14 (U)



Strela



marking details

Strela



marking details

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the “Tommy Gun”, was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.



Category	<i>Submachine Guns</i>
Operating system	blowback operated, automatic
Cartridge	.45 ACP
Length	857 mm
Feeding	drum magazine or box magazine

Thompson M1928



left view

Thompson M1928



right view

Thompson M1928

top view

Thompson M1928
093/md-01-300w.jpgmarking details: Auto-Ordnance Corporation
Bridgeport, Connecticut, U.S.A.*Thompson M1928*
093/md-02-300w.jpgmarking details: Auto-Ordnance Corporation
Bridgeport, Connecticut, U.S.A.*Thompson M1928*
093/md-03-300w.jpgmarking details: Thompson Submachine Gun
Caliber 45*Thompson M1928*
093/md-05-300w.jpg

marking details: U.S. Prope


Thompson M1928
093/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **Thompson M1928**:


.45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



Tokarev TT-30/TT-33

The TT looks like the Browning FN 1903, and the mechanism is similar to the Colt M1911. In Hungary, the TT was modified and produced for export to Egypt in caliber 9mm and with a safety lock. For its time, the Tokarev TT was a formidable weapon, with good penetration and effective range. It was of good reliability and easy to maintain. What it lacked most, was the manual safety and its grip shape was not too comfortable. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Short recoil operated, closed breech, single action, semi-automatic
Cartridge	7.62 x 25mm Tokarev
Length	194 mm
Feeding	Box magazine



Type : Norinco Type 54, Model 213 (CHN)



weapon specifics : 9 x 19 mm

Type: Tokagypt 58



weapon specifics : made in HUN for EGY,
chambered in 9 x 19 mm

Type: POL



left view

TT-33




weapon specifics: post-WWII manufacture

Tokarev



marking details



The following ammunition can be used by the **Tokarev TT-30/TT-33**:

7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm




Webley Mk. IV

The Webley Mk. IV was a standard issue service pistol for the armed forces of the United Kingdom and British Empire and Commonwealth for over 70 Years. All Webley top-beak revolvers featured two piece frame, which hinges ("breaks") down at the forward low end for ejection and loading. The ejector is actuated automatically when the frame is broken open, simultaneously removing all six cases from the cylinder.



The cartridges then can be inserted by hand. In the case of revolver being rechambered for .45ACP round, half- moon clips are used to load the gun (two clips, each for 3 rounds).

Category	<i>Self-Loading Pistols & Revolvers</i>
Operating system	Double action revolver
Cartridge	.455 British Service
Length	286 mm
Feeding	Cylinder





The following ammunition can be used by the **Webley Mk. IV**:

.455 British Service

Bullet diameter	11.5 mm
Case length	19.6 mm
Overall length	31.2 mm



SALW markings

The following is a non-comprehensive overview of national weapon markings.



Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

A. Written - the source is based on written words.

B. Oral - the source is based on spoken words.

C. Visual - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

Table: Examples of sources on SALW distribution

	Primary	Secondary
Written	<ul style="list-style-type: none"> • Fact books • Weapons Transfer authorizations • End-user certificates • Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia • Newspaper articles • Written correspondence (e.g. letters, emails, text messages, etc.) • Blogs • Peer-reviewed journal articles • Treaties, constitution, laws • Records of organizations (e.g. annual reports) • Surveys, questionnaires <p>Etc...</p>	<ul style="list-style-type: none"> • Wikipedia • Literature reviews • Training or safety manuals on gun control, ammunition, physical stockpile security management) • Minutes of meetings, conferences, symposia • Indexes (e.g. Global Militarization Index) • Newspaper articles <p>Etc.</p>
Oral	<ul style="list-style-type: none"> • Interviews with experts, including radio or telephone • Legal proceedings • Speeches or interventions by experts or national representatives in government or international meetings <p>Etc ...</p>	<ul style="list-style-type: none"> • Speeches, panel presentations, etc. on data provided by experts <p>Etc...</p>

Visual	<ul style="list-style-type: none"> • Artifacts (e.g. the weapons themselves, ammunition) • Photographs of weapons, ammunition, etc. • Videos (e.g. YouTube, those recorded by mobile phone) • Television documentaries, news reports <p>Etc ...</p>	<ul style="list-style-type: none"> • PowerPoint presentations on results found by experts <p>Etc...</p>
---------------	---	--

Table: Example tags

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

Contact

Bonn International Centre for Conflict Studies (BICC) gGmbH

Joseph Farha
Project Coordinator
Pfarrer-Byns-Str. 1
53121 Bonn
Germany
E-Mail: joseph.farha@bicc.de
Internet: www.bicc.de

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center (BwVC)

Global Arms- and Proliferation Control Division
Major Laurentius Wedeniwski
Selfkant-Kaserne
Rue de Quimperle 100
52511 Geilenkirchen
E-Mail: LaurentiusWedeniwski@bundeswehr.org

Overall project coordination

Joseph Farha
Project Coordinator
Bonn International Centre for Conflict Studies (BICC)

Responsible for all content (including photos):

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.
Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

Responsible for design, editorial and technical implementation:

Bonn International Centre for Conflict Studies (BICC) gGmbH.
Technical management: Joseph Farha
Programming: Rolf Alberth