

# SALW Guide

Global distribution and visual  
identification



## Ireland

Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Ireland* and whether there is data on who holds these weapons:

Beretta M 12		Lee-Enfield SMLE	
Browning M 2		M1919 Browning	
Carl Gustav recoilless rifle		M203 grenade launcher	
DShk	 	M60	
FN FAL		M79	
FN Herstal FN MAG		MBDA MILAN	
FN High Power		Mosin-Nagant Rifle Mod. 1891	
FN MINIMI		Remington 870P	
FN P90		Saab AT4	
GDATP MK 19		Steyr AUG	
HK G3		Thompson M1928	 
HK MP5		UZI	
HK33			

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.


**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## Beretta M 12

The weapon has three safeties: a manual safety which blocks the trigger; an automatic safety on the rear grip which immobilizes the trigger and blocks the bolt in a closed position; and a safety on the cocking handle locking the bolt in case it does not retract sufficiently. The short length of the Beretta is achieved by use of a barrel recessed into the bolt head, known as a telescoping bolt. This reduces length without reducing barrel length or bolt weight.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback operated, selectively-fired, fires from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	418 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **Beretta M 12**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Fires from a short bolt, operated on the short recoil principle
<b>Cartridge</b>	12.7 x 99 mm NATO (.50BMG)
<b>Length</b>	1650 mm

**Feeding**

Belt

*Type: Browning M2HB-QCB*

left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

*Type: Browning M2HB*

right view, Browning M2HB air-cooled machine gun on M3 tripod

*Type: Browning M2E2*

weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

**12.7 x 99 mm NATO (.50BMG)**

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm

NO IMAGE


**Carl Gustav recoilless rifle**

The Carl Gustav can be fired from the standing, kneeling, sitting or prone positions. A bipod may be attached in front of the shoulder piece. An operating handle called a "Venturi



lock" is used to move the hinged breech to one side for reloading. The weapon is normally operated by a two-man crew, one carrying and firing the weapon, the other carrying ammunition and reloading.


<b>Category</b>	<i>Recoilless Guns/Rifles</i>
<b>Operating system</b>	Recoilless launch
<b>Cartridge</b>	
<b>Length</b>	1130 mm
<b>Feeding</b>	hinged breech




The following ammunition can be used by the **Carl Gustav recoilless rifle**:

## DShk

The DShk was exported to many countries, and it can be found all over the world because the gun is used in many conflicts. The weapon was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed, air cooled, selective fire
<b>Cartridge</b>	12.7 x 108 mm
<b>Length</b>	1625 mm
<b>Feeding</b>	Belt





The following ammunition can be used by the **DShk**:

### 12.7 x 108 mm

Bullet diameter	12.98 mm
Case length	108 mm
Overall length	147.5 mm



## FN FAL


The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester

<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **FN FAL**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	gas, automatic
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1260 mm

**Feeding**

disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

**7.62 x 51mm / .308 Winchester**



Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm

**FN High Power**

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **FN High Power**:

## .40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## FN MINIMI

The development of the Belgian FN Herstal MINIMI began in the early 1960s, but it did not enter into production until 1982. Since then, the MINIMI light machine gun has been in service in more than 35 countries including in the armies of the US and the UK. The gas-operated MINIMI is one of the most widely used guns in its class and caliber. It is usually belt fed and fired from a bipod, but it can also be fed by magazine and mounted on a tripod.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas, automatic only
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 7.62 x 51mm / .308 Winchester
<b>Length</b>	1040 mm
<b>Feeding</b>	disintegrating metal link belt or box magazine (M16 type)

*FN Minimi*



left view

*FN Minimi*



left view

*FN Minimi*



left view

*FN Minimi*



right view

*FN Minimi*



top view

*FN Minimi*

116/md-01-300w.jpg

marking details

*FN Minimi*  
116/ws-01-300w.jpg  
weapon specifics

*FN Minimi*  
116/ws-02-300w.jpg  
weapon specifics

*FN Minimi*  
116/ws-03-300w.jpg  
weapon specifics

The following ammunition can be used by the **FN MINIMI**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm





## FN P90

A personal defense weapon (often abbreviated PDW) is a compact semi-automatic or fully-automatic firearm similar in most respects to a submachine gun, but firing an (often proprietary) armor-piercing round, giving a PDW better range, accuracy and armor-penetrating capability than submachine guns, which fire pistol-caliber cartridges. The P90 was designed to have a length no greater than a man's shoulder width, in order to be easily carried and maneuvered in tight spaces, such as the inside of an armored vehicle. To achieve this, the weapon's design utilizes the unconventional bullpup configuration, in which the action and magazine are located behind



the trigger and alongside the shooter's face, so that there is no wasted space in the stock. The P90's dimensions are also minimized by its unique horizontally mounted feeding system, wherein the box magazine sits parallel to the barrel on top of the weapon's frame. Overall, the weapon has an extremely compact profile.

<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Straight blowback, closed bolt
<b>Cartridge</b>	FN 5.7 x 28mm
<b>Length</b>	500 mm
<b>Feeding</b>	n/a



The following ammunition can be used by the **FN P90**:

### FN 5.7 x 28mm

Bullet diameter	5.7 mm
Case length	28.83 mm
Overall length	40.5 mm




The FN 5.7×28mm is a small-caliber, high-velocity cartridge designed and manufactured by FN Herstal in Belgium. It is a bottlenecked centerfire cartridge that is somewhat similar to the .22 Hornet or .22 K-Hornet. The 5.7×28mm was developed in conjunction with the FN P90 personal defense weapon (PDW) and FN Five-seven pistol, in response to NATO requests for a replacement for the 9×19mm Parabellum cartridge. By 2006, FN's

5.7×28mm firearms—the P90 personal defense weapon and Five-seven pistol—were in service with military and police forces in over 40 nations throughout the world. In the United States, 5.7×28mm firearms are currently used by numerous law enforcement agencies, including the U.S. Secret Service.

## GDATP MK 19

The MK 19 or Mark 19 grenade machine gun was designed in the 1960s for the US Navy in the Vietnam War. In the following decades, the MK 19 was further improved, sold to and adopted by at least 28 other nations including Australia, Chile and South Korea. It was originally designed to be mounted on (naval) vehicles, but current systems can also be ground- or turret-mounted. The MK 19 can be fired manually or even remotely. Original manufacturer General Dynamics Armament and Technical Products (GDATP).



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	blowback, open-bolt (advanced primer ignition in mods 1 and 2)
<b>Cartridge</b>	40x53 mm
<b>Length</b>	1095 mm
<b>Feeding</b>	linked belt with 32 or 48 rds

The following ammunition can be used by the **GDATP MK 19**:

### 40x53 mm

Bullet diameter	40 mm
Case length	53 mm
Overall length	-




## HK G3

The G3 constructed from Heckler & Koch (H&K) in cooperation with a Spanish agency Centro de Estudios Técnicos de Materiales Especial (CETME) in the beginning Model A & B, after further development, West German Army (Bundeswehr) implemented this rifle. The furniture can be wood or plastic. The plastic stock may be green, sand or



black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Roller-delayed blowback
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1023 mm
<b>Feeding</b>	Box magazine



Type: CETEME rifles (Spain)



right view, CETEME model B, the "father of the G3 rifle

Type: CETEME rifles (Spain)



right view

HK G3



right view

HK G3



marking details

HK G3



marking details

HK G3



marking details

The following ammunition can be used by the **HK G3**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants.

The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	delayed-blowback; selective-fire
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	680 mm
<b>Feeding</b>	detachable box magazine

*HK MP 5*



left view

*HK MP 5*



left view, stock extended

*HK MP 5*



left view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



right view

*HK MP 5*



top view

*HK MP5*

094/md-01-300w.jpg

marking details

*HK MP 5*

094/md-02-300w.jpg

marking details: HK MP 5 Kal. 9 mm x 19 80244

*HK MP 5*

094/md-03-300w.jpg

marking details: HK MP 5

*HK MP 5*

094/ws-01-300w.jpg

weapon specifics

*HK MP 5*

094/ws-02-300w.jpg

weapon specifics

*HK MP 5*

094/ws-03-300w.jpg

weapon specifics

*HK MP 5*

094/ws-04-300w.jpg

weapon specifics

The following ammunition can be used by the **HK MP5**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



## HK33

The Heckler & Koch HK33 entered into production in 1963. The HK33 is produced in five variants: 1) with a fixed butt; 2) with a retractable butt; 3) fitted with a bipod; 4) as a sniper rifle with telescopic sight; and 5) as the HK22K carbine version. An “E” added to the weapon’s name identifies models for export, while a “K” added to the end of the weapon’s name refers to shortened models.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	delayed-blowback, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	920 mm
<b>Feeding</b>	detachable box magazine

HK 33




left view

HK 33



left view



The following ammunition can be used by the **HK33**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.7 x 56mm R / .303 British
<b>Length</b>	1130 mm
<b>Feeding</b>	Box magazine



Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

Lee-Enfield SMLE



marking details

The following ammunition can be used by the **Lee-Enfield SMLE**:

### 7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
Case length	56.4 mm
Overall length	78.1 mm



## M1919 Browning

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry. The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	short recoil, automatic
<b>Cartridge</b>	.30-06 M1 7.62 x 25mm Tokarev
<b>Length</b>	1044 mm
<b>Feeding</b>	250-round belt

*M1919 Browning*



left view

*M1919 Browning*



left view

*M1919 Browning*



right view

*M1919 Browning*



top view

*M1919 Browning*



bottom view

*M1919 Browning*  
119/md-01-300w.jpg  
marking details

*M1919 Browning*  
119/md-02-300w.jpg  
marking details

*M1919 Browning*  
119/ws-01-300w.jpg  
weapon specifics

The following ammunition can be used by the **M1919 Browning**:

**.30-06 M1**

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGE

## 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm




## M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).



<b>Category</b>	<i>Hand-held under-barrel and Mounted Grenade Launchers</i>
<b>Operating system</b>	Single shot, under-barrel, pump-action
<b>Cartridge</b>	40 x 46 mm grenade
<b>Length</b>	380 mm
<b>Feeding</b>	breech-loaded





The following ammunition can be used by the **M203 grenade launcher**:

### 40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



## M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1105 mm
<b>Feeding</b>	Belt

Type: M60E3 light



left view

Type: M60E4 / Mk.43 mod.1



left view

M60



right view, on integral bipod

The following ammunition can be used by the **M60**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowd Control.



### Category

*Hand-held under-barrel and Mounted Grenade Launchers*

<b>Operating system</b>	Break-action
<b>Cartridge</b>	40 x 46 mm grenade
<b>Length</b>	731 mm
<b>Feeding</b>	breech-loaded



The following ammunition can be used by the **M79**:

### 40 x 46 mm grenade

Bullet diameter	-
Case length	-
Overall length	-



## MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



<b>Category</b>	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
<b>Operating system</b>	portable anti-tank weapon system
<b>Cartridge</b>	

The following ammunition can be used by the **MBDA MILAN**:

## Mosin-Nagant Rifle Mod. 1891

This Russian “3-line” caliber (.30, 7,62mm) rifle existed in several variations and was several times adopted and modernized. Copies of this rifle were manufactured in different countries, like China, Hungary and Poland. Some of these were sporterized and converted to various calibers. Large numbers of these weapons were imported into both France and USA. The model 91/44 is shorter and has an attached bayonet. It was in service with several armed forces, both regular and irregular, and it can be found in many countries in Asia and Africa.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.62 x 54mm R
<b>Length</b>	1306 mm
<b>Feeding</b>	Internal magazine



*Mosin-Nagant Rifle*



marking details

*Mosin-Nagant Rifle*



marking details

The following ammunition can be used by the **Mosin-Nagant Rifle Mod. 1891**:

**7.62 x 54mm R**

Bullet diameter	7.92 mm
-----------------	---------

Case length	53.72 mm
Overall length	77.16 mm



## Remington 870P

The Remington Model 870 pump-action shotgun is available in 11 versions with various barrel lengths, furniture alternatives and magazine capacities. The first model entered into production in 1951. Current

models are still being produced today, adding to the more than 10,000,000 estimated units already produced. The Model 870P is the police model with its receiver made of steel. This model can also carry four extra rounds of ammunition. The Remington 870 series is in service with numerous military and police forces worldwide.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	manual, slide-action
<b>Cartridge</b>	12-gauge
<b>Length</b>	971 mm
<b>Feeding</b>	underbarrel tubular magazine

The following ammunition can be used by the **Remington 870P**:

### 12-gauge

Bullet diameter	18.53 mm
Case length	-
Overall length	-



## Saab AT4

The Saab Bofors Dynamics AT4 entered into production in Sweden in the early 1980s and is still being produced today. It is a single-shot recoilless weapon and one of the most common light anti-tank weapons in the world. It is preloaded and after firing, the AT4 cannot be reloaded. The AT4's main disadvantage is that it creates a considerable back blast.



<b>Category</b>	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
<b>Operating system</b>	recoilless, one-man-portable
<b>Cartridge</b>	


The following ammunition can be used by the **Saab AT4**:


## Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
<b>Length</b>	790 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **Steyr AUG**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Thompson M1928

The American Thompson M1928 was produced between 1921 and 1945. The submachine gun, also known as the “Tommy Gun”, was popular amongst civilians, police, and criminals and military alike because of its large .45 ACP cartridges, accuracy, and high volume of automatic fire. Approximately 2,000,000 units have been produced and also exported to numerous countries worldwide.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	blowback operated, automatic
<b>Cartridge</b>	.45 ACP
<b>Length</b>	857 mm
<b>Feeding</b>	drum magazine or box magazine

*Thompson M1928*



left view

*Thompson M1928*



right view

*Thompson M1928*



top view

*Thompson M1928*

093/md-01-300w.jpg

marking details: Auto-Ordnance Corporation  
Bridgeport, Connecticut, U.S.A.

*Thompson M1928*

093/md-02-300w.jpg

marking details: Auto-Ordnance Corporation  
Bridgeport, Connecticut, U.S.A.

*Thompson M1928*

093/md-03-300w.jpg

marking details: Thompson Submachine Gun  
Caliber 45

*Thompson M1928*

093/md-05-300w.jpg

marking details: U.S. Prope

*Thompson M1928*

093/ws-01-300w.jpg

weapon specifics

The following ammunition can be used by the **Thompson M1928**:

## .45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



## UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

Type: CHN, Norinco Uzi





left view, , sporter model single action, semi-automatic

MP UZI



right view





The following ammunition can be used by the **UZI**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
Project Coordinator  
Pfarrer-Byns-Str. 1  
53121 Bonn  
Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth