

# SALW Guide

Global distribution and visual  
identification
























## Kenya

Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Kenya* and whether there is data on who holds these weapons:

|                              |   |                       |  |
|------------------------------|---|-----------------------|--|
| AK-47 / AKM                  |   | HK MP5                |   |
| AR 15 (M16/M4)               |    | Lee-Enfield SMLE      |   |
| Carl Gustav recoilless rifle |    | M203 grenade launcher |   |
| CZ 75                        |    | M79                   |   |
| FN FAL                       |    | MBDA MILAN            |   |
| FN Herstal FN MAG            |    | MP UZI                |   |
| FN High Power                |    | Sten MP               |   |
| HK 21                        |    | Sterling MP L2A3      |   |
| HK 23                        |    | Strela (SA-7 / SA-14) |   |
| HK G3                        |   | Webley Mk. IV         |  |

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AK-47 / AKM

The AK 47 is best described as a hybrid of previous rifle technology innovations: the trigger, double locking lugs and unlocking raceway of the M1 Garand/M1 carbine, the safety mechanism of the John Browning designed Remington Model 8 rifle, and the gas system and layout of the Sturmgewehr 44. There are many variations. The weapons are used by all former Warsaw Pact countries, and they are in service with numerous armed forces, both regular and irregular. They can be found in many countries in Asia and Africa.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Assault Rifles</i>                   |
| <b>Operating system</b> | Gas operated, rotating bolt with 2 lugs |
| <b>Cartridge</b>        | 7.62 x 39mm                             |
| <b>Length</b>           | 870 mm                                  |
| <b>Feeding</b>          | Box magazine                            |

The following ammunition can be used by the **AK-47 / AKM**:

### 7.62 x 39mm

|                 |         |
|-----------------|---------|
| Bullet diameter | 7.92 mm |
| Case length     | 38.7 mm |
| Overall length  | 56 mm   |



## AR 15 (M16/M4)

The heart of the AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier



to move back against initially stationary bolt. At least 8 million items were produced. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/Terab has been observed in South Sudan used by some rebel groups in 2013.

|                         |                              |
|-------------------------|------------------------------|
| <b>Category</b>         | <i>Assault Rifles</i>        |
| <b>Operating system</b> | Gas operated, rotating bolt  |
| <b>Cartridge</b>        | 5.56 x 45mm / .223 Remington |
| <b>Length</b>           | 986 mm                       |
| <b>Feeding</b>          | Box magazine                 |

The following ammunition can be used by the **AR 15 (M16/M4)**:

### 5.56 x 45mm / .223 Remington

|                 |         |
|-----------------|---------|
| Bullet diameter | 5.7 mm  |
| Case length     | 44.7 mm |
| Overall length  | 57.4 mm |



## Carl Gustav recoilless rifle

The Carl Gustav can be fired from the standing, kneeling, sitting or prone positions. A bipod may be attached in front of the shoulder piece. An operating handle called a "Venturi lock" is used to move the hinged breech to one side for reloading. The weapon is normally operated by a two-man crew, one carrying and firing the weapon, the other carrying ammunition and reloading.



|                         |                               |
|-------------------------|-------------------------------|
| <b>Category</b>         | <i>Recoilless Guns/Rifles</i> |
| <b>Operating system</b> | Recoilless launch             |
| <b>Cartridge</b>        |                               |
| <b>Length</b>           | 1130 mm                       |
| <b>Feeding</b>          | hinged breech                 |

The following ammunition can be used by the **Carl Gustav recoilless rifle**:

## CZ 75

The Czech Model 75 pistol was named after its year of introduction and remains in service and in production in various countries today. A number of model variations and copies (e.g. by Norinco NZ 75) have been developed over the years. A special characteristic of the CZ 75 is its large double-column magazine, which holds 16 rounds of 9-mm-cartridges as opposed to the 10 or 11 rounds normally held by other pistols.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Self-Loading Pistols &amp; Revolvers</i> |
| <b>Operating system</b> | short-recoil, selective-fire                |
| <b>Cartridge</b>        | 9mm Parabellum (9 x 19mm)                   |
| <b>Length</b>           | 206 mm                                      |
| <b>Feeding</b>          | detachable box magazine                     |

The following ammunition can be used by the **CZ 75**:

## 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |
| Overall length  | 29.69 mm |



## FN FAL

The FN FAL (Fusil Automatique Leger - Light Automatic Rifle) is one of the most famous and widespread military rifle designs of the 20th century. It can be found in both the 7.62 NATO and, very rarely, the 5.56 NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Dutch versions, there is no automatic fire mode. The gas system is fitted with a gas regulator, so that it could be easily adjusted for various environment conditions, or cut off completely, so that rifle grenades could be safely launched from the barrel.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Assault Rifles</i>   |
| <b>Operating system</b> | Gas operated, tilting breechblock, select-fire or semi-automatic only |
| <b>Cartridge</b>        | 7.62 x 51mm / .308 Winchester   |
| <b>Length</b>           | 1100 mm   |
| <b>Feeding</b>          | Box magazine  |

The following ammunition can be used by the **FN FAL**:

## 7.62 x 51mm / .308 Winchester

|                 |          |
|-----------------|----------|
| Bullet diameter | 7.82 mm  |
| Case length     | 51.18 mm |
| Overall length  | 69.85 mm |



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



|                         |                                |
|-------------------------|--------------------------------|
| <b>Category</b>         | <i>Heavy Machine Guns</i>      |
| <b>Operating system</b> | gas, automatic                 |
| <b>Cartridge</b>        | 7.62 x 51mm / .308 Winchester  |
| <b>Length</b>           | 1260 mm                        |
| <b>Feeding</b>          | disintegrating metal link belt |

The following ammunition can be used by the **FN Herstal FN MAG**:

## 7.62 x 51mm / .308 Winchester

|                 |         |
|-----------------|---------|
| Bullet diameter | 7.82 mm |
|-----------------|---------|

|                |          |
|----------------|----------|
| Case length    | 51.18 mm |
| Overall length | 69.85 mm |



## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Self-Loading Pistols &amp; Revolvers</i>         |
| <b>Operating system</b> | Short recoil operated, locked breech, single action |
| <b>Cartridge</b>        | .40 S&W<br>9mm Parabellum (9 x 19mm)                |
| <b>Length</b>           | 200 mm  |
| <b>Feeding</b>          | Box magazine  |

The following ammunition can be used by the **FN High Power**:

### .40 S&W

|                 |         |
|-----------------|---------|
| Bullet diameter | 10.2 mm |
| Case length     | 21.6 mm |
| Overall length  | 28.8 mm |



### 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |



|                |          |
|----------------|----------|
| Overall length | 29.69 mm |
|----------------|----------|



## HK 21

The basic action of the machine gun, which received the company designation HK 21, was similar to that of the G3 rifle. The HK 21 fired from a closed bolt (not that big issue since its heavy barrel was really quick-detachable) and, unlike most machine guns, its belt feeding module was located below the receiver. Variants: HK11E automatic rifle (magazine fed, 7.62 mm) HK13E automatic rifle (magazine fed, 5.56 mm) HK21E general purpose machine gun (belt feed, 7.62 mm) HK23E light machine gun (belt-fed, 5.56 mm). The "E" stands for "Export" model.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>Category</b>         | <i>Light Machine Guns</i>           |
| <b>Operating system</b> | Selective fire roller-back blowback |
| <b>Cartridge</b>        | 7.62 x 51mm / .308 Winchester       |
| <b>Length</b>           | 1140 mm                             |
| <b>Feeding</b>          | Box magazine                        |

The following ammunition can be used by the **HK 21**:

### 7.62 x 51mm / .308 Winchester

|                 |          |
|-----------------|----------|
| Bullet diameter | 7.82 mm  |
| Case length     | 51.18 mm |
| Overall length  | 69.85 mm |



## HK 23

The HK (Heckler & Koch) 23 emerged in 1972 from the original HK 21, which explains the optical and technical resemblance between them and their variants. Usually it is fired from a bipod, but it can also be tripod mounted. While the production of the original HK 21 and 23 have officially ceased, there are still models in production. Residual numbers may remain in service. An “E” added to the weapon’s name identifies models for export.



|                         |                                     |
|-------------------------|-------------------------------------|
| <b>Category</b>         | <i>Light Machine Guns</i>           |
| <b>Operating system</b> | Selective fire roller-back blowback |
| <b>Cartridge</b>        | 5.56 x 45mm / .223 Remington        |
| <b>Length</b>           | 1030 mm                             |
| <b>Feeding</b>          | Box magazine                        |

The following ammunition can be used by the **HK 23**:

### 5.56 x 45mm / .223 Remington

|                 |         |
|-----------------|---------|
| Bullet diameter | 5.7 mm  |
| Case length     | 44.7 mm |
| Overall length  | 57.4 mm |



## HK G3

The furniture can be wood or plastic. The plastic stock may be green, sand or black. There is also a collapsing stock. The rifle is hammer fired and has a trigger mechanism with a 3-position fire selector switch that is also the manual safety toggle that secures the weapon from accidentally discharging (fire selector in the “E” or “1” position - single fire mode, “F” or “20” - automatic fire, “S” or “0” - weapon is safe, trigger disabled mechanically). The weapon can be fitted with an optional 4-position safety/fire selector group illustrated with pictograms with an ambidextrous selector lever. The additional, fourth selector setting enables a 3-round burst mode of fire. Around 10 million items have been produced.



|                         |                               |
|-------------------------|-------------------------------|
| <b>Category</b>         | <i>Assault Rifles</i>         |
| <b>Operating system</b> | Roller-delayed blowback       |
| <b>Cartridge</b>        | 7.62 x 51mm / .308 Winchester |
| <b>Length</b>           | 1023 mm                       |
| <b>Feeding</b>          | Box magazine                  |

The following ammunition can be used by the **HK G3**:

## 7.62 x 51mm / .308 Winchester

|                 |          |
|-----------------|----------|
| Bullet diameter | 7.82 mm  |
| Case length     | 51.18 mm |
| Overall length  | 69.85 mm |



## HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



|                         |                                  |
|-------------------------|----------------------------------|
| <b>Category</b>         | <i>Submachine Guns</i>           |
| <b>Operating system</b> | delayed-blowback; selective-fire |
| <b>Cartridge</b>        | 9mm Parabellum (9 x 19mm)        |
| <b>Length</b>           | 680 mm                           |
| <b>Feeding</b>          | detachable box magazine          |

The following ammunition can be used by the **HK MP5**:

## 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |
| Overall length  | 29.69 mm |



## Lee-Enfield SMLE

Rifles manufactured in the USA may have "UNITED STATES PROPERTY" on the left side of the receiver. Some of the Indian-made weapons can be found using 7.62 NATO caliber. The Lee-Enfield family of rifles is the oldest bolt-action rifle design still in official service. Lee-Enfield rifles are used by reserve forces and police forces in many Commonwealth countries, particularly Canada, where they are the main rifle issued to the Canadian Rangers, and India, where the Lee-Enfield is widely issued to reserve military units and police forces. Many Afghan participants in the Soviet invasion of Afghanistan were armed with Lee-Enfields (a common rifle in the Middle East and South Asia).



|                         |                                  |
|-------------------------|----------------------------------|
| <b>Category</b>         | <i>Rifles &amp; Carbines</i>     |
| <b>Operating system</b> | Manually operated, rotating bolt |
| <b>Cartridge</b>        | 7.7 x 56mm R / .303 British      |
| <b>Length</b>           | 1130 mm                          |
| <b>Feeding</b>          | Box magazine                     |

The following ammunition can be used by the **Lee-Enfield SMLE**:

### 7.7 x 56mm R / .303 British

|                 |         |
|-----------------|---------|
| Bullet diameter | 7.9 mm  |
| Case length     | 56.4 mm |
| Overall length  | 78.1 mm |



## M203 grenade launcher

The M203 grenade launcher was intended to be used as close fire support for point and group area targets. The round is designed to be effective at penetrating windows, blowing up doors, producing casualties in groups of enemies, destroying bunkers, and damaging or disabling soft-skinned vehicles. Its primary purpose is to engage enemies in dead space that cannot be reached by direct fire. A well-trained M203 gunner can also use his weapon to suppress the enemy, both from movement and sight. M203 were also produced in Egypt, South Korea and Bulgaria (as UBGL-M1, with mount suitable for Kalashnikov AKM and AK-74 type rifles).



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Hand-held under-barrel and Mounted Grenade Launchers</i> |
| <b>Operating system</b> | Single shot, under-barrel, pump-action                      |
| <b>Cartridge</b>        | 40 x 46 mm grenade  |
| <b>Length</b>           | 380 mm  |
| <b>Feeding</b>          | breech-loaded   |

The following ammunition can be used by the **M203 grenade launcher**:

### 40 x 46 mm grenade

|                 |   |
|-----------------|---|
| Bullet diameter | - |
| Case length     | - |
| Overall length  | - |



## M79

Many different ammunition types were produced for the M79 (and subsequently for the M203), outside of the smoke and illumination rounds three main types emerged: Explosive, Close-range and Non Lethal Crowd Control.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Hand-held under-barrel and Mounted Grenade Launchers</i> |
| <b>Operating system</b> | Break-action  |
| <b>Cartridge</b>        | 40 x 46 mm grenade  |

|                |               |
|----------------|---------------|
| <b>Length</b>  | 731 mm        |
| <b>Feeding</b> | breech-loaded |

The following ammunition can be used by the **M79**:

## 40 x 46 mm grenade

|                 |   |
|-----------------|---|
| Bullet diameter | - |
| Case length     | - |
| Overall length  | - |



## MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



|                         |  |
|-------------------------|--|
| <b>Category</b>         | <i>Portable Launcher of Anti-tank Missile and Rocket Systems</i> |
| <b>Operating system</b> | portable anti-tank weapon system                                 |
| <b>Cartridge</b>        |  |

The following ammunition can be used by the **MBDA MILAN**:

## MP UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. It was built in Belgium



under license for export to Germany and Iran. Croatia manufactured unlicensed copies of the Uzi and Micro-Uzi called the ERO and Mini ERO respectively. Mini- and Micro-Uzi submachine guns are produced either in open-bolt or closed-bolt versions.

|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Submachine Guns</i>                  |
| <b>Operating system</b> | Blowback-operated, fired from open bolt |
| <b>Cartridge</b>        | 9mm Parabellum (9 x 19mm)               |
| <b>Length</b>           | 470 mm                                  |
| <b>Feeding</b>          | Box magazine                            |

The following ammunition can be used by the **MP UZI**:

### 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |
| Overall length  | 29.69 mm |



## Sten MP

In Germany, the STEN models “Potsdam” and “Neumünster” were manufactured during WW II. In late 1944, the Mauser works in Germany secretly started manufacturing copies of British Mk II Sten, apparently for diversion and sabotage purposes. These weapons were intended to duplicate the British original as closely as possible, right down to the markings. The series was referred to as the „Gerät Potsdam“ and approximately 28,000 weapons were made. Also, during WW II some resistance groups in German-occupied countries (DNK, FRA, NOR, POL) produced significant numbers of Stens.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Submachine Guns</i>                  |
| <b>Operating system</b> | Blowback-operated, fired from open bolt |
| <b>Cartridge</b>        | 9mm Parabellum (9 x 19mm)               |
| <b>Length</b>           | 895 mm                                  |
| <b>Feeding</b>          | Box magazine                            |

The following ammunition can be used by the **Sten MP**:

## 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |
| Overall length  | 29.69 mm |



## Sterling MP L2A3

Sterling submachine guns were widely manufactured for export. More than 70 countries purchased various quantities of Sterling submachine guns. These weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19 ammunition.



|                         |  |
|-------------------------|--|
| <b>Category</b>         | <i>Submachine Guns</i>                               |
| <b>Operating system</b> | Blowback-operated, select-fire, fires from open bolt |
| <b>Cartridge</b>        | 9mm Parabellum (9 x 19mm)                            |
| <b>Length</b>           | 481 mm   |
| <b>Feeding</b>          | Box magazine   |

The following ammunition can be used by the **Sterling MP L2A3**:

## 9mm Parabellum (9 x 19mm)

|                 |          |
|-----------------|----------|
| Bullet diameter | 9 mm     |
| Case length     | 19.15 mm |
| Overall length  | 29.69 mm |





## Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Portable Launcher of Anti-aircraft Missile Systems</i> |
| <b>Operating system</b> | MANPAD  |
| <b>Cartridge</b>        |   |
| <b>Feeding</b>          | front-loaded  |

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

## Webley Mk. IV

The Webley Mk. IV was in service with the British Forces for 45 years, thus it is widespread in the former British colonies. All Webley top-beak revolvers featured two piece frame, which hinges ("breaks") down at the forward low end for ejection and loading. The ejector is actuated automatically when the frame is broken open, simultaneously removing all six cases from the cylinder. The cartridges then can be inserted by hand. In the case of revolver being rechambered for .45ACP round, half-moon clips are used to load the gun (two clips, each for 3 rounds).



|                         |   |
|-------------------------|---|
| <b>Category</b>         | <i>Self-Loading Pistols &amp; Revolvers</i> |
| <b>Operating system</b> | Double action revolver                      |
| <b>Cartridge</b>        | .455 British Service                        |
| <b>Length</b>           | 286 mm                                      |
| <b>Feeding</b>          | Cylinder                                    |

The following ammunition can be used by the **Webley Mk. IV**:

### .455 British Service

|                 |         |
|-----------------|---------|
| Bullet diameter | 11.5 mm |
| Case length     | 19.6 mm |
| Overall length  | 31.2 mm |



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

|  | Primary | Secondary |
|--|---------|-----------|
|--|---------|-----------|

|                |  |   |
|----------------|--|---|
| <b>Written</b> | <ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p> | <ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p> |
| <b>Oral</b>    | <ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>  | <ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>   |
| <b>Visual</b>  | <ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>  | <ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>  |

**Table: Example tags**

| Source (sample)   | Type of source | Medium of delivery |
|---|----------------|--------------------|
| IHS Jane's Weapons Infantry (2015-2016)                   | primary        | written            |
| Panel discussion of weapons use of non-state armed groups | secondary      | oral               |
| Documentary on paramilitaries in Colombia                 | primary        | visual             |

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

**Internationales Konversionszentrum Bonn -  
Bonn International Center for Conversion (BICC) GmbH**

Lars Wirkus  
Head of Data & Geomatics  
Pfarrer-Byns-Str. 1  
53121 Bonn

Germany

E-Mail: [wirkus@bicc.de](mailto:wirkus@bicc.de)

Internet: [www.bicc.de](http://www.bicc.de)

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Captain Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: [LaurentiusWedeniwski@bundeswehr.org](mailto:LaurentiusWedeniwski@bundeswehr.org)

## Overall project coordination

Lars Wirkus

Head of Data & Geomatics

Bonn International Center for Conversion (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Captain Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Internationales Konversionszentrum Bonn - Bonn International Center for Conversion (BICC) GmbH.

Technical management: Lars Wirkus

Programming: Rolf Alberth