

# SALW Guide

Global distribution and visual  
identification

















## Uruguay

Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Uruguay* and whether there is data on who holds these weapons:

AR 15 (M16/M4)		HK G36	
Browning M 2		HK MP5	
Colt M1911		M1918 Browning	
FN FAL		M1919 Browning	
FN Herstal FN MAG		MBDA MILAN	
FN High Power		MP UZI	
Glock 17		Steyr AUG	

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AR 15 (M16/M4)

The heart of the AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. At least 8 million items were produced. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/Terab has been observed in South Sudan used by some rebel groups in 2013.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	986 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **AR 15 (M16/M4)**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Fires from a short bolt, operated on the short recoil principle
<b>Cartridge</b>	12.7 x 99 mm NATO (.50BMG)
<b>Length</b>	1650 mm
<b>Feeding</b>	Belt

The following ammunition can be used by the **Browning M 2**:

### 12.7 x 99 mm NATO (.50BMG)

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm

NO IMAGE

## Colt M1911

Technically, the M1911 is a recoil operated, locked breech semi-auto pistol. It has a single action trigger with frame mounted safety that locks the hammer and the slide. The hammer can be locked either in cocked or in lowered position, allowing the gun to be carried in "cocked and locked" state, with safety on, hammer cocked and round chambered. Additional automated safety is incorporated into the rear of the grip and locks the action, when the gun is not properly held. The Colt M 1911 was manufactured by many companies in many countries, partly in the original form, partly modified, partly under license and partly without a license. It was exported to many countries after WW II, and it was in service with the US forces for 70 years.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, closed breech, single action, semi-automatic

<b>Cartridge</b>	.45 ACP
<b>Length</b>	219 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Colt M1911**:

### .45 ACP

Bullet diameter	11.5 mm
Case length	22.8 mm
Overall length	32 mm



## FN FAL

The FN FAL (Fusil Automatique Leger - Light Automatic Rifle) is one of the most famous and widespread military rifle designs of the 20th century. It can be found in both the 7.62 NATO and, very rarely, the 5.56 NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Dutch versions, there is no automatic fire mode. The gas system is fitted with a gas regulator, so that it could be easily adjusted for various environment conditions, or cut off completely, so that rifle grenades could be safely launched from the barrel.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **FN FAL**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
-----------------	---------

Case length	51.18 mm
Overall length	69.85 mm



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	gas, automatic
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1260 mm
<b>Feeding</b>	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The



trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.

<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **FN High Power**:

### .40 S&W

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Glock 17

Several modified versions of the Glock 17 have also been introduced. The Glock 17C incorporated slots cut in the barrel and slide to compensate for muzzle rise and recoil. The Glock 17L incorporates a longer slide and extended barrel. Initially, the Glock 17L had three holes in the top of the barrel and a corresponding slot in the slide; however, later production pistols lack the holes in the barrel. The Glock 17MB is a version with ambidextrous magazine catch. Glock pistols are designed with three independent safety mechanisms to prevent accidental discharge. The system, designated "Safe Action" by



Glock, consists of an external integrated trigger safety and two automatic internal safeties: a firing pin safety and a drop safety. The external safety is a small inner lever contained in the trigger.

<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	short recoil-operated, locked breech
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	186 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Glock 17**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## HK G36

The G36 was developed in the 1990s and adopted by several armed forces, e.g. the German Bundeswehr and the Spanish Armed Forces. It is gas-operated and employs a rotating bolt and multi-lug locking system, in contrast to traditional Heckler & Koch delayed roller-locked bolt systems. The butt-stock folds to the right. In 2012, reports about overheating G36 rifles in Afghanistan surfaced which affected the G36's accuracy. In April 2015, the German Ministry of Defence decided that the G36 would be phased out.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	1002 mm
<b>Feeding</b>	detachable, polymer box magazine

The following ammunition can be used by the **HK G36**:



## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## HK MP5

Though the Heckler & Koch MP5 was designed in the 1960s, it is still one of the most widely deployed sub-machine guns and has been developed into a family with numerous variants. The gun features either a fixed or a sliding (telescoping) butt-stock. The original MP5 offers a choice of single shot or automatic fire,

whereas later models received a burst-fire device, allowing two or three-round-bursts each time the trigger is operated. Current models remain in (licensed) production in several countries, though The China North Industries Corporation, officially abbreviated as Norinco, manufactures an unlicensed copy, the NR08.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	delayed-blowback; selective-fire
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	680 mm
<b>Feeding</b>	detachable box magazine

The following ammunition can be used by the **HK MP5**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## M1918 Browning

The M1918 was produced between 1917 and 1945 originally in the US, but it is also produced in countries such as Belgium, Poland, Sweden and China. It remained in use by the US military until the 1970s. The name affix of the M1918 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	gas operated, rising bolt lock
<b>Cartridge</b>	.30-06 M1 7.62 x 51mm / .308 Winchester 7.7 x 56mm R / .303 British 7.92x57 mm (8x57 IS)
<b>Length</b>	1200 mm
<b>Feeding</b>	20-round detachable box magazine

The following ammunition can be used by the **M1918 Browning**:

### .30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm



### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



### 7.7 x 56mm R / .303 British

Bullet diameter	7.9 mm
-----------------	--------

Case length	56.4 mm
Overall length	78.1 mm



### 7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



## M1919 Browning

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry. The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	short recoil, automatic
<b>Cartridge</b>	.30-06 M1 7.62 x 25mm Tokarev
<b>Length</b>	1044 mm
<b>Feeding</b>	250-round belt

The following ammunition can be used by the **M1919 Browning**:

### .30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm

Overall length	85 mm
----------------	-------

NO IMAGE

## 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



<b>Category</b>	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
<b>Operating system</b>	portable anti-tank weapon system
<b>Cartridge</b>	

The following ammunition can be used by the **MBDA MILAN**:

## MP UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. It was built in Belgium



under license for export to Germany and Iran. Croatia manufactured unlicensed copies of the Uzi and Micro-Uzi called the ERO and Mini ERO respectively. Mini- and Micro-Uzi submachine guns are produced either in open-bolt or closed-bolt versions.

<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **MP UZI**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
<b>Length</b>	790 mm
<b>Feeding</b>	Box magazine

The following ammunition can be used by the **Steyr AUG**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>



**Table: Example tags**

<b>Source (sample)</b>	<b>Type of source</b>	<b>Medium of delivery</b>
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

**Internationales Konversionszentrum Bonn -  
Bonn International Center for Conversion (BICC) GmbH**

Lars Wirkus  
Head of Data & Geomatics  
Pfarrer-Byns-Str. 1  
53121 Bonn

Germany

E-Mail: [wirkus@bicc.de](mailto:wirkus@bicc.de)

Internet: [www.bicc.de](http://www.bicc.de)

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Captain Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: [LaurentiusWedeniwski@bundeswehr.org](mailto:LaurentiusWedeniwski@bundeswehr.org)

## Overall project coordination

Lars Wirkus

Head of Data & Geomatics

Bonn International Center for Conversion (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Captain Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Internationales Konversionszentrum Bonn - Bonn International Center for Conversion (BICC) GmbH.

Technical management: Lars Wirkus

Programming: Rolf Alberth