


# SALW Guide

Global distribution and visual  
identification



## Tunisia

Country report

<https://salw-guide.bicc.de>

# Weapons Distribution

The following list shows the weapons which can be found in *Tunisia* and whether there is data on who holds these weapons:

AR 15 (M16/M4)		U	MAS 49/56		U
Beretta M 12		U	MAT 49		G
Browning M 2		G	MBDA MILAN		G
FAMAS F1		G	Mauser K98		U
FN FAL		G	SIG SG540		G
FN Herstal FN MAG		G	SIG SG550		G
FN High Power		U	Sterling L2A3		G
M1919 Browning		G	Steyr AUG		G
M60		G	Strela (SA-7 / SA-14)		N
MAS 49		U	UZI		U

## Explanation of symbols



Country of origin



Licensed production



Production without a licence



*Government:* Sources indicate that this type of weapon is held by Governmental agencies.



*Non-Government:* Sources indicate that this type of weapon is held by non-Governmental armed groups.



*Unspecified:* Sources indicate that this type of weapon is found in the country, but do not specify whether it is held by Governmental agencies or non-Governmental armed groups.

It is entirely possible to have a combination of tags beside each country. For example, if country X is tagged with a G and a U, it means that at least one source of data identifies Governmental agencies as holders of weapon type Y, and at least one other source confirms the presence of the weapon in country X without specifying who holds it.

**Note:** This application is a living, non-comprehensive database, relying to a great extent on active contributions (provision and/or validation of data and information) by either SALW experts from the military and international renowned think tanks or by national and regional focal points of small arms control entities.

## AR 15 (M16/M4)

The heart of the Colt AR-15 is the direct gas system. This system uses no conventional gas piston and rod to propel bolt group back after the shot is fired. Instead, the hot powder gases are fed from the barrel and down to the stainless steel tube into the receiver. Inside the receiver, the rear end of the gas tube enters into the "gas key", a small attachment on the top of the bolt carrier. The hot gases, through the gas key, enter the hollow cavity inside the bolt carrier, and expands there, acting against the bolt carrier and the collar around the bolt body. The pressure of the gases causes the bolt carrier to move back against initially stationary bolt. The M16 clone CQ/ Terab has been observed in South Sudan used by some rebel groups. The CQ is a variant of the AR-15 rifle manufactured by the Chinese arms company, NORINCO. The "Terab" rifle is a clone of the Norinco CQ manufactured by the MIC (Military Industry Corporation) of Sudan. The "Armada" rifle is a clone of the Norinco CQ manufactured by S.A.M. - Shooter's Arms Manufacturing, a.k.a. Shooter's Arms Guns & Ammo Corporation, in the Philippines. The CQ/ Terab has been observed in South Sudan used by some rebel groups in 2013.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	986 mm
<b>Feeding</b>	Box magazine

Type: M 4




left view

AR 15 (M16/M4)



right view



The following ammunition can be used by the **AR 15 (M16/M4)**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm




## Beretta M 12

The weapon has three safeties: a manual safety which blocks the trigger; an automatic safety on the rear grip which immobilizes the trigger and blocks the bolt in a closed position; and a safety on the cocking handle locking the bolt in case it does not retract sufficiently. The short length of the Beretta is achieved by use of a barrel recessed into the bolt head, known as a telescoping bolt. This reduces length without reducing barrel length or bolt weight.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback operated, selectively-fired, fires from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	418 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **Beretta M 12**:

### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Browning M 2

The Browning .50 caliber machine gun has been used extensively as a vehicle weapon and for aircraft armament. The M2 fires from a closed bolt, operated on the short recoil principle. Nearly 5 million items were produced.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	Fires from a short bolt, operated on the short recoil principle
<b>Cartridge</b>	12.7 x 99 mm NATO (.50BMG)
<b>Length</b>	1650 mm
<b>Feeding</b>	Belt

Type: *Browning M2HB-QCB*



left view, Browning M2HB-QCB air-cooled machine gun of current manufacture with quick-change barrel, on M3 tripod

Type: *Browning M2HB*



right view, Browning M2HB air-cooled machine gun on M3 tripod

Type: *Browning M2E2*



weapon specifics, Browning M2E2 new Browning modification with quick-change barrel

The following ammunition can be used by the **Browning M 2**:

**12.7 x 99 mm NATO (.50BMG)**

Bullet diameter	13 mm
Case length	99 mm
Overall length	138 mm




## FAMAS F1

The FAMAS (Fusil d'Assaut de la Manufacture d'Armes de Saint-Étienne) F1 bullpup rifle was developed in France in the late 1960s and entered into service with the French armed forces in 1975. More than 400,000 units have been produced. It remains the service rifle of the French military, though production of the FAMAS F1 ceased in 2000.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	delayed-blowback, selective-fire and 3rd burst facility
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	757 mm
<b>Feeding</b>	detachable box magazine



*Famas F1*

left view

*Famas F1*

right view

*Famas F1*

101/md-01-300w.jpg

marking details

*Famas F1*

101/ws-01-300w.jpg

weapon specifics

*Famas F1*

101/ws-02-300w.jpg

weapon specifics

*Famas F1*

101/ws-03-300w.jpg

weapon specifics

The following ammunition can be used by the **FAMAS F1**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## FN FAL

The FN FAL (Fusil Automatique Léger - Light Automatic Rifle) is one of the most famous and widespread military rifle. Because of its prevalence and widespread usage among the



militaries of many NATO and first world countries during the Cold War, it received the title "The right arm of the Free World". It can be found in both, the 7.62x51mm and, very rarely, the 5.56x45mm NATO versions. The furniture may be wood, metal or plastic. There are various barrel lengths. In the UK (L1A1), Canadian, Indian and Netherland versions, there is no automatic fire mode. The gas system is fitted with gas regulator so it could be easily adjusted for various environment conditions, or cut off completely so rifle grenades could be safely launched from the barrel.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, tilting breechblock, select-fire or semi-automatic only
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine



FN FAL



marking details

Type: "Gewehr G1"




Produced for the German armed forces

FN FAL



marking details

FN FAL



weapon specifics

The following ammunition can be used by the **FN FAL**:

## 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## FN Herstal FN MAG

The Belgian FN MAG (Mitrailleuse d'Appui Général, meaning general-purpose machine gun) entered into production in 1958. It is one of the most widespread machine gun designs and is used in more than 90 countries around the globe. It is still manufactured in Belgium and produced under license in several countries including Argentina, Egypt, the US and the UK. It can be carried by infantry and is usually fired while mounted on a tripod.



<b>Category</b>	<i>Heavy Machine Guns</i>
<b>Operating system</b>	gas, automatic
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1260 mm
<b>Feeding</b>	disintegrating metal link belt

The following ammunition can be used by the **FN Herstal FN MAG**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm





## FN High Power

The High Power is one of the most widely used military pistols of all time, having been used by the armed forces of over 50 countries. The pistol is often referred to as an HP (for "Hi Power" or "High Power") or as a GP (for the French term, "Grande Puissance"). Technically, the High Power pistol, also known as Browning HP 35, GP 35 or Model 1935, is a recoil operated, locked breech pistol. It uses linkless barrel to slide locking invented by Browning. The trigger is single action, with external hammer. Original HPs featured frame mounted safety at the left side of the frame, that locks both sear and slide. Modern versions, since Mark II, also featured ambidextrous safety levers, that are also more comfortable to operate.



<b>Category</b>	<i>Self-Loading Pistols &amp; Revolvers</i>
<b>Operating system</b>	Short recoil operated, locked breech, single action
<b>Cartridge</b>	.40 S&W 9mm Parabellum (9 x 19mm)
<b>Length</b>	200 mm
<b>Feeding</b>	Box magazine



*FN High Power*



weapon specifics

The following ammunition can be used by the **FN High Power**:

**.40 S&W**

Bullet diameter	10.2 mm
Case length	21.6 mm
Overall length	28.8 mm



**9mm Parabellum (9 x 19mm)**

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



**M1919 Browning**

The M1919 is still used by many countries as a vehicle gun, but it is no longer produced in the US. It was originally used as a fixed gun in tanks during the Second World War, but it was also mounted on a tripod and used by infantry.



The name affix of the M1919 "BAR" means "Browning Automatic Rifle" and refers to the original designer John M. Browning, not to the actual manufacturer. Variants of the M1919 are the A1; A2; A3; A4; A5; A6; M37 and AN/M2.

<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	short recoil, automatic
<b>Cartridge</b>	.30-06 M1 7.62 x 25mm Tokarev
<b>Length</b>	1044 mm
<b>Feeding</b>	250-round belt

*M1919 Browning*

left view

*M1919 Browning*

left view

*M1919 Browning*

right view

*M1919 Browning*

top view

*M1919 Browning*



bottom view

*M1919 Browning*  
119/md-01-300w.jpg  
marking details

*M1919 Browning*  
119/md-02-300w.jpg  
marking details

*M1919 Browning*  
119/ws-01-300w.jpg  
weapon specifics

The following ammunition can be used by the **M1919 Browning**:

### .30-06 M1

Bullet diameter	7.8 mm
Case length	63.3 mm
Overall length	85 mm

NO IMAGE

### 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



## M60

The M60 is a family of American general purpose machine guns firing 7.62x51mm NATO cartridges from a disintegrating belt of M13 links. There are several types of live ammunition approved for use in the M60, including ball, tracer, and armor-piercing rounds. The M60 was referred to as "The Pig" during the Vietnam War. The M60's gas operation is unique, and drew on technical advances of the period, particularly the white "gas expansion and cutoff" principle also exploited by the M14 rifle. The M60's gas system was simpler than other gas systems and easier to clean.



<b>Category</b>	<i>Light Machine Guns</i>
<b>Operating system</b>	Gas operated, belt fed
<b>Cartridge</b>	7.62 x 51mm / .308 Winchester
<b>Length</b>	1105 mm
<b>Feeding</b>	Belt

Type: M60E3 light



left view

Type: M60E4 / Mk.43 mod.1



left view

M60



right view, on integral bipod

The following ammunition can be used by the **M60**:

### 7.62 x 51mm / .308 Winchester

Bullet diameter	7.82 mm
Case length	51.18 mm
Overall length	69.85 mm



## MAS 49

The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.5 x 54mm
<b>Length</b>	1100 mm
<b>Feeding</b>	Box magazine



The following ammunition can be used by the **MAS 49**:

## 7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm



## MAS 49/56


The MAS-49 is a French semi-automatic rifle that replaced various bolt action rifles as the French service rifle. The MAS-49 and MAS 49/56 use a direct gas impingement system with no gas piston. In this system gas is vented from a port on top of the barrel and piped directly into an open cylindrical hollow located in front and on top of the bolt carrier. The system has the advantage of not depositing gas fouling on the bolt itself, a separate part located underneath the bolt carrier. Many MAS-49/56 rifles were imported as surplus in the USA and had been rechambered to fire the 7.62x51mm NATO round.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Gas operated, tilting bolt
<b>Cartridge</b>	7.5 x 54mm
<b>Length</b>	1020 mm
<b>Feeding</b>	Box magazine



MAS 49/56



marking details

MAS 49/56



marking details

MAS 49/56



marking details

The following ammunition can be used by the **MAS 49/56**:

## 7.5 x 54mm

Bullet diameter	7.8 mm
Case length	54 mm
Overall length	78 mm





## MAT 49

For some 30 years, the MAT 49 was widely used by French military and police forces; it was used throughout the Indochinese and Algerian campaigns. The weapon can still be encountered in former French colonies in Africa and Indochina. It should be noted that North Vietnam once produced a local copy of the MAT 49, chambered for 7.62mm TT rounds. MAT 49s manufactured for police forces, had two triggers, allowing use of full-auto fire or single shots, but most were manufactured as full-auto only.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	7.62 x 25mm Tokarev 9mm Parabellum (9 x 19mm)
<b>Length</b>	404 mm
<b>Feeding</b>	Box magazine





The following ammunition can be used by the **MAT 49**:

### 7.62 x 25mm Tokarev

Bullet diameter	7.8 mm
Case length	25 mm
Overall length	34 mm



### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm

Overall length	29.69 mm
----------------	----------



## MBDA MILAN

The anti-tank weapons system MILAN (Missile d'infanterie léger antichar; English: Light anti-tank infantry missile) is a French / German missile that was designed in the 1960s and entered into production in 1972. The MILAN system, which is usually mounted on a tripod, consists of two units: the ammunition (missile) unit and a combined launching and guidance unit. At a range of 4,000 m, targets can be detected and hit at a range of 2,000 m. The production of MILAN 1 and 2 has ceased, and MILAN 3 is the current production model. The MILAN system remains in widespread service, with reported use in over 40 countries.



<b>Category</b>	<i>Portable Launcher of Anti-tank Missile and Rocket Systems</i>
<b>Operating system</b>	portable anti-tank weapon system
<b>Cartridge</b>	

The following ammunition can be used by the **MBDA MILAN**:

## Mauser K98

There are many variants of this weapon, and it has been widely copied. K98k is a bolt-action rifle chambered for the 7.92×57mm Mauser cartridge. It remained the primary German service rifle until the end of the war in 1945. Millions were captured by the Soviets at the conclusion of World War II and were widely distributed as military aid. The Karabiner 98k therefore continues to appear in conflicts across the world as they are taken out of storage during times of strife. A number of non-European nations used the Mauser Karabiner 98k rifle as well as a few guerrilla organizations to help establish new nation-states. One example was Israel who used the Mauser Karabiner 98k rifle from the late 1940s until the 1970s. During the 1990s, the Yugoslavian Karabiner 98k rifles and the Yugoslavian M48 and M48A rifles were used alongside modern automatic and semi-automatic rifles by all the warring factions of the Yugoslav wars.



<b>Category</b>	<i>Rifles &amp; Carbines</i>
<b>Operating system</b>	Manually operated, rotating bolt
<b>Cartridge</b>	7.92x57 mm (8x57 IS)
<b>Length</b>	1110 mm
<b>Feeding</b>	Internal magazine



The following ammunition can be used by the **Mauser K98**:

## 7.92x57 mm (8x57 IS)

Bullet diameter	8.08 mm
Case length	57 mm
Overall length	82 mm



## SIG SG540

The Swiss SIG SG540 was designed as a potential replacement for the SG510. It was produced between 1977 and 2002 in Switzerland and remains in production in Chile only. While the SG540 and the SG 543 models are chambered for the 6.56 x 45 mm caliber, the SG542 uses 7.62 x 51 mm NATO cartridges.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	950 mm
<b>Feeding</b>	detachable box magazine

*SIG SG540*



left view

*SIG SG540*



left view

*SIG SG540*



right view

*SIG SG540*



top view

*SIG SG540*



top view

*SIG SG540*



bottom view

*SIG SG540*

107/md-01-300w.jpg

marking details

*SIG SG540*

107/ws-01-300w.jpg

weapon specifics

*SIG SG540*

107/ws-02-300w.jpg

weapon specifics

The following ammunition can be used by the **SIG SG540**:

5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## SIG SG550

The Swiss SIG SG550 assault rifle is based on the SG540. It entered into production in 1981 and is also known as the Fass 90 (Fusil d'assaut 90/Fucile d'assalto 90) in French/Italian or Stgw 90 in German (Sturmgewehr 90). As special attention was paid to making it lighter, the butt, handguard and magazine are largely made of plastic.



<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	gas, selective-fire
<b>Cartridge</b>	5.56 x 45mm / .223 Remington
<b>Length</b>	998 mm
<b>Feeding</b>	detachable, polymer box magazine

*SIG SG550*



left view



*SIG SG550*



right view

*SIG SG550*



top view

*SIG SG550*



bottom view

*SIG SG550*

128/md-01-300w.jpg

marking details

*SIG SG550*  
128/md-02-300w.jpg  
marking details

*SIG SG550*  
128/md-03-300w.jpg  
marking details

*SIG SG550*  
128/md-04-300w.jpg  
marking details

*SIG SG550*  
128/ws-01-300w.jpg  
weapon specifics

*SIG SG550*  
128/ws-02-300w.jpg  
weapon specifics

The following ammunition can be used by the **SIG SG550**:

## 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



## Sterling L2A3

Sterling submachine guns, were purchased in more than 70 countries. However, it must be noted that these weapons were rather popular among British troops because of their relatively compact size, adequate firepower and accuracy and good reliability. Special "high power, submachine-gun only" ammunition was procured by British army for Sterling submachine guns. This ammunition was absolutely safe in Sterling submachine guns, but can cause extensive wear to many 9mm pistols designed for commercial 9x19mm ammunition.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, select-fire, fires from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	481 mm
<b>Feeding</b>	Box magazine



*Suppressed version L34A1*



left view

*Sterling MP L2A3*



right view

*Type: FAMAE PAF 9 mm*



right view, Chilean copy of the Sterling submachine gun with external differences such as retractable wire stock and missing barrel shroud

*Suppressed version L34A1*



right view

*Sterling MP L2A3*



marking details

*Sterling MP L2A3*



marking details

Sterling MP L2A3



marking details

Sterling MP L2A3



weapon specifics

The following ammunition can be used by the **Sterling L2A3**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Steyr AUG

The rifle is fully ambidextrous. It can be configured for use by left-handed shooters by simply changing the bolt for a left-handed one with the extractor and ejector on opposite sides, and moving a blanking cap from the left ejection opening to the right. The housing of the AUG rifles, integral with the pistol handle and trigger guard, is



made from the high impact-resistant polymer, and is usually of green or black color. The Australian Army's modified version of the Steyr AUG A1 is called F88 Austeyr. It is also used by the Falklands Defense Forces.

<b>Category</b>	<i>Assault Rifles</i>
<b>Operating system</b>	Gas operated, rotating bolt
<b>Cartridge</b>	5.56 x 45mm / .223 Remington 9mm Parabellum (9 x 19mm)
<b>Length</b>	790 mm
<b>Feeding</b>	Box magazine




Type: Steyr AUG HBAR, 5.56 x 45 mm



right view

Steyr AUG



marking details

Steyr AUG




marking details

Steyr AUG



marking details



The following ammunition can be used by the **Steyr AUG**:

### 5.56 x 45mm / .223 Remington

Bullet diameter	5.7 mm
Case length	44.7 mm
Overall length	57.4 mm



### 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Strela (SA-7 / SA-14)

The missile launcher system consists of the green missile launch tube containing the missile, a grip stock and a cylindrical thermal battery. The launch tube is reloadable at depot, but missile rounds are delivered to fire units in their launch tubes. The device can be reloaded up to five times. The Strela and its variants have been widely used in nearly every regional conflict since 1968.



<b>Category</b>	<i>Portable Launcher of Anti-aircraft Missile Systems</i>
<b>Operating system</b>	MANPAD
<b>Cartridge</b>	
<b>Feeding</b>	front-loaded



Type: SA-7b



AKA: Strela-2M, RIIN 9K32M, USD SA-7b, NATOD SA-7 "Grail" Mod 1, HN-5 Hong Nu-5, Anza MKI

Type: SA-7a (U)



Type: SA-7b (U)



Strela



9M36-1 ОФК	Nomenclature
04-80-2	Lot and date of manufacture
04851 04852	Serial numbers
ОК. ЧАР.	Fuzed
04-80-2	
2ШТ БРУТТО 63КГ	2 pieces Gross 63 Kg

marking details

Type: SA-14



AKA: 9K34, Strela-3, and, "Gremlin"

Strela



9M32M OФK  
09-75-2  
09329 09330  
OK. CHAP.  
09-75-2  
2 ШТ БРУТТО 58 КГ

Nomenclature  
Lot and date of manufacture  
Serial numbers  
Fuzed

2 pieces Gross 58 kg


marking details

Strela




marking details

Strela



marking details

Strela




marking details

Type: SA-14 (U)

### SA-14 (U)



Strela



marking details

Strela



marking details

The following ammunition can be used by the **Strela (SA-7 / SA-14)**:

## UZI

The UZI and the Czechoslovakian series Sa 23 to Sa 26 were the first weapons to use a telescoping bolt design, in which the bolt wraps around the breech end of the barrel. This allows the barrel to be moved far back into the receiver and the magazine to be housed in the pistol grip, allowing for a heavier, slower-firing bolt in a shorter, better-balanced weapon. The pistol grip is fitted with a grip safety, making it difficult to fire accidentally. There were built further variants, also as Military variants, such as Mini Uzi, Micro Uzi and Uzi Pistol. Mini- and Micro-Uzi submachine guns were produced either in open-bolt or closed-bolt versions. The Uzi was also copied respectively cloned and spread around the whole world.



<b>Category</b>	<i>Submachine Guns</i>
<b>Operating system</b>	Blowback-operated, fired from open bolt
<b>Cartridge</b>	9mm Parabellum (9 x 19mm)
<b>Length</b>	470 mm
<b>Feeding</b>	Box magazine

Type: CHN, Norinco Uzi



left view, , sporter model single action, semi-automatic

MP UZI



right view

MP UZI



right view

MP UZI



right view

Type: Mini Uzi



right view

Type: Micro Uzi



right view

MP UZI



marking details

MP UZI



marking details

MP UZI



marking details

The following ammunition can be used by the **UZI**:

## 9mm Parabellum (9 x 19mm)

Bullet diameter	9 mm
Case length	19.15 mm
Overall length	29.69 mm



## Tagging of Sources

We believe that our Guide should be as transparent as possible without endangering the confidentiality of our sources. Rather than name the exact source for each unit of data, we have created tags so that users can at least know whether the data comes from a primary or secondary source, and by which medium it can or has been found. All incoming data is validated and then tagged by the project team at BICC before it enters our database.

Sources are tagged according to the following criteria:

### 1. Primary Sources:

These are presentations of facts. They are proof of an SALW event (e.g. a transfer, sighting, misuse, etc.) because the source was created at the time of the event itself. Primary sources are usually original documents such as transfer authorizations, firearms legislation, or academic journals presenting results of a study on SALW holdings in a particular country, for example. However, they can also be information offered by a person with direct knowledge of an SALW event or who has documented an SALW event at the time that it happened.

### 2. Secondary Sources:

These are interpretations or evaluation of facts. Secondary sources contain commentary and analysis of SALW events that are documented in primary sources.

Sources are also tagged according to the dominant medium of delivery:

**A. Written** - the source is based on written words.

**B. Oral** - the source is based on spoken words.

**C. Visual** - the source is based on seen events or optical images.

These criteria make our tags two-dimensional. While the process of classifying sources is a primarily subjective one, the project team at BICC has developed the following table to serve as an example of possible sources within each category.

**Table: Examples of sources on SALW distribution**

	Primary	Secondary
--	---------	-----------

<b>Written</b>	<ul style="list-style-type: none"> <li>• Fact books</li> <li>• Weapons Transfer authorizations</li> <li>• End-user certificates</li> <li>• Transcripts of interviews, legal proceedings, speeches/ presentations, meetings, conferences or symposia</li> <li>• Newspaper articles</li> <li>• Written correspondence (e.g. letters, emails, text messages, etc.)</li> <li>• Blogs</li> <li>• Peer-reviewed journal articles</li> <li>• Treaties, constitution, laws</li> <li>• Records of organizations (e.g. annual reports)</li> <li>• Surveys, questionnaires</li> </ul> <p>Etc...</p>	<ul style="list-style-type: none"> <li>• Wikipedia</li> <li>• Literature reviews</li> <li>• Training or safety manuals on gun control, ammunition, physical stockpile security management)</li> <li>• Minutes of meetings, conferences, symposia</li> <li>• Indexes (e.g. Global Militarization Index)</li> <li>• Newspaper articles</li> </ul> <p>Etc.</p>
<b>Oral</b>	<ul style="list-style-type: none"> <li>• Interviews with experts, including radio or telephone</li> <li>• Legal proceedings</li> <li>• Speeches or interventions by experts or national representatives in government or international meetings</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• Speeches, panel presentations, etc. on data provided by experts</li> </ul> <p>Etc...</p>
<b>Visual</b>	<ul style="list-style-type: none"> <li>• Artifacts (e.g. the weapons themselves, ammunition)</li> <li>• Photographs of weapons, ammunition, etc.</li> <li>• Videos (e.g. YouTube, those recorded by mobile phone)</li> <li>• Television documentaries, news reports</li> </ul> <p>Etc ...</p>	<ul style="list-style-type: none"> <li>• PowerPoint presentations on results found by experts</li> </ul> <p>Etc...</p>

**Table: Example tags**

Source (sample)	Type of source	Medium of delivery
IHS Jane's Weapons Infantry (2015-2016)	primary	written
Panel discussion of weapons use of non-state armed groups	secondary	oral
Documentary on paramilitaries in Colombia	primary	visual

## About the Guide

The Interactive Guide on **Small Arms and Light Weapons** is an open access tool, designed to build knowledge on how to identify different types, makes and models of commonly used SALW in organized violence; to collect data on the global and country-specific spread of these SALW; and to describe some of their visual and technical specifications.

The guide is not an exhaustive list of all SALW that are used around the world.

Global SALW control relies on, among other things, data and knowledge of the weapons themselves. Our aim is that the Guide will be used to support national reporting duties on SALW holdings; facilitate and ameliorate the collection of data on SALW; and increase general knowledge of global distribution of SALW.

The interactive Guide was developed by **BICC** in close cooperation with the **Bundeswehr Verification Center** (BwVC), and with the generous support of the *Federal Foreign Office, Germany*.

## Contact

### **Bonn International Centre for Conflict Studies (BICC) gGmbH**

Joseph Farha  
Project Coordinator  
Pfarrer-Byns-Str. 1  
53121 Bonn  
Germany

E-Mail: joseph.farha@bicc.de

Internet: www.bicc.de

**Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr  
Verification Center (BwVC)**

Global Arms- and Proliferation Control Division

Major Laurentius Wedeniwski

Selfkant-Kaserne

Rue de Quimperle 100

52511 Geilenkirchen

E-Mail: LaurentiusWedeniwski@bundeswehr.org

## Overall project coordination

Joseph Farha

Project Coordinator

Bonn International Centre for Conflict Studies (BICC)

**Responsible for all content (including photos):**

Zentrum für Verifikationsaufgaben der Bundeswehr (ZVBw) - Bundeswehr Verification Center.

Major Laurentius Wedeniwski: Small Arms and Light Weapons Guide (2016).

**Responsible for design, editorial and technical implementation:**

Bonn International Centre for Conflict Studies (BICC) gGmbH.

Technical management: Joseph Farha

Programming: Rolf Alberth